

Selection of Publications

Leica Laser Microdissection

Content

1. DNA-Research	2
2. RNA-Research	20
3. Proteomics	62
4. Fluorescence Applications	76
5. Cancer-Research	81
6. Neurosciences.....	116
7. Clinical Applications	139
8. Developmental Research, Epigenetics & Aging	157
9. Plant Research.....	168
10. Forensics	178
11. Miscellaneous.....	181
12. Live Cell Culture	199

Last update: March 2015

Sorted by application and alphabet (first author)

Are you missing a citation? Please do not hesitate to contact your local Leica Microsystems CMS support:

<http://www.leica-microsystems.com/contact-support/contact-us-online/>

This list as well as further information on the current laser microdissection systems can be found on:

<http://www.leica-microsystems.com/lmd>

Feel free to visit our Science Lab:

<http://www.leica-microsystems.com/science-lab/topics/laser-microdissection/>

1. DNA-Research

Aguilar-Mahecha, A., Hales, B.F., and Robaire, B.:

Effects of acute and chronic cyclophosphamide treatment on meiotic progression and the induction of DNA double-strand breaks in rat spermatocytes

Biol Reprod 72(6): 1297-1304 (2005)

<http://www.bioreprod.org/content/72/6/1297.long>

Amatori S, Ballarini M, Favarsani A, Belloni E, Fusar F, Bosari S, Pelicci PG, Minucci S, Fanelli M:
PAT-ChIP coupled with laser microdissection allows the study of chromatin in selected cell populations from paraffin-embedded patient samples

Epigenetics Chromatin. 2014 Aug 5;7:18. doi: 10.1186/1756-8935-7-18. eCollection 2014.

<http://www.epigeneticsandchromatin.com/content/7/1/18>

Amé JC, Fouquerel E, Gauthier LR, Biard D, Boussin FD, Dantzer F, de Murcia G, Schreiber V:

Radiation-induced mitotic catastrophe in PARG-deficient cells

J Cell Sci. 2009 Jun 15;122(Pt 12):1990-2002

<http://jcs.biologists.org/content/122/12/1990.long>

Archer, A., Sauvaget, D., Chauffeton, V., Bouchet, P.E., Chambaz, J., Pincon-Raymond, M., Cardot, P., Ribeiro, A., and Lacasa, M.:

Intestinal apolipoprotein A-IV gene transcription is controlled by two hormone-responsive elements: a role for hepatic nuclear factor-4 isoforms

Mol Endocrinol 19(9): 2320-2334 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2320>

Ardighieri L, Zeppernick F, Hannibal CG, Vang R, Cope L, Junge J, Kjaer SK, Kurman RJ, Shih IM:
Mutational Analysis of BRAF and KRAS in Ovarian Atypical Proliferative Serous (Borderline) Tumors and Associated Peritoneal Implants

J. Pathol., 1096-9896, 10.1002/path.4293, 2013

<http://dx.doi.org/10.1002/path.4293>

Barault L, Ellsworth RE, Harris HR, Valente AL, Shriver CD, and Michels KB:

Leukocyte DNA as Surrogate for the Evaluation of Imprinted Loci Methylation in Mammary Tissue DNA

PLoS ONE 8(2): e55896. doi:10.1371/journal.pone.0055896

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0055896>

Barrow TM, Barault L, Ellsworth RE, Harris HR, Binder AM, Valente AL, Shriver CD, Michels KB:

Aberrant methylation of imprinted genes is associated with negative hormone receptor status in invasive breast cancer

Int J Cancer. 2015 Jan 5. doi: 10.1002/ijc.29419.

<http://dx.doi.org/10.1002/ijc.29419>

Bayona-Bafaluy, M.P., Blits, B., Battersby, B.J., Shoubridge, E.A., and Moraes, C.T.:

Rapid directional shift of mitochondrial DNA heteroplasmy in animal tissues by a mitochondrially targeted restriction endonuclease

Proc Natl Acad Sci U S A 102(40): 14392-14397 (2005)

<http://www.pnas.org/content/102/40/14392.long>

Begus-Nahrmann, Y., Lechel, A., Obenauf, A., Nalapareddy, K., Peit, E., Hoffmann, E., Schlaudraff, F., Liss, B., Schirmacher, P., Kestler, H., Danenberg, E., Barker, N., Clevers, H., Speicher, M., Rudolph, K.L.
p53 deletion impairs clearance of chromosomal-*instable stem cells in aging telomere-dysfunctional mice*

Nature Genetics 41(10): 1138-43 (2009)

<http://www.nature.com/ng/journal/v41/n10/full/ng.426.html>

Bourdeaut F, Hérault A, Gentien D, Pierron G, Ballet S, Reynaud S, Paris R, Schleiermacher G, Baumann C, Philippe-Chomette P, Gauthier-Villars M, Peuchmaur M, Radvanyi F, Delattre O:

Mosaicism for oncogenic G12D KRAS mutation associated with epidermal nevus, polycystic kidneys and rhabdomyosarcoma

J Med Genet 47(12):859-62 (2010)

<http://jmg.bmj.com/content/47/12/859.short>

Campbell GR, Reeve A, Ziabreva I, Polvikoski TM, Taylor RW, Reynolds R, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and depletion within paraspinal muscles

Neuropathol Appl Neurobiol. 2012 Jul 5. doi: 10.1111/j.1365-2990.2012.01290.x

<http://dx.doi.org/10.1111/j.1365-2990.2012.01290.x>

Cameselle-Teijeiro J, Ferreira R, Caramés N, Abdulkader I, Máximo V, Soares P, Sobrinho-Simões M:
Absence of the BRAF and the GRIM-19 Mutations in Oncocytic (Hurthle Cell) Solid Cell Nests of the Thyroid

Am J Clin Pathol. 2012 Apr;137(4):612-8

<http://ajcp.ascpjournals.org/content/137/4/612.full>

Campbell G, Krishnan KJ, Deschauer M, Taylor RW, Turnbull DM:

Dissecting the mechanisms underlying the accumulation of mitochondrial DNA deletions in human skeletal muscle

Hum Mol Genet. 2014 Sep 1;23(17):4612-20. doi: 10.1093/hmg/ddu176.

<http://hmg.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24740879>

Chan MK, Ocampo-Hafalla MT, Vartanian V, Jaruga P, Kirkali G, Koenig KL, Brown S, Lloyd RS, Dizdaroglu M, Teebor GW:

Targeted deletion of the genes encoding NTH1 and NEIL1 DNA N-glycosylases reveals the existence of novel carcinogenic oxidative damage to DNA

DNA Repair (Amst). 2009 Jul 4;8(7):786-94

<http://dx.doi.org/10.1016/j.dnarep.2009.03.001>

Chiappetta C, Proietti I, Soccodato V, Puggioni C, Zaralli R, Pacini L, Porta N, Skroza N, Petrozza V, Potenza C, Rocca CD, Di Cristofano C:

BRAF and NRAS Mutations are Heterogeneous and Not Mutually Exclusive in Nodular Melanoma

Applied Immunohistochemistry & Molecular Morphology, doi: 10.1097/PAI.0000000000000071

http://journals.lww.com/appliedimmunohist/Abstract/publishahead/BRAF_and_NRAS_Mutations_are_Heterogeneous_and_Not.99403.aspx

Choong, N.W., Dietrich, S., Seiwert, T.Y., Tretiakova, M.S., Nallasura, V., Davies, G.C., Lipkowitz, S., Husain, A.N., Salgia, R., and Ma, P.C.:

Gefitinib response of erlotinib-refractory lung cancer involving meninges--role of EGFR mutation

Nat Clin Pract Oncol 3(1): 50-57; quiz 51 p following 57 (2006)

<http://www.nature.com/nrclinonc/journal/v3/n1/full/ncononc0400.html>

Chui, D.T., Hammond, D., Baird, M., Shield, L., Jackson, R., and Jarrett, R.F.:

Classical Hodgkin lymphoma is associated with frequent gains of 17q

Genes Chromosomes Cancer 38(2): 126-136 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.10266/full>

Confavreux CB, Girard N, Pialat J-P, Bringuier P-P, Shisheboran MD, Rousseau J-C, Isaac S, Thivolet-Bejui F, Clezardin P, and Brevet M:

Mutational profiling of bone metastases from lung adenocarcinoma: results of a prospective study (POUMOS-TEC)

BoneKEy Reports 3, Article number: 580 (2014) | doi:10.1038/bonekey.2014.75

<http://www.nature.com/bonekeyreports/2014/141001/bonekey201475/pdf/bonekey201475.pdf>

De Raeve, L.E., Claes, A., Ruiters, D.J., van Muijen, G.N., Roseeuw, D., and van Kempen, L.C.:

Distinct phenotypic changes between the superficial and deep component of giant congenital melanocytic naevi: a rationale for curettage

Br J Dermatol 154(3): 485-492 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2133.2005.07055.x/full>

Co NN, Iglesias D, Celestino J, Kwan SY, Mok SC, Schmandt R, Lu KH:

Loss of LKB1 in high-grade endometrial carcinoma: LKB1 is a novel transcriptional target of p53

Cancer. 2014 Jul 16. doi: 10.1002/cncr.28854.

<http://dx.doi.org/10.1002/cncr.28854>

Di Cristofano, C., Mrad, K., Zavaglia, K., Bertacca, G., Aretini, P., Cipollini, G., Bevilacqua, G., Ben Romdhane, K., and Cavazzana, A.:

Papillary lesions of the breast: a molecular progression?

Breast Cancer Res Treat 90(1): 71-76 (2005)

<http://www.springerlink.com/content/k541817888758k14/>

Dietrich D, Lesche R, Tetzner R, Krispin M, Dietrich J, Haedicke W, Schuster M, Kristiansen G:

Analysis of DNA methylation of multiple genes in microdissected cells from formalin-fixed and paraffin-embedded tissues

J Histochem Cytochem. 2009 May;57(5):477-89.

<http://jhc.sagepub.com/cgi/pmidlookup?view=long&pmid=19153192>

Dong, B., Sato, M., Sakurada, A., Sagawa, M., Endo, C., Wu, S., Yamanaka, S., Horii, A., and Kondo, T.:
Computed tomographic images reflect the biologic behavior of small lung adenocarcinoma: they correlate with cell proliferation, microvascularization, cell adhesion, degradation of extracellular matrix, and K-ras mutation

J Thorac Cardiovasc Surg 130(3): 733-739 (2005)

<http://www.jtcvsonline.org/article/S0022-5223%2805%2900791-9/abstract>

Du L, Peng R, Björkman A, Filipe de Miranda N, Rosner C, Kotnis A, Berglund M, Liu C, Rosenquist R, Enblad G, Sundström C, Hojjat-Farsangi M, Rabbani H, Teixeira MR, Revy P, Durandy A, Zeng Y, Gennery AR, de Villartay JP, Pan-Hammarström Q:

Cernunnos influences human immunoglobulin class switch recombination and may be associated with B cell lymphomagenesis

J Exp Med. 2012 Feb 6. [Epub ahead of print]

<http://www.jem.org/cgi/pmidlookup?view=long&pmid=22312109>

Ellsworth, D.L., Ellsworth, R.E., Love, B., Deyarmin, B., Lubert, S.M., Mittal, V., and Shriver, C.D.:

Genomic patterns of allelic imbalance in disease free tissue adjacent to primary breast carcinomas

Breast Cancer Res Treat 88(2): 131-139 (2004)

<http://www.springerlink.com/content/p08585p766261t33/>

Ellsworth, D.L., Shriver, C.D., Ellsworth, R.E., Deyarmin, B., and Somiari, R.I.:

Laser capture microdissection of paraffin-embedded tissues

Biotechniques 34(1): 42-44, 46 (2003)

http://www.biotechniques.com/multimedia/archive/00010/03341bm05_10303a.pdf

Ellsworth, R.E., Ellsworth, D.L., Lubert, S.M., Hooke, J., Somiari, R.I., and Shriver, C.D.:

High-throughput loss of heterozygosity mapping in 26 commonly deleted regions in breast cancer

Cancer Epidemiol Biomarkers Prev 12(9): 915-919 (2003)

<http://cebp.aacrjournals.org/content/12/9/915.long>

Elstner M, Muller SK, Leidolt L, Laub C, Krieg L, Schlaudraff F, Liss B, Morris C, Turnbull DM, Masliah E, Prokisch H, Klopstock T, Bender A:

Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions

Mol Brain. 2011 Dec 21;4(1):43.

<http://www.molecularbrain.com/content/4/1/43/abstract>

Engelham S, Mdaki K, Jewell K, Austin R, Lehner AN, and Langley-Evans SC:

Mitochondrial Respiration Is Decreased in Rat Kidney Following Fetal Exposure to a Maternal Low-Protein Diet

Journal of Nutrition and Metabolism Volume 2012 (2012), Article ID 989037, 10 pages,

doi:10.1155/2012/989037

<http://www.hindawi.com/journals/jnume/2012/989037/>

Feltmate, C.M., Lee, K.R., Johnson, M., Schorge, J.O., Wong, K.K., Hao, K., Welch, W.R., Bell, D.A., Berkowitz, R.S., and Mok, S.C.:

Whole-genome allelotyping identified distinct loss-of-heterozygosity patterns in mucinous ovarian and appendiceal carcinomas

Clin Cancer Res 11(21): 7651-7657 (2005)

<http://clincancerres.aacrjournals.org/content/11/21/7651.long>

Feng, X., Ren, C., Zhou, W., Liu, W., Zeng, L., Li, G., Wang, L., Li, M., Zhu, B., Yao, K. and Jiang, X:

Promoter Hypermethylation Along With LOH, But Not Mutation, Contributes to Inactivation of DLC-1 in Nasopharyngeal Carcinoma

Mol. Carcinog., 12 JUN 2013, DOI: 10.1002/mc.22044

<http://onlinelibrary.wiley.com/doi/10.1002/mc.22044/abstract>

Gambineri E, Ciullini Mannurita S, Robertson H, Vignoli M, Haugk B, Lionetti P, Hambleton S, Barge D, Gennery AR, Slatter M, Nademi Z, Flood TJ, Jackson A, Abinun M, Cant AJ:

Gut immune reconstitution in immune dysregulation, polyendocrinopathy, enteropathy, X-linked syndrome after hematopoietic stem cell transplantation

Journal of Allergy and Clinical Immunology, 2014, DOI: <http://dx.doi.org/10.1016/j.jaci.2014.09.009>

<http://www.jacionline.org/article/S0091-6749%2814%2901318-9/abstract>

Giuffre, G., Muller, A., Brodegger, T., Bocker-Edmonston, T., Gebert, J., Kloor, M., Dietmaier, W., Kullmann, F., Buttner, R., Tuccari, G., and Ruschoff, J.:

Microsatellite analysis of hereditary nonpolyposis colorectal cancer-associated colorectal adenomas by laser-assisted microdissection: correlation with mismatch repair protein expression provides new insights in early steps of tumorigenesis

J Mol Diagn 7(2): 160-170 (2005)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960542-9/abstract>

Gong L, Wei LX, Ren P, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Dysplastic nodules with glypican-3 positive immunostaining: a risk for early hepatocellular carcinoma

PLoS One. 2014 Jan 31;9(1):e87120. doi: 10.1371/journal.pone.0087120. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0087120>

Greaves LC, Barron MJ, Plusa S, Kirkwood TB, Mathers JC, Taylor RW, Turnbull DM:

Defects in multiple complexes of the respiratory chain are present in ageing human colonic crypts
Exp Gerontol 45(7-8):573-9 (2010)

<http://dx.doi.org/10.1016/j.exger.2010.01.013>

Greaves LC, Elson JL, Nootboom M, Grady JP, Taylor GA, Taylor RW, Mathers JC, Kirkwood TB, Turnbull DM:

Comparison of mitochondrial mutation spectra in ageing human colonic epithelium and disease: absence of evidence for purifying selection in somatic mitochondrial DNA point mutations

PLoS Genet. 2012 Nov;8(11):e1003082. doi: 10.1371/journal.pgen.1003082. Epub 2012 Nov 15.

<http://dx.plos.org/10.1371/journal.pgen.1003082>

Greaves, L.C., Preston, S.L., Tadrous, P.J., Taylor, R.W., Barron, M.J., Oukrif, D., Leedham, S.J., Deheragoda, M., Sasieni, P., Novelli, M.R., Jankowski, J.A., Turnbull, D.M., Wright, N.A., and McDonald, S.A.:

Mitochondrial DNA mutations are established in human colonic stem cells, and mutated clones expand by crypt fission

Proc Natl Acad Sci U S A 103(3): 714-719 (2006)

<http://www.pnas.org/content/103/3/714.long>

Grisotto, M.G., Garin, A., Martin, A.P., Jensen, K.K., Chan, P., Sealfon, S.C., and Lira, S.A.:

The human herpesvirus 8 chemokine receptor vGPCR triggers autonomous proliferation of endothelial cells

J Clin Invest 116(5): 1264-1273 (2006)

<http://www.jci.org/articles/view/26666>

Guerra A, Sapio MR, Marotta V, Campanile E, Rossi S, Forno I, Fugazzola L, Budillon A, Moccia T, Fenzi G, Vitale M

The Primary Occurrence of BRAFV600E Is a Rare Clonal Event in Papillary Thyroid Carcinoma

J Clin Endocrinol Metab. 2011 Dec 14. [Epub ahead of print]

<http://jcem.endojournals.org/cgi/pmidlookup?view=long&pmid=22170714>

Guidoboni, M., Ponzoni, M., Caggiari, L., Lettini, A.A., Vago, L., De Re, V., Gloghini, A., Zancai, P., Carbone, A., Boiocchi, M., and Dolcetti, R.:

Latent membrane protein 1 deletion mutants accumulate in reed-sternberg cells of human immunodeficiency virus-related Hodgkin's lymphoma

J Virol 79(4): 2643-2649 (2005)

<http://jvi.asm.org/cgi/content/full/79/4/2643?view=long&pmid=15681466>

Hawkins MG, Winder DM, Ball SL, Vaughan K, Sonnex C, Stanley MA, Sterling JC, Goon PK:

Detection of specific HPV subtypes responsible for the pathogenesis of condylomata acuminata

Virology. 2013 May 1;10(1):137.

<http://www.virology.com/content/10/1/137>

Heinmoller, E., Bockholt, A., Werther, M., Ziemer, M., Muller, A., Ghadimi, B.M., and Ruschoff, J.:

Laser microdissection of small tissue samples-application to chronic pancreatitis tissues

Pathol Res Pract 199(6): 363-371 (2003)

<http://dx.doi.org/10.1078/0344-0338-00432>

Heinmoller, E., Schlake, G., Renke, B., Liu, Q., Hill, K.A., Sommer, S.S., and Ruschoff, J.:

Microdissection and molecular analysis of single cells or small cell clusters in pathology and diagnosis--significance and challenges

Anal Cell Pathol 24(4-5): 125-134 (2002)

<http://iospress.metapress.com/content/9uvvwg5dtv43bcqxh/?p=b340043114c641c2a4487363174b3505&pi=0>

Hou S, Zhao L, Shen Q, Yu J, Ng C, Kong X, Wu D, Song M, Shi X, Xu X, OuYang WH, He R, Zhao XZ, Lee T, Brunicardi FC, Garcia MA, Ribas A, Lo RS, Tseng HR:

Polymer nanofiber-embedded microchips for detection, isolation, and molecular analysis of single circulating melanoma cells

Angew Chem Int Ed Engl. 2013 Mar 18;52(12):3379-83. doi: 10.1002/anie.201208452. Epub 2013 Feb 21.

<http://dx.doi.org/10.1002/anie.201208452>

Huang YS, Bu DF, Li XY, Ma ZH, Yang Y, Lin ZM, Lu FM, Tu P, Li H:

Unique features of PTCH1 mutation spectrum in Chinese sporadic basal cell carcinoma

J Eur Acad Dermatol Venereol. 2012 Feb 7. doi: 10.1111/j.1468-3083.2012.04453.x.

<http://dx.doi.org/10.1111/j.1468-3083.2012.04453.x>

Humphries A, Cereser B, Gay LJ, Miller DS, Das B, Gutteridge A, Elia G, Nye E, Jeffery R, Poulosom R, Novelli MR, Rodriguez-Justo M, McDonald SA, Wright NA, Graham TA:

Lineage tracing reveals multipotent stem cells maintain human adenomas and the pattern of clonal expansion in tumor evolution

Proc Natl Acad Sci U S A. 2013 Jun 13.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23766371>

Ichikawa T, Arai M, Miyashita M, Arai M, Obata N, Nohara I, Ohshima K, Niizato K, Okazaki Y, Doi N, Itokawa M:

Maternal inheritance and heteroplasmy of mtDNA mutations

Molecular Genetics and Metabolism, Available online 8 October 2011, ISSN 1096-7192, 10.1016/j.ymgme.2011.09.034.

<http://www.sciencedirect.com/science/article/pii/S1096719211003453>

Ikeda, J., Morii, E., Tomita, Y., Xu, J.X., Kimura, H., Kohara, M., Hoshida, Y., and Aozasa, K.:

Methotrexate-associated lymphoproliferative disorder mimicking composite lymphoma

Int J Hematol 83(4): 363-365 (2006)

<http://www.springerlink.com/content/2700876436721844/>

Imaoka, T., Okamoto, M., Nishimura, M., Nishimura, Y., Ootawara, M., Kakinuma, S., Tokairin, Y., and Shimada, Y.:

Mammary tumorigenesis in ApcMin/+ mice is enhanced by X irradiation with a characteristic age dependence

Radiat Res 165(2): 165-173 (2006)

<http://www.rjournal.org/doi/full/10.1667/RR3502.1>

Ito, S., Ohga, T., Saeki, H., Nakamura, T., Watanabe, M., Tanaka, S., Kakeji, Y., and Maehara, Y.:

p53 mutation profiling of multiple esophageal carcinoma using laser capture microdissection to demonstrate field carcinogenesis

Int J Cancer 113(1): 22-28 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20500/full>

Janssen MJ, Salomon J, Te Morsche RH, Drenth JP:

Loss of Heterozygosity Is Present in SEC63 Germline Carriers with Polycystic Liver Disease

PLoS One. 2012;7(11):e50324. doi: 10.1371/journal.pone.0050324.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0050324>

Kortüm B, Campregher C, Lang M, Khare V, Pinter M, Evstatiev R, Schmid G, Mittlböck M, Scharl T, Kucherlapati MH, Edelmann W, Gasche C:

Mesalazine and thymoquinone attenuate intestinal tumour development in Msh2loxP/loxP Villin-Cre mice

Gut. 2014 Nov 26. pii: gutjnl-2014-307663. doi: 10.1136/gutjnl-2014-307663.

<http://gut.bmj.com/cgi/lookup?view=long&pmid=25429050>

Janssen, M.J., Waanders, E., te Morsche, R.H.M., Xing, R., Dijkman, H.B.P.M., Woudenberg, J., Drenth, J.P.H.:

Secondary, Somatic Mutations Might Promote Cyst Formation in Patients with Autosomal-Dominant Polycystic Liver Disease

Gastroenterology (2011), doi: 10.1053/j.gastro.2011.08.004

<http://www.sciencedirect.com/science/article/pii/S0016508511011528>

Jiang YZ, Yu KD, Peng WT, Di GH, Wu J, Liu GY, Shao ZM:

Enriched variations in TEKT4 and breast cancer resistance to paclitaxel

Nat Commun. 2014 May 13;5:3802. doi: 10.1038/ncomms4802.

<http://dx.doi.org/10.1038/ncomms4802>

Kalantari M, Garcia-Carranca A, Morales-Vazquez CD, Zuna R, Montiel DP, Calleja-Macias IE, Johansson B, Andersson S, Bernard HU:

Laser capture microdissection of cervical human papillomavirus infections: Copy number of the virus in cancerous and normal tissue and heterogeneous DNA methylation

Virology 390(2):261-7 (2009)

<http://dx.doi.org/10.1016/j.virol.2009.05.006>

Kantlehner M, Kirchner R, Hartmann P, Ellwart JW, Alunni-Fabbroni M, Schumacher A.:

A high-throughput DNA methylation analysis of a single cell.

Nucleic Acids Res. 2011 Apr;39(7):e44.

<http://nar.oxfordjournals.org/content/39/7/e44.long>

Kato K, Kuhara A, Yoneda T, Inoue T, Takao T, Ohgami T, Dan L, Kuboyama A, Kusunoki S, Takeda S, Wake N:

Sodium butyrate inhibits the self-renewal capacity of endometrial tumor side-population cells by inducing a DNA damage response.

Mol Cancer Ther. 2011 Jun 1. [Epub ahead of print]

<http://mct.aacrjournals.org/content/early/2011/06/01/1535-7163.MCT-10-1062.abstract>

Katz SF, Lechel A, Obenaus AC, Begus-Nahrman Y, Kraus J, Hoffmann EM, Duda J, Eshraghi P, Hartmann D, Liss B, Schirmacher P, Kestler HA, Speicher MR, Rudolph KL

Disruption of Trp53 in Livers of Mice Induces Formation of Carcinomas with Bilineal Differentiation

Gastroenterology. 2012 Feb 15. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0016-5085\(12\)00204-1](http://linkinghub.elsevier.com/retrieve/pii/S0016-5085(12)00204-1)

Kikuchi A, Ishikawa T, Mogushi K, Ishiguro M, Iida S, Mizushima H, Uetake H, Tanaka H, Sugihara K:

Identification of NUCKS1 as a colorectal cancer prognostic marker through integrated expression and copy number analysis

Int J Cancer. 2012 Oct 15. doi: 10.1002/ijc.27911.

<http://dx.doi.org/10.1002/ijc.27911>

Kim JW, Oh MM, Yoon CY, Bae JH, Kim JJ, Moon DG:

The effect of diet-induced insulin resistance on DNA methylation of the androgen receptor promoter in the penile cavernosal smooth muscle of mice

Asian J Androl. 2013 Jun 3. doi: 10.1038/aja.2013.26.

<http://www.nature.com/aja/journal/vaop/ncurrent/full/aja201326a.html>

Kitamura J, Uemura M, Kurozumi M, Sonobe M, Manabe T, Hiai H, Date H, Kinoshita K:
Chronic lung injury by constitutive expression of activation-induced cytidine deaminase leads to focal mucous cell metaplasia and cancer

PMC Biophys. 2015 Feb 6;10(2):e0117986. doi: 10.1371/journal.pone.0117986. eCollection 2015.
<http://www.physmathcentral.com/1757-5036/10/e0117986>

Kozlenkov A, Roussos P, Timashpolsky A, Barbu M, Rudchenko S, Bibikova M, Klotzle B, Byne W, Lyddon R, Di Narzo AF, Hurd YL, Koonin EV, Dracheva S :

Differences in DNA methylation between human neuronal and glial cells are concentrated in enhancers and non-CpG sites

Nucleic Acids Res. 2013 Sep 20.

<http://nar.oxfordjournals.org/content/early/2013/09/19/nar.gkt838.abstract>

Kraytsberg Y, Bodyak N, Myerow S, Nicholas A, Ebralidze K, Khrapko K:

Collection of isolated cells for studying mitochondrial DNA mutations within individual cells

Methods Mol Biol. 2009;554:315-27

<http://www.springerlink.com/content/r736437041711552/#section=67449&page=1>

Krishnan KJ, Blackwood JK, Reeve AK, Turnbull DM, Taylor RW:

Detection of mitochondrial DNA variation in human cells

Methods Mol Biol. 2010;628:227-57

<http://www.springerlink.com/content/g920m483112120k6/#section=676826&page=1>

Kuscu C, Evensen N, Kim D, Hu Y-J, Zucker S, and Cao J:

Transcriptional and Epigenetic Regulation of KIAA1199 Gene Expression in Human Breast Cancer

PLoS ONE 7(9): e44661. doi:10.1371/journal.pone.0044661

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0044661>

Leone, F., Cavalloni, G., Pignochino, Y., Sarotto, I., Ferraris, R., Piacibello, W., Venesio, T., Capussotti, L., Risio, M., and Aglietta, M.:

Somatic mutations of epidermal growth factor receptor in bile duct and gallbladder carcinoma

Clin Cancer Res 12(6): 1680-1685 (2006)

<http://clincancerres.aacrjournals.org/content/12/6/1680.long>

Letellier E, Schmitz M, Baig K, Beaume N, Schwartz C, Frasilho S, Antunes L, Marcon N, Nazarov PV, Vallar L, Even J, Haan S:

Identification of SOCS2 and SOCS6 as biomarkers in human colorectal cancer

Br J Cancer. 2014 Jul 15. doi: 10.1038/bjc.2014.377.

<http://dx.doi.org/10.1038/bjc.2014.377>

Li G, Zhang Z, Jin T, Liang H, Tu Y, Gong L, Chen Z, Gao G:

High frequency of the X-chromosome inactivation in young female patients with high-grade glioma

Diagn Pathol. 2013 Jun 19;8(1):101.

<http://www.diagnosticpathology.org/content/8/1/101>

Li Q, Li M, Ma L, Li W, Wu X, Richards J, Fu G, Xu W, Bythwood T, Li X, Wang J, Song Q:

A method to evaluate genome-wide methylation in archival formalin-fixed, paraffin-embedded ovarian epithelial cells

PLoS One. 2014 Aug 18;9(8):e104481. doi: 10.1371/journal.pone.0104481. eCollection 2014.

<http://dx.plos.org/10.1371/journal.pone.0104481>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:
Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)

<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Lin CS, Wang LS, Chou TY, Hsu WH, Lin HC, Lee SY, Lee MH, Chang SC, Wei YH :
Cigarette Smoking and hOGG1 Ser326Cys Polymorphism are Associated with 8-OHdG Accumulation on Mitochondrial DNA in Thoracic Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2012 Sep 1.

<http://dx.doi.org/10.1245/s10434-012-2576-z>

Lin Y, Jiang X, Shen Y, Li M, Ma H, Xing M, Lu Y:

Frequent mutations and amplifications of the PIK3CA gene in pituitary tumors

Endocr Relat Cancer 16(1):301-10 (2009)

<http://erc.endocrinology-journals.org/cgi/content/abstract/16/1/301>

Lipata F, Parkash V, Talmor M, Bell S, Chen S, Maric V, Hui P:

Precise DNA genotyping diagnosis of hydatidiform mole

Obstet Gynecol. 2010 Apr;115(4):784-94.

http://journals.lww.com/greenjournal/Abstract/2010/04000/Precise_DNA_Genotyping_Diagnosis_of_Hydatidiform.18.aspx

Liu WB, Ao L, Zhou ZY, Cui ZH, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

CpG island hypermethylation of multiple tumor suppressor genes associated with loss of their protein expression during rat lung carcinogenesis induced by 3-methylcholanthrene and diethylnitrosamine

Biochem Biophys Res Commun. 2010 Nov 19;402(3):507-14

<http://dx.doi.org/10.1016/j.bbrc.2010.10.061>

Locatelli-Sanchez M, Couraud S, Arpin D, Riou R, Bringuier PP, Souquet PJ :

Routine EGFR Molecular Analysis in Non-Small-Cell Lung Cancer Patients is Feasible: Exons 18-21 Sequencing Results of 753 Patients and Subsequent Clinical Outcomes

Lung. 2013 Jun 9.

<http://dx.doi.org/10.1007/s00408-013-9482-4>

Longley MJ, Clark S, Yu Wai Man C, Hudson G, Durham SE, Taylor RW, Nightingale S, Turnbull DM, Copeland WC, Chinnery PF:

Mutant POLG2 disrupts DNA polymerase gamma subunits and causes progressive external ophthalmoplegia

Am J Hum Genet. 2006 Jun;78(6):1026-34.

[http://linkinghub.elsevier.com/retrieve/pii/S0002-9297\(07\)63923-8](http://linkinghub.elsevier.com/retrieve/pii/S0002-9297(07)63923-8)

Lucchini V:

Il difetto ossidativo mitocondriale e le alterazioni del DNA mitocondriale in topi transgenici modello animale della Atassia Spinocerebellare di tipo 1

Tesi di Dottorato, PhD thesis

http://air.unimi.it/bitstream/2434/169922/4/phd_unimi_R08149.pdf

Lynch L, Gamblin A, Vintiner S, Simons JL:

STR profiling of epithelial cells identified by X/Y-FISH labelling and laser microdissection using standard and elevated PCR conditions

Forensic Sci Int Genet. 2014 Oct 25;16C:1-7. doi: 10.1016/j.fsigen.2014.10.017.

[http://linkinghub.elsevier.com/retrieve/pii/S1872-4973\(14\)00233-6](http://linkinghub.elsevier.com/retrieve/pii/S1872-4973(14)00233-6)

Ma L, Xiao Y, Huang H, Wang Q, Rao W, Feng Y, Zhang K, Song Q:

Direct determination of molecular haplotypes by chromosome microdissection

Nat Methods 7(4):299-301 (2010)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2871314/>

Machado, R.D., James, V., Southwood, M., Harrison, R.E., Atkinson, C., Stewart, S., Morrell, N.W., Trembath, R.C., and Aldred, M.A.:

Investigation of second genetic hits at the BMPR2 locus as a modulator of disease progression in familial pulmonary arterial hypertension

Circulation 111(5): 607-613 (2005)

<http://circ.ahajournals.org/cgi/content/full/111/5/607>

Makita K, Kitazawa R, Semba S, Fujiishi K, Nakagawa M, Haraguchi R, Kitazawa S:

Cdx2 expression and its promoter methylation during metaplasia-dysplasia-carcinoma sequence in Barrett's esophagus

World J Gastroenterol. 2013 Jan 28;19(4):536-41. doi: 10.3748/wjg.v19.i4.536.

<http://www.wjgnet.com/1007-9327/full/v19/i4/536.htm>

Markaryan, A., Nelson, E.G., and Hinojosa, R.:

Detection of mitochondrial DNA deletions in the cochlea and its structural elements from archival human temporal bone tissue

Mutat Res 640(1-2): 38-45 (2008)

<http://dx.doi.org/10.1016/j.mrfmmm.2007.12.007>

Markaryan A, Nelson EG, Hinojosa R:

Major arc mitochondrial DNA deletions in cytochrome c oxidase-deficient human cochlear spiral ganglion cells

Acta Otolaryngol. 2010 Jul;130(7):780-7

<http://informahealthcare.com/doi/abs/10.3109/00016480903397702>

Matsunoki A, Kawakami K, Kotake M, Kaneko M, Kitamura H, Ooi A, Watanabe G, Minamoto T:

LINE-1 methylation shows little intra-patient heterogeneity in primary and synchronous metastatic colorectal cancer

BMC Cancer. 2012 Dec 5;12(1):574.

<http://www.biomedcentral.com/content/pdf/1471-2407-12-574.pdf>

Mazzanti CM, Hamad MA, Fanelli G, Scatena C, Zammarchi F, Zavaglia K, Lessi F, Pistello M, Naccarato AG, Bevilacqua G:

A Murine Mammary Tumor Virus env-Like Exogenous Sequence Is Strictly Related to Progression of Human Sporadic Breast Carcinoma

Am J Pathol. 2011 Aug 17, doi:10.1016/j.ajpath.2011.06.046

<http://www.sciencedirect.com/science/article/pii/S0002944011006961>

Miyaguchi K, Fukuoka Y, Mizushima H, Yasen M, Nemoto S, Ishikawa T, Uetake H, Tanaka S, Sugihara K, Arii S, Tanaka H:

Genome-wide integrative analysis revealed a correlation between lengths of copy number segments and corresponding gene expression profile

Bioinformatics. 2011;7(6):280-4. Epub 2011 Nov 20.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3280495/pdf/97320630007280.pdf>

Müller SK, Bender A, Laub C, Högen T, Schlaudraff F, Liss B, Klopstock T, Elstner M:

Lewy body pathology is associated with mitochondrial DNA damage in Parkinson's disease

Neurobiol Aging. 2013 Apr 6. pii: S0197-4580(13)00116-4. doi: 10.1016/j.neurobiolaging.2013.03.016.

<http://www.sciencedirect.com/science/article/pii/S0197458013001164>

Muller, A., Giuffre, G., Edmonston, T.B., Mathiak, M., Roggendorf, B., Heinmoller, E., Brodegger, T., Tuccari, G., Mangold, E., Buettner, R., and Ruschoff, J.:

Challenges and pitfalls in HNPCC screening by microsatellite analysis and immunohistochemistry
J Mol Diagn 6(4): 308-315 (2004)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960526-0/abstract>

Murakami I, Matsushita M, Iwasaki T, Kuwamoto S, Kato M, Horie Y, Hayashi K, Imamura T, Morimoto A, Imashuku S, Gogusev J, Jaubert F, Takata K, Oka T, Yoshino T:

Merkel cell polyomavirus DNA sequences in peripheral blood and tissues from patients with Langerhans cell histiocytosis

Hum Pathol. 2014 Jan;45(1):119-26. doi: 10.1016/j.humpath.2013.05.028.

<http://www.humanpathol.com/article/S0046-8177%2813%2900367-5/abstract>

Murata, N., Masuda, K., Nishiyama, R., and Nomura, K.:

Construction of a micro-library enriched with genomic replication origins of carrot somatic embryos by laser microdissection

Plant Physiol Biochem 43(6): 513-519 (2005)

<http://dx.doi.org/10.1016/j.plaphy.2005.04.004>

Murphy JL, Ratnaik TE, Shang E, Falkous G, Blakely EL, Alston CL, Taivassalo T, Haller RG, Taylor RW, Turnbull DM:

Cytochrome c oxidase-intermediate fibres: Importance in understanding the pathogenesis and treatment of mitochondrial myopathy

Neuromuscul Disord. 2012 May 28. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0960896612001204>

Nagahara, H., Mimori, K., Ohta, M., Utsunomiya, T., Inoue, H., Barnard, G.F., Ohira, M., Hirakawa, K., and Mori, M.:

Somatic mutations of epidermal growth factor receptor in colorectal carcinoma

Clin Cancer Res 11(4): 1368-1371 (2005)

<http://clincancerres.aacrjournals.org/content/11/4/1368.long>

Nakayama T, Ling ZQ, Mukaisho K, Hattori T, Sugihara H:

Lineage analysis of early and advanced tubular adenocarcinomas of the stomach: continuous or discontinuous?

BMC Cancer. 2010 Jun 21;10:311

<http://www.biomedcentral.com/1471-2407/10/311/>

Oparka R, Cassidy A, Reilly S, Stenhouse A, McCluggage WG, Herrington CS:

The C134W (402 C>G) FOXL2 mutation is absent in ovarian gynandroblastoma: insights into the genesis of an unusual tumour

Histopathology. 2012 Feb 1. doi: 10.1111/j.1365-2559.2011.04148.x.

<http://dx.doi.org/10.1111/j.1365-2559.2011.04148.x>

Otsubo T, Okamura T, Hagiwara T, Ishizaka Y, Dohi T, Kawamura YI:

Retrotransposition of long interspersed nucleotide element-1 is associated with colitis but not tumors in a murine colitic cancer model

PLoS One. 2015 Feb 24;10(2):e0116072. doi: 10.1371/journal.pone.0116072. eCollection 2015.

<http://dx.plos.org/10.1371/journal.pone.0116072>

Perier C, Bender A, García-Arumí E, Melià MJ, Bové J, Laub C, Klopstock T, Elstner M, Mounsey RB, Teismann P, Prolla T, Andreu AL, Vila M:

Accumulation of mitochondrial DNA deletions within dopaminergic neurons triggers neuroprotective mechanisms

Brain. 2013 Aug;136(Pt 8):2369-78. doi: 10.1093/brain/awt196.

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23884809>

Petersson F, Branzovsky J, Martinek P, Korabecna M, Kruslin B, Hora M, Peckova K, Bauleth K, Pivovarcikova K, Michal M, Svajdler M, Sperga M, Bulimbasic S, Leroy X, Rychly B, Trivunic S, Kokoskova B, Rotterova P, Podhola M, Suster S, Hes O:

The leiomyomatous stroma in renal cell carcinomas is polyclonal and not part of the neoplastic process

Virchows Arch. 2014 May 18.

<http://link.springer.com/article/10.1007/s00428-014-1591-9>

Podd, B.S., Thoits, J., Whitley, N., Cheng, H.Y., Kudla, K.L., Taniguchi, H., Halkias, J., Goth, K., and Camerini, V.:

T cells in cryptopatch aggregates share TCR gamma variable region junctional sequences with gamma delta T cells in the small intestinal epithelium of mice

J Immunol 176(11): 6532-6542 (2006)

<http://www.jimmunol.org/content/176/11/6532.long>

Post RJ, Crainey JL, Bivand A, Renz A:

Laser-assisted microdissection for the study of the ecology of parasites in their hosts

Mol Ecol Resour. 2009 Mar;9(2):480-6. doi: 10.1111/j.1755-0998.2008.02437.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1755-0998.2008.02437.x/abstract>

Post, R.J., Krüger, A., and Somiari, S.B.:

Laser-assisted microdissection of polytene chromosomes from Diptera for the development of molecular markers

Molecular Ecology Notes (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-8286.2006.01369.x/abstract>

Prowse, A.H., Fakis, G., Manek, S., Churchman, M., Edwards, S., Rowan, A., Koninckx, P., Kennedy, S., and Tomlinson, I.P.:

Allelic loss studies do not provide evidence for the "endometriosis-as-tumor" theory

Fertil Steril 83 Suppl 1: 1134-1143 (2005)

<http://www.fertstert.org/article/S0015-0282%2804%2903224-8/abstract>

Prowse, A.H., Manek, S., Varma, R., Liu, J., Godwin, A.K., Maher, E.R., Tomlinson, I.P., and Kennedy, S.H.:

Molecular genetic evidence that endometriosis is a precursor of ovarian cancer

Int J Cancer 119(3): 556-562 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21845/full>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:

Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient

Hum Pathol 32(12): 1410-1413 (2001)

<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Rygiel KA, Miller J, Grady JP, Rocha MC, Taylor RW, Turnbull DM:

Mitochondrial and inflammatory changes in sporadic Inclusion Body Myositis

Neuropathol Appl Neurobiol. 2014 Apr 18. doi: 10.1111/nan.12149.

<http://onlinelibrary.wiley.com/doi/10.1111/nan.12149/pdf>

Saft L, Karimi M, Ghaderi M, Matolcsy A, Mufti GJ, Kulasekararaj A, Göhring G, Giagounidis A, Selleslag D, Muus P, Sanz G, Mittelman M, Bowen D, Porwit A, Fu T, Backstrom J, Fenaux P, MacBeth KJ, and Hellström-Lindberg E:

p53 protein expression independently predicts outcome in patients with lower-risk myelodysplastic syndromes with del(5q)

Haematologica haematol.2013.098103; March 28, 2014, doi:10.3324/haematol.2013.098103

<http://www.haematologica.org/content/early/2014/03/25/haematol.2013.098103.abstract>

Sansonno, D., Tucci, F.A., De Re, V., Lauletta, G., Montrone, M., Libra, M., and Dammacco, F.:

HCV-associated B cell clonalities in the liver do not carry the t(14;18) chromosomal translocation

Hepatology 42(5): 1019-1027 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/hep.20887/full>

Sawada G, Takahashi Y, Niida A, Shimamura T, Kurashige J, Matsumura T, Ueo H, Uchi R, Takano Y, Ueda M, Hirata H, Sakimura S, Shinden Y, Eguchi H, Sudo T, Sugimachi K, Miyano S, Doki Y, Mori M, Mimori K:

Loss of CDCP1 Expression Promotes Invasiveness and Poor Prognosis in Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2014 May 22.

<http://link.springer.com/article/10.1245/s10434-014-3740-4>

Schillebeeckx M, Schrade A, Löbs AK, Pihlajoki M, Wilson DB, Mitra RD:

Laser capture microdissection-reduced representation bisulfite sequencing (LCM-RRBS) maps changes in DNA methylation associated with gonadectomy-induced adrenocortical neoplasia in the mouse

Nucleic Acids Res. 2013 Apr 15.

<http://nar.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23589626>

Schraders, M., de Jong, D., Kluin, P., Groenen, P., and van Krieken, H.:

Lack of Bcl-2 expression in follicular lymphoma may be caused by mutations in the BCL2 gene or by absence of the t(14;18) translocation

J Pathol 205(3): 329-335 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1689/full>

Shieh, D.B., Chou, W.P., Wei, Y.H., Wong, T.Y., and Jin, Y.T.:

Mitochondrial DNA 4,977-bp deletion in paired oral cancer and precancerous lesions revealed by laser microdissection and real-time quantitative PCR

Ann N Y Acad Sci 1011: 154-167 (2004)

<http://onlinelibrary.wiley.com/doi/10.1196/annals.1293.016/full>

Shieh, Y.S., Shiah, S.G., Jeng, H.H., Lee, H.S., Wu, C.W., and Chang, L.C.:

DNA methyltransferase 1 expression and promoter methylation of E-cadherin in mucoepidermoid carcinoma

Cancer 104(5): 1013-1021 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ncr.21278/full>

Siddon A, Lozovatsky L, Mohamed A, Hudnall SD:

Human herpesvirus 6 positive Reed-Sternberg cells in nodular sclerosis Hodgkin lymphoma

Br J Haematol. 2012 Jul 4. doi: 10.1111/j.1365-2141.2012.09206.x.

<http://dx.doi.org/10.1111/j.1365-2141.2012.09206.x>

Sonoda A, Mukaisho KI, Nakayama T, Diem VT, Hattori T, Andoh A, Fujiyama Y, Sugihara H
Genetic lineages of undifferentiated-type gastric carcinomas analysed by unsupervised clustering of genomic DNA microarray data

BMC Med Genomics. 2013 Jul 19;6(1):25.

<http://www.biomedcentral.com/content/pdf/1755-8794-6-25.pdf>

Sperka T, Song Z, Morita Y, Nalapareddy K, Guachalla LM, Lechel A, Begus-Nahrman Y, Burkhalter MD, Mach M, Schlaudraff F, Liss B, Ju Z, Speicher MR, Rudolph KL:

Puma and p21 represent cooperating checkpoints limiting self-renewal and chromosomal instability of somatic stem cells in response to telomere dysfunction

Nat Cell Biol. 2011 Dec 4. doi: 10.1038/ncb2388.

<http://www.nature.com/ncbjournal/vaop/ncurrent/full/ncb2388.html>

Staiti N, Giuffrè G, Di Martino D, Simone A, Sippelli G, Tuccari G, Saravo L:

Molecular analysis of genomic low copy number DNA extracted from laser-microdissected cells

International Congress Series, Volume 1288, April 2006, Pages 568–570

<http://www.sciencedirect.com/science/article/pii/S0531513105017413>

Tada M, Kanai F, Tanaka Y, Sanada M, Nannya Y, Tateishi K, Ohta M, Asaoka Y, Seto M, Imazeki F, Yoshida H, Ogawa S, Yokosuka O, Omata M:

Prognostic significance of genetic alterations detected by high-density single nucleotide polymorphism array in gastric cancer

Cancer Sci. 2010 May;101(5):1261-9

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2010.01500.x/full>

Taga M, Eguchi H, Shinohara T, Takahashi K, Ito R, Yasui W, Nakachi K, Kusunoki Y, Hamatani K:

Improved PCR amplification for molecular analysis using DNA from long-term preserved formalin-fixed, paraffin-embedded lung cancer tissue specimens

Int J Clin Exp Pathol 2013;6(1):76-79, www.ijcep.com /ISSN:1936-2625/IJCEP1209008

<http://www.ijcep.com/files/ijcep1209008.pdf>

Tan S, Sood A, Rahimi H, Wang W, Gupta N, Hicks J, Mosier S, Gocke CD, Epstein JI, Netto GJ, Liu W, Isaacs WB, De Marzo AM, Lotan T:

Rb Loss is Characteristic of Prostatic Small Cell Neuroendocrine Carcinoma

Clin Cancer Res. 2013 Dec 9.

<http://clincancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24323898>

Tanaka M, Yamaguchi S, Yamazaki Y, Kinoshita H, Kuwahara K, Nakao K, Jay PY, Noda T, Nakamura T:
Somatic chromosomal translocation between Ewsr1 and Fli1 loci leads to dilated cardiomyopathy in a mouse model

Sci Rep. 2015 Jan 16;5:7826. doi: 10.1038/srep07826.

<http://dx.doi.org/10.1038/srep07826>

Tancredi, M., Sensi, E., Cipollini, G., Aretini, P., Lombardi, G., Di Cristofano, C., Presciuttini, S., Bevilacqua, G., and Caligo, M.A.:

Haplotype analysis of BRCA1 gene reveals a new gene rearrangement: characterization of a 19.9 KBP deletion

Eur J Hum Genet 12(9): 775-777 (2004)

<http://www.nature.com/ejhg/journal/v12/n9/full/5201223a.html>

Tasioudi KE, Saetta AA, Sakellariou S, Levidou G, Michalopoulos NV, Theodorou D, Patsouris E, Korkolopoulou P:

pERK activation in esophageal carcinomas: Clinicopathological associations

Pathol Res Pract. 2012 Jun 1. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033812001331>

Taylor, R.W., Barron, M.J., Borthwick, G.M., Gospel, A., Chinnery, P.F., Samuels, D.C., Taylor, G.A., Plusa, S.M., Needham, S.J., Greaves, L.C., Kirkwood, T.B., and Turnbull, D.M.:

Mitochondrial DNA mutations in human colonic crypt stem cells

J Clin Invest 112(9): 1351-1360 (2003)

<http://www.jci.org/articles/view/19435>

Teixeira VH, Nadarajan P, Graham TA, Pipinikas CP, Brown JM, Falzon M, Nye E, Poulsom R, Lawrence D, Wright NA, McDonald S, Giangreco A, Simons BD, Janes SM:

Stochastic homeostasis in human airway epithelium is achieved by neutral competition of basal cell progenitors

Elife. 2013 Oct 22;2:e00966. doi: 10.7554/eLife.00966.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3804062/>

Thi-Ngoc Vo D, Nakayama T, Yamamoto H, Mukaisho K, Hattori T and Sugihara H:

Progression risk assessments of individual non-invasive gastric neoplasms by genomic copy-number profile and mucin phenotype

BMC Medical Genomics 18 Feb 2015, 8:6 doi:10.1186/s12920-015-0080-6

<http://www.biomedcentral.com/1755-8794/8/6/abstract>

Tokiwa N, Nakamura S, Satoh K, and Yoshii T:

Isolation method from mixture of blood stain by ABO blood typing and DNA testing

法科学技術, 19(1), 1—8(2014) (article in Japanese)

https://www.jstage.jst.go.jp/article/jafst/19/1/19_1/article-char/ja/

Tsang YT, Deavers MT, Sun CC, Kwan SY, Kuo E, Malpica A, Mok SS, Gershenson DM, and Wong KK:
KRAS (but not BRAF) mutations in ovarian serous borderline tumor are associated with recurrent low-grade serous carcinoma

J. Pathol., SN - 1096-9896, <http://dx.doi.org/10.1002/path.4252>, 10.1002/path.4252

<http://onlinelibrary.wiley.com/doi/10.1002/path.4252/abstract>

Ure AE, Forslund O:

Lack of methylation in the HPV type 6 upstream regulatory region from aerodigestive tract papillomas

J Virol. 2012 Oct 3.

<http://jvi.asm.org/content/early/2012/09/26/JVI.01938-12.abstract>

van Dijk, M.C., Rombout, P.D., Mooi, W.J., van de Molengraft, F.J., van Krieken, J.H., Ruiter, D.J., and Ligtenberg, M.J.:

Allelic imbalance in the diagnosis of benign, atypical and malignant Spitz tumours

J Pathol 197(2): 170-178 (2002)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1119/full>

van Schanke, A., van Venrooij, G.M., Jongsma, M.J., Banus, H.A., Mullenders, L.H., van Kranen, H.J., and de Gruijl, F.R.:

Induction of nevi and skin tumors in Ink4a/Arf Xpa knockout mice by neonatal, intermittent, or chronic UVB exposures

Cancer Res 66(5): 2608-2615 (2006)

<http://cancerres.aacrjournals.org/content/66/5/2608.long>

Venesio T, Balsamo A, Scordamaglia A, Bertolaso M, Arrigoni A, Sprujevnik T, Rossini FP, Risio M:
Germline APC mutation on the beta-catenin binding site is associated with a decreased apoptotic level in colorectal adenomas

Mod Pathol. 2003 Jan;16(1):57-65.

<http://dx.doi.org/10.1097/01.MP.0000042421.83775.0E>

Voegtly LM, Mamula K, Campbell JL, Shriver CD, Ellsworth RE:

Molecular Alterations Associated with Breast Cancer Mortality

PLoS ONE 7(10): e46814. doi:10.1371/journal.pone.0046814

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0046814>

Wakimoto T, Egami Y, Nakashima Y, Wakimoto Y, Mori T, Awakawa T, Ito T, Kenmoku H, Asakawa Y, Piel J, Abe I:

Calyculin biogenesis from a pyrophosphate protoxin produced by a sponge symbiont

Nat Chem Biol. 2014 Jun 29. doi: 10.1038/nchembio.1573

<http://dx.doi.org/10.1038/nchembio.1573>

Wang C, Zhan P, Wang L, Zeng R, Shen Y, Lv G, Li D, Deng S, Liu W:

The Application of Laser Microdissection in Molecular Detection and Identification of Aspergillus fumigatus from Murine Model of Acute Invasive Pulmonary Aspergillosis

Mycopathologia. 2014 Jun 29.

<http://link.springer.com/article/10.1007/s11046-014-9777-x>

Wang Y, Antonopoulos DA, Zhu X, Harrell L, Hanan I, Alverdy JC, Meyer F, Musch MW, Young VB, Chang EB:

Laser capture microdissection and metagenomic analysis of intact mucosa-associated microbial communities of human colon

Appl Microbiol Biotechnol 88(6):1333-42 (2010)

<http://www.springerlink.com/content/6872721w5042721/>

Wei, M., Grushko, T.A., Dignam, J., Hagos, F., Nanda, R., Sveen, L., Xu, J., Fackenthal, J., Tretiakova, M., Das, S., and Olopade, O.I.:

BRCA1 promoter methylation in sporadic breast cancer is associated with reduced BRCA1 copy number and chromosome 17 aneusomy

Cancer Res 65(23): 10692-10699 (2005)

<http://cancerres.aacrjournals.org/content/65/23/10692.long>

Wiltling SM, Snijders PJ, Verlaet W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Wu F, Huang D, Wang L, Xu Q, Liu F, Ye X, Meng X, Du X:

92-Genes Molecular Profiling in Identification of Cancer Origin: A Retrospective Study in Chinese Population and Performance within Different Subgroups

PLoS One. 2012;7(6):e39320.

<http://dx.plos.org/10.1371/journal.pone.0039320>

Xiao, W., Zhang, Q., Jiang, F., Pins, M., Kozlowski, J.M., and Wang, Z.:

Suppression of prostate tumor growth by U19, a novel testosterone-regulated apoptosis inducer

Cancer Res 63(15): 4698-4704 (2003)

<http://cancerres.aacrjournals.org/content/63/15/4698.long>

Xu, A.M., Zhang, S.H., Zheng, J.M., Zheng, W.Q., and Wu, M.C.:

Pathological and molecular analysis of sporadic hepatic angiomyolipoma

Hum Pathol 37(6): 735-741 (2006)

<http://www.humanpathol.com/article/S0046-8177%2806%2900076-1/abstract>

Yafune A, Kawai M, Itahashi M, Kimura M, Nakane F, Mitsumori K, Shibutani M:

Global DNA methylation screening of liver in piperonyl butoxide-treated mice in a two-stage hepatocarcinogenesis model

Toxicol Lett. 2013 Aug 19. pii: S0378-4274(13)01278-2. doi: 10.1016/j.toxlet.2013.08.006.

<http://www.sciencedirect.com/science/article/pii/S0378427413012782>

Yamamoto S, Tsuda H, Suzuki K, Takano M, Tamai S, Matsubara O:

An allelotype analysis indicating the presence of two distinct ovarian clear-cell carcinogenic pathways: endometriosis-associated pathway vs. clear-cell adenofibroma-associated pathway

Virchows Arch. 2009 Sep;455(3):261-70

<http://www.springerlink.com/content/ph8l21053g3w1p13/>

Yanai R, Mulki L, Hasegawa E, Takeuchi K, Sweigard H, Suzuki J, Gaissert P, Vavvas DG, Sonoda KH, Rothe M, Schunck WH, Miller JW, Connor KM:

Cytochrome P450-generated metabolites derived from ω -3 fatty acids attenuate neovascularization

PNAS (2014), DOI: 10.1073/pnas.1401191111

<http://www.pnas.org/content/early/2014/06/11/1401191111.full.pdf>

Yang H, Xu C, Tang Y, Wan C, Liu W, Wang L:

The significance of multiplex PCR/heteroduplex analysis-based TCR- γ gene rearrangement combined with laser-capture microdissection in the diagnosis of early mycosis fungoides

J Cutan Pathol. 2012 Mar;39(3):337-46. doi: 10.1111/j.1600-0560.2011.01842.x

<http://dx.doi.org/10.1111/j.1600-0560.2011.01842.x>

Yardy GW, Bicknell DC, Wilding JL, Bartlett S, Liu Y, Winney B, Turner GD, Brewster SF, Bodmer WF:

Mutations in the AXIN1 Gene in Advanced Prostate Cancer

Eur Urol 56(3):486-94 (2009)

<http://www.europeanurology.com/article/S0302-2838%2808%2900638-6>

Yu-Wai-Man P, Lai-Cheong J, Borthwick GM, He L, Taylor GA, Greaves LC, Taylor RW, Griffiths PG, Turnbull DM:

Somatic mitochondrial DNA deletions accumulate to high levels in aging human extraocular muscles

Invest Ophthalmol Vis Sci 51(7):3347-53 (2010)

<http://www.iovs.org/content/51/7/3347.short>

Zammarchi, F., Pistello, M., Piersigilli, A., Murr, R., Di Cristofano, C., Naccarato, A.G., and Bevilacqua, G.:

MMTV-like sequences in human breast cancer: a fluorescent PCR/laser microdissection approach

J Pathol 209(4): 436-444 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1997/full>

Zhang, Q., Rubenstein, J.N., Jang, T.L., Pins, M., Javonovic, B., Yang, X., Kim, S.J., Park, I., and Lee, C.:

Insensitivity to transforming growth factor-beta results from promoter methylation of cognate receptors in human prostate cancer cells (LNCaP)

Mol Endocrinol 19(9): 2390-2399 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2390>

Living up to Life



Zhu J, Wang Y, Gong L, Huang G

Diagnosis of primary pulmonary T- cell/histiocyte-rich large B cell lymphoma with tissue eosinophilia via clinicopathological observation and molecular assay

Diagn Pathol. 2014 Oct 2;9(1):188.

<http://www.diagnosticpathology.org/content/pdf/s13000-014-0188-6.pdf>

Zong L1, Hattori N, Yoda Y, Yamashita S, Takeshima H, Takahashi T, Maeda M, Katai H, Nanjo S, Ando T, Seto Y, Ushijima T:

Establishment of a DNA methylation marker to evaluate cancer cell fraction in gastric cancer

Gastric Cancer. 2015 Feb 13.

<http://dx.doi.org/10.1007/s10120-015-0475-2>

2. RNA-Research

Abe J, Ueha S, Yoneyama H, Shono Y, Kurachi M, Goto A, Fukayama M, Tomura M, Kakimi K, Matsushima K:

B cells regulate antibody responses through the medullary remodeling of inflamed lymph nodes

Int Immunol. 2012 Jan;24(1):17-27.

<http://intimm.oxfordjournals.org/content/24/1/17.short>

Abbott E, Hall D, Hamberger B, Bohlmann J.:

Laser microdissection of conifer stem tissues: isolation and analysis of high quality RNA, terpene synthase enzyme activity and terpenoid metabolites from resin ducts and cambial zone tissue of white spruce (*Picea glauca*).

BMC Plant Biol 10: 106 (2010)

<http://www.biomedcentral.com/1471-2229/10/106>

Agusti J, Lichtenberger R, Schwarz M, Nehlin L, Greb T:

Characterization of transcriptome remodeling during cambium formation identifies MOL1 and RUL1 as opposing regulators of secondary growth

PLoS Genet. 2011 Feb;7(2):e1001312

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1001312>

Ai J, Pascal LE, O'Malley KJ, Dar JA, Isharwal S, Qiao Z, Ren B, Rigatti LH, Dhir R, Xiao W, Nelson JB, Wang Z:

Concomitant loss of EAF2/U19 and Pten synergistically promotes prostate carcinogenesis in the mouse model

Oncogene. 2013 May 27. doi: 10.1038/onc.2013.190.

<http://dx.doi.org/10.1038/onc.2013.190>

Aizawa S, Sakata I, Nagasaka M, Higaki Y, Sakai T:

Negative Regulation of Neuromedin U mRNA Expression in the Rat Pars Tuberalis by Melatonin

PLoS ONE 8(7): e67118. doi:10.1371/journal.pone.0067118

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0067118>

Allen, C.D., Ansel, K.M., Low, C., Lesley, R., Tamamura, H., Fujii, N., and Cyster, J.G.:

Germinal center dark and light zone organization is mediated by CXCR4 and CXCR5

Nat Immunol 5(9): 943-952 (2004)

<http://www.nature.com/ni/journal/v5/n9/full/ni1100.html>

Anderle, P., Rumbo, M., Sierro, F., Mansourian, R., Michetti, P., Roberts, M.A., and Kraehenbuhl, J.P.:

Novel markers of the human follicle-associated epithelium identified by genomic profiling and microdissection

Gastroenterology 129(1): 321-327 (2005)

[http://www.gastrojournal.org/article/S0016-5085\(05\)00567-6/fulltext](http://www.gastrojournal.org/article/S0016-5085(05)00567-6/fulltext)

Anderle, P., Sengstag, T., Mutch, D.M., Rumbo, M., Praz, V., Mansourian, R., Delorenzi, M., Williamson, G., and Roberts, M.A.:

Changes in the transcriptional profile of transporters in the intestine along the anterior-posterior and crypt-villus axes

BMC Genomics 6(1): 69 (2005)

<http://www.biomedcentral.com/1471-2164/6/69>

Aoyama M, Kakita H, Kato S, Tomita M, Asai K:

Region-specific expression of a water channel protein, aquaporin 4, on brain astrocytes

J Neurosci Res. 2012 Aug 18. doi: 10.1002/jnr.23117.

<http://dx.doi.org/10.1002/jnr.23117>

Archer A, Sauvaget D, Chauffeton V, Bouchet PE, Chambaz J, Pinçon-Raymond M, Cardot P, Ribeiro A, Lacasa M:

Intestinal apolipoprotein A-IV gene transcription is controlled by two hormone-responsive elements: a role for hepatic nuclear factor-4 isoforms

Mol Endocrinol. 2005 Sep;19(9):2320-34.

<http://mend.endojournals.org/content/19/9/2320.long>

Arcila ML, Betizeau M, Cambronne XA, Guzman E, Doerflinger N, Bouhallier F, Zhou H, Wu B, Rani N, Bassett DS, Borello U, Huissoud C, Goodman RH, Dehay C, Kosik K:

Novel Primate miRNAs Coevolved with Ancient Target Genes in Germinal Zone-Specific Expression Patterns

Neuron. 2014 Feb 25. pii: S0896-6273(14)00022-1. doi: 10.1016/j.neuron.2014.01.017.

<http://www.sciencedirect.com/science/article/pii/S0896627314000221>

Arion D, Corradi JP, Tang S, Datta D, Boothe F, He A, Cacace AM, Zaczek R, Albright CF, Tseng G, Lewis DA :

Distinctive transcriptome alterations of prefrontal pyramidal neurons in schizophrenia and schizoaffective disorder

Mol Psychiatry. 2015 Jan 6. doi: 10.1038/mp.2014.171.

<http://dx.doi.org/10.1038/mp.2014.171>

Artico S, Ribeiro-Alves M, Oliveira-Neto OB, de Macedo LL, Silveira S, Grossi-de-Sa MF, Martinelli AP, Alves-Ferreira M:

Transcriptome analysis of *Gossypium hirsutum* flower buds infested by cotton boll weevil (*Anthonomus grandis*) larvae

BMC Genomics. 2014 Oct 4;15(1):854.

<http://www.biomedcentral.com/content/pdf/1471-2164-15-854.pdf>

Asai N, Ohkawara B, Ito M, Masuda A, Ishiguro N, Ohno K:

LRP4 induces extracellular matrix productions and facilitates chondrocyte differentiation

Biochem Biophys Res Commun. 2014 Aug 1. pii: S0006-291X(14)01375-8. doi:

10.1016/j.bbrc.2014.07.125.

<http://www.sciencedirect.com/science/article/pii/S0006291X14013758>

Asgeirsdóttir SA, van Solingen C, Kurniati NF, Zwiers PJ, Heeringa P, van Meurs M, Satchell SC, Saleem MA, Mathieson PW, Banas B, Kamps JA, Rabelink TJ, van Zonneveld AJ, Molema G:

MicroRNA-126 contributes to renal microvascular heterogeneity of VCAM-1 protein expression in acute inflammation

Am J Physiol Renal Physiol. 2012 Jun;302(12):F1630-9

<http://ajprenal.physiology.org/content/302/12/F1630.long>

Asztalos S, Gann PH, Hayes MK, Nonn L, Beam CA, Dai Y, Wiley EL, Tonetti DA:

Gene expression patterns in the human breast after pregnancy

Cancer Prev Res (Phila). 2010 Mar;3(3):301-11

<http://cancerpreventionresearch.aacrjournals.org/content/3/3/301.short>

Atkinson AJ, Logantha SJ, Hao G, Yanni J, Fedorenko O, Sinha A, Gilbert SH, Benson AP, Buckley DL, Anderson RH, Boyett MR, Dobrzynski H:

Functional, anatomical, and molecular investigation of the cardiac conduction system and arrhythmogenic atrioventricular ring tissue in the rat heart

J Am Heart Assoc. 2013 Dec 19;2(6):e000246. doi: 10.1161/JAHA.113.000246.

<http://jaha.ahajournals.org/cgi/pmidlookup?view=long&pmid=24356527>

Augello C, Gianelli U, Savi F, Moro A, Bonoldi E, Gambacorta M, Vaira V, Baldini L, Bosari S:

MicroRNA as potential biomarker in HCV-associated diffuse large B-cell lymphoma

J Clin Pathol. 2014 Jun 9. pii: jclinpath-2014-202352. doi: 10.1136/jclinpath-2014-202352.

<http://jcp.bmj.com/cgi/pmidlookup?view=long&pmid=24914240>

Augello C, Vaira V, Caruso L, Destro A, Maggioni M, Park YN, Montorsi M, Santambrogio R, Roncalli M, Bosari S:

MicroRNA profiling of hepatocarcinogenesis identifies C19MC cluster as a novel prognostic biomarker in hepatocellular carcinoma

Liver Int. 2012 Mar 19. doi: 10.1111/j.1478-3231.2012.02795.x. [Epub ahead of print]

<http://onlinelibrary.wiley.com/doi/10.1111/j.1478-3231.2012.02795.x/full>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing

Proc Natl Acad Sci U S A. 2011 Aug 22

<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Azuma M, Suzuki T, Mochida H, Tanaka S, Uchiyama M, Takahashi A, Matsuda K:

Polymorphism of somatolactin-producing cells in the goldfish pituitary: immunohistochemical investigation for somatolactin- α and - β

Cell Tissue Res. 2012 May 22.

<http://dx.doi.org/10.1007/s00441-012-1435-3>

Bainer RO, Veneris JT, Yamada SD, Montag A, Lingen MW, Gilad Y, Rinker-Schaeffer CW:

Time-dependent transcriptional profiling links gene expression to mitogen-activated protein kinase kinase 4 (MKK4)-mediated suppression of omental metastatic colonization

Clin Exp Metastasis. 2012 Feb 21. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10585-011-9448-y>

Baj G, Del Turco D, Schlaudraff J, Torelli L, Deller T, Tongiorgi E:

Regulation of the spatial code for BDNF mRNA isoforms in the rat hippocampus following pilocarpine-treatment: A systematic analysis using laser microdissection and quantitative real-time PCR

Hippocampus. 2013 Feb 25. doi: 10.1002/hipo.22100.

<http://onlinelibrary.wiley.com/doi/10.1002/hipo.22100/abstract>

Bandapalli, O.R., Geheeb, M., Kobelt, D., Kuehnle, K., Elezkurtaj, S., Herrmann, J., Gressner, A.M., Weiskirchen, R., Beule, D., Bluthgen, N., Herzel, H., Franke, C., and Brand, K.:

Global analysis of host tissue gene expression in the invasive front of colorectal liver metastases

Int J Cancer 118(1): 74-89 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21307/full>

Bandyopadhyay U, Cotney J, Nagy M, Oh S, Leng J, Mahajan M, Mane S, Fenton WA, Noonan JP, Horwich AL:

RNA-Seq Profiling of Spinal Cord Motor Neurons from a Presymptomatic SOD1 ALS Mouse

PLoS ONE 8(1): e53575. doi:10.1371/journal.pone.0053575

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0053575>

Bao H, Chen H, Zhu X, Zhang M, Yao G, Yu Y, Qin W, Zeng C, Zen K, Liu Z:

MiR-223 downregulation promotes glomerular endothelial cell activation by upregulating importin $\alpha 4$ and $\alpha 5$ in IgA nephropathy

Kidney Int. 2013 Nov 27. doi: 10.1038/ki.2013.469.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2013469a.html>

Bao H, Hu S, Zhang C, Shi S, Qin W, Zeng C, Liu Z:

Inhibition of miRNA-21 prevents fibrogenic activation in podocytes and tubular cells in IgA nephropathy

Biochem Biophys Res Commun. 2014 Jan 24. pii: S0006-291X(14)00089-8.

<http://www.sciencedirect.com/science/article/pii/S0006291X14000898>

Bandyopadhyay U, Fenton WA, Horwich AL, Nagy M:

Production of RNA for transcriptomic analysis from mouse spinal cord motor neuron cell bodies by laser capture microdissection

J Vis Exp. 2014 Jan 13;(83). doi: 10.3791/51168.

<http://dx.doi.org/10.3791/51168>

Becette, V., Vignaud, S., Regnier, C., Labroquere, M., Fourme, E., Menet, E., Bieche, I., and Spyrtatos, F.:
Gene transcript assay by real-time RT-PCR in epithelial breast cancer cells selected by laser microdissection

Int J Biol Markers 19(2): 100-108 (2004)

<http://cat.inist.fr/?aModele=afficheN&cpsidt=15941984>

Becker D, Zahn N, Deller T, and Vlachos A:

Tumor necrosis factor alpha maintains denervation-induced homeostatic synaptic plasticity of mouse dentate granule cells

Front. Cell. Neurosci. | doi: 10.3389/fncel.2013.00257

<http://www.frontiersin.org/Journal/10.3389/fncel.2013.00257/abstract>

Belmondo S, Fiorilli V, Pérez-Tienda J, Ferrol N, Marmeisse R, and Lanfranco L:

A dipeptide transporter from the arbuscular mycorrhizal fungus *Rhizophagus irregularis* is upregulated in the intraradical phase

Front. Plant Sci. | doi: 10.3389/fpls.2014.00436

<http://journal.frontiersin.org/Journal/10.3389/fpls.2014.00436/abstract>

Benner S, Endo T, Endo N, Kakeyama M, Tohyama C:

Early deprivation induces competitive subordination in C57BL/6 male mice

Physiol Behav. 2014 Jul 30;137C:42-52. doi: 10.1016/j.physbeh.2014.06.018.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9384\(14\)00355-2](http://linkinghub.elsevier.com/retrieve/pii/S0031-9384(14)00355-2)

Bernard A, Lubbers LS, Tanis KQ, Luo R, Podtelezchnikov AA, Finney EM, McWhorter MM, Serikawa K, Lemon T, Morgan R, Copeland C, Smith K, Cullen V, Davis-Turak J, Lee CK, Sunkin SM, Loboda AP, Levine DM, Stone DJ, Hawrylycz MJ, Roberts CJ, Jones AR, Geschwind DH, Lein ES:

Transcriptional architecture of the primate neocortex

Neuron. 2012 Mar 22;73(6):1083-99.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00225-5](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00225-5)

Berquin, I.M., Min, Y., Wu, R., Wu, H., and Chen, Y.Q.:

Expression signature of the mouse prostate

J Biol Chem 280(43): 36442-36451 (2005)

<http://www.jbc.org/content/280/43/36442.long>

Betta P.G., Olivieri F., Lazzarini R., Ceka A., Graciotti L., Babini L., Rippo M.R., Procopio A., Grosso F., Libener R.:

miRNAs signature in microdissected tissues and primary cultured cells of malignant mesotelioma

J Clin Oncol 29: 2011 (suppl; abstr e21031)

http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst_detail_view&confID=102&abstractID=78897

Björner S, Fitzpatrick PA, Li Y, Allred C, Howell A, Ringberg A, Olsson H, Miller CJ, Axelson H, Landberg G:

Epithelial and Stromal MicroRNA Signatures of Columnar Cell Hyperplasia Linking Let-7c to Precancerous and Cancerous Breast Cancer Cell Proliferation

PLoS One. 2014 Aug 14;9(8):e105099. doi: 10.1371/journal.pone.0105099.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0105099>

Blackmore MG, Wang Z, Lerch JK, Motti D, Zhang YP, Shields CB, Lee JK, Goldberg JL, Lemmon VP, Bixby JL:

Kruppel-like Factor 7 engineered for transcriptional activation promotes axon regeneration in the adult corticospinal tract

Proc Natl Acad Sci U S A. 2012 Apr 23. [Epub ahead of print]

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=22529377>

Brown, A.L., Smith, D.W.

Improved RNA preservation for immunolabeling and laser microdissection

RNA 2009 15: 2364-2374, Published by Cold Spring Harbor Laboratory Press

<http://rnajournal.cshlp.org/content/15/12/2364.long>

Bullock MD, Pickard KM, Nielsen BS, Sayan AE, Jenei V, Mellone M, Mitter R, Primrose JN, Thomas GJ, Packham GK, Mirenzami AH:

Pleiotropic actions of miR-21 highlight the critical role of deregulated stromal microRNAs during colorectal cancer progression

Cell Death Dis. 2013 Jun 20;4:e684. doi: 10.1038/cddis.2013.213.

<http://www.nature.com/cddis/journal/v4/n6/abs/cddis2013213a.html>

Cañas RA, Canales J, Gómez-Maldonado J, Avila C, Cánovas FM:

Transcriptome analysis in maritime pine using laser capture microdissection and 454 pyrosequencing

Tree Physiol. 2014 Jan 3.

<http://treephys.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24391165>

Cao J, Ni J, Ma W, Shiu V, Milla LA, Park S, Spletter ML, Tang S, Zhang J, Wei X, Kim SK, Scott MP:
Insight into Insulin Secretion from Transcriptome and Genetic Analysis of Insulin-Producing Cells of Drosophila

Genetics. 2014 Feb 20.

<http://www.genetics.org/content/early/2014/02/18/genetics.113.160663.full.pdf+html>

Caponi S, Funel N, Frampton AE, Mosca F, Santarpia L, Van der Velde AG, Jiao LR, De Lio N, Falcone A, Kazemier G, Mejer GA, Verheul HM, Vasile E, Peters GJ, Boggi U, Giovannetti E:

The good, the bad and the ugly: a tale of miR-101, miR-21 and miR-155 in pancreatic intraductal papillary mucinous neoplasms

Ann Oncol. 2012 Nov 8.

<http://annonc.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23139258>

Caruso M, Merelo P, Distefano G, La Malfa S, Lo Piero AR, Tadeo FR, Talon M, Gentile A
Comparative transcriptome analysis of stylar canal cells identifies novel candidate genes implicated in the self-incompatibility response of Citrus clementina

BMC Plant Biol. 2012 Feb 14;12(1):20

<http://www.biomedcentral.com/1471-2229/12/20>

Castro-Rodríguez V, García-Gutiérrez A, Cañas RA, Pascual M, Avila C, Cánovas FM:
Redundancy and metabolic function of the glutamine synthetase gene family in poplar

BMC Plant Biol. 2015 Jan 22;15(1):20.

<http://www.biomedcentral.com/1471-2229/15/20>

Chandler DJ, Gao WJ, Waterhouse BD:

Heterogeneous organization of the locus coeruleus projections to prefrontal and motor cortices

Proc Natl Acad Sci U S A. 2014 Apr 21.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24753596>

Chandran D, Inada N, Wildermuth MC:

Laser microdissection of plant-fungus interaction sites and isolation of RNA for downstream expression profiling

Methods Mol Biol 712:241-62 (2011)

<http://www.springerlink.com/content/g8x0633768v71816/#section=862301&page=1>

Chen HC, Song J, Wang JP, Lin YC, Ducoste J, Shuford CM, Liu J, Li Q, Shi R, Nepomuceno A, Isik F, Muddiman DC, Williams C, Sederoff RR, Chiang VL:

Systems Biology of Lignin Biosynthesis in Populus trichocarpa: Heteromeric 4-Coumaric Acid:Coenzyme A Ligase Protein Complex Formation, Regulation, and Numerical Modeling

Plant Cell. 2014 Mar 11.

<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=24619612>

Chen, Z. and Gu, J.:

Immunoglobulin G expression in carcinomas and cancer cell lines

Faseb J (2007)

<http://www.fasebj.org/content/21/11/2931.long>

Chitarra W, Balestrini R, Vitali M, Pagliarani C, Perrone I, Schubert A, Lovisolo C:

Gene expression in vessel-associated cells upon xylem embolism repair in Vitis vinifera L. petioles

Planta. 2014 Jan 9.

<http://dx.doi.org/10.1007/s00425-013-2017-7>

Chokechanachaisakul U, Kaneko T, Okiji T, Kaneko R, Kaneko M, Kawamura J, Sunakawa M, Suda H:
Increased Gene Expression of Toll-like Receptors and Antigen-Presenting Cell-related Molecules in the Onset of Experimentally Induced Furcation Lesions of Endodontic Origin in Rat Molars

J Endod. 2010 Feb;36(2):251-5

<http://www.jendodon.com/article/S0099-2399%2809%2900879-6/abstract>

Chokechanachaisakul U, Kaneko T, Okiji T, Kaneko R, Suda H, Nör JE

Laser capture microdissection in dentistry

Int J Dent. 2010;2010:592694. doi: 10.1155/2010/592694.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/21274283/>

Chokechanachaisakul U, Kaneko T, Yamanaka Y, Okiji T, Suda H:

A novel whole tooth-in-jaw-bone culture of rat molars: Morphological, immunohistochemical, and laser capture microdissection analysis

Microsc Res Tech. 2012 May 23. doi: 10.1002/jemt.22072.

<http://dx.doi.org/10.1002/jemt.22072>

Choudhary RK, Daniels KM, Evoke-Clover CM, Garrett W, Capuco AV:

Technical note: A rapid method for 5-bromo-2'-deoxyuridine (BrdU) immunostaining in bovine mammary cryosections that retains RNA quality

J Dairy Sci 93(6):2574-9 (2010)

<http://www.journalofdairyscience.org/article/S0022-0302%2810%2900261-4/abstract>

Clayburgh, D.R., Rosen, S., Witkowski, E.D., Wang, F., Blair, S., Dudek, S., Garcia, J.G., Alverdy, J.C., and Turner, J.R.:

A differentiation-dependent splice variant of myosin light chain kinase, MLCK1, regulates epithelial tight junction permeability

J Biol Chem 279(53): 55506-55513 (2004)

<http://www.jbc.org/content/279/53/55506.long>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Czibere L, Baur LA, Wittmann A, Gemmeke K, Steiner A, Weber P, Pütz B, Ahmad N, Bunck M, Graf C, Widner R, Kühne C, Panhuysen M, Hamsch B, Rieder G, Reinheckel T, Peters C, Holsboer F, Landgraf R, Deussing JM:

Profiling Trait Anxiety: Transcriptome Analysis Reveals Cathepsin B (Ctsb) as a Novel Candidate Gene for Emotionality in Mice

PLoS ONE 6(8): e23604. doi:10.1371/journal.pone.0023604 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023604>

Dai, M.S., Chao, T.Y., Kao, W.Y., Shyu, R.Y., and Liu, T.M.:

Delayed hepatitis B virus reactivation after cessation of preemptive lamivudine in lymphoma patients treated with rituximab plus CHOP

Ann Hematol 83(12): 769-774 (2004)

<http://www.springerlink.com/content/x87nue2nfx7pt0ap/>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

Datta D, Arion D and Lewis DA:

Developmental Expression Patterns of GABAA Receptor Subunits in Layer 3 and 5 Pyramidal Cells of Monkey Prefrontal Cortex

Cereb. Cortex (2014) doi: 10.1093/cercor/bhu040; March 7, 2014

<http://cercor.oxfordjournals.org/content/early/2014/03/06/cercor.bhu040.abstract>

de Lagausie, P., de Buys-Roessingh, A., Ferkdadij, L., Saada, J., Aisenfisz, S., Martinez-Vinson, C., Fund, X., Cayuela, J.M., Peuchmaur, M., Mercier, J.C., and Berrebi, D.:

Endothelin receptor expression in human lungs of newborns with congenital diaphragmatic hernia

J Pathol 205(1): 112-118 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1677/full>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion

Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Del Turco D, Schlaudraff J, Bonin M, Deller T:

Upregulation of APP, ADAM10 and ADAM17 in the Denervated Mouse Dentate Gyrus

PLoS ONE 9(1): e84962. doi:10.1371/journal.pone.0084962

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0084962>

Deyarmin B, Kane JL, Valente AL, van Laar R, Gallagher C, Shriver CD, Ellsworth RE:

Effect of ASCO/CAP Guidelines for Determining ER Status on Molecular Subtype

Ann Surg Oncol. 2012 Aug 9. [Epub ahead of print]

<http://dx.doi.org/10.1245/s10434-012-2588-8>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.C., and Fink, L.:

Catabolic properties of microdissected human endosteal bone lining cells

Calcif Tissue Int 84(2): 146-155 (2009)

<http://www.springerlink.com/content/a2h715150m525279/>

Dragicevic E, Poetschke C, Duda J, Schlaudraff F, Lammel S, Schiemann J, Fauler M, Hetzel A, Watanabe M, Lujan R, Malenka RC, Striessnig J, Liss B:

Cav1.3 channels control D2-autoreceptor responses via NCS-1 in substantia nigra dopamine neurons

Brain. 2014 Jun 16. pii: awu131.

<http://brain.oxfordjournals.org/content/early/2014/06/16/brain.awu131.full>

Drexel M, Puhakka N, Kirchmair E, Hörtnagl H, Pitkänen A, Sperk G:

Expression of GABA receptor subunits in the hippocampus and thalamus after experimental traumatic brain injury

Neuropharmacology. 2014 Sep 16. pii: S0028-3908(14)00306-2. doi: 10.1016/j.neuropharm.2014.08.023.

<http://www.sciencedirect.com/science/article/pii/S0028390814003062>

Ehashi T, Takemura T, Hanagata N, Minowa T, Kobayashi H, Ishihara K, Yamaoka T:

Comprehensive Genetic Analysis of Early Host Body Reactions to the Bioactive and Bio-Inert Porous Scaffolds

PLoS ONE 9(1): e85132. doi:10.1371/journal.pone.0085132

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0085132>

Elliott GC, Gurtu R, McCollum C, Newman WG, Wang T:

Foramen Ovale Closure Is a Process of Endothelial-to-Mesenchymal Transition Leading to Fibrosis

PLoS One. 2014 Sep 12;9(9):e107175. doi: 10.1371/journal.pone.0107175. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0107175>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Ellsworth RE, Seebach J, Field LA, Heckman C, Kane J, Hooke JA, Love B, Shriver CD:

A gene expression signature that defines breast cancer metastases

Clin Exp Metastasis 26(3):205-13 (2009)

<http://www.springerlink.com/content/102574228038m751/>

El-Zaatari M, Kao JY, Tessier A, Bai L, Hayes MM, Fontaine C, Eaton KA, Merchant JL :

Gli1 deletion prevents helicobacter-induced gastric metaplasia and expansion of myeloid cell subsets

PLoS One. 2013;8(3):e58935. doi: 10.1371/journal.pone.0058935.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0058935>

Engelse, M.A., Lardenoye, J.H., Neele, J.M., Grimbergen, J.M., De Vries, M.R., Lamfers, M.L., Pannekoek, H., Quax, P.H., and De Vries, C.J.:

Adenoviral activin a expression prevents intimal hyperplasia in human and murine blood vessels by maintaining the contractile smooth muscle cell phenotype

Circ Res 90(10): 1128-1134 (2002)

<http://circres.ahajournals.org/cgi/content/full/90/10/1128>

Esakky P, Hansen DA, Drury AM, Moley KH:

Molecular Analysis of Cell Type-Specific Gene Expression Profile During Mouse Spermatogenesis by Laser Microdissection and qRT-PCR

Reprod Sci. 2012 Aug 30.

<http://rsx.sagepub.com/cgi/pmidlookup?view=long&pmid=22941942>

Eslami A, Miyaguchi K, Mogushi K, Watanabe H, Okada N, Shibuya H, Mizushima H, Miura M, Tanaka H:
PARVB overexpression increases cell migration capability and defines high risk for endophytic growth and metastasis in tongue squamous cell carcinoma

Br J Cancer. 2014 Nov 25. doi: 10.1038/bjc.2014.590.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2014590a.html>

Feng, X., Ren, C., Zhou, W., Liu, W., Zeng, L., Li, G., Wang, L., Li, M., Zhu, B., Yao, K. and Jiang, X:

Promoter Hypermethylation Along With LOH, But Not Mutation, Contributes to Inactivation of DLC-1 in Nasopharyngeal Carcinoma

Mol. Carcinog., 12 JUN 2013, DOI: 10.1002/mc.22044

<http://onlinelibrary.wiley.com/doi/10.1002/mc.22044/abstract>

Field LA, Love B, Deyarmin B, Hooke JA, Shriver CD, Ellsworth RE:

Identification of differentially expressed genes in breast tumors from African American compared with Caucasian women

Cancer. 2012 Mar 1;118(5):1334-44. doi: 10.1002/cncr.26405. Epub 2011 Jul 28.

<http://dx.doi.org/10.1002/cncr.26405>

Frierson, H.F., Jr., El-Naggar, A.K., Welsh, J.B., Sapinoso, L.M., Su, A.I., Cheng, J., Saku, T., Moskaluk, C.A., and Hampton, G.M.:

Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma

Am J Pathol 161(4): 1315-1323 (2002)

<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2810%2964408-2/abstract>

Fujimoto H, Woo GH, Inoue K, Igarashi K, Kanno J, Hirose M, Nishikawa A, and Shibutani M:

Increased cellular distribution of vimentin and Ret in the cingulum induced by developmental hypothyroidism in rat offspring maternally exposed to anti-thyroid agents

Reproductive Toxicology, Available online 6 April 2012, ISSN 0890-6238, 10.1016/j.reprotox.2012.03.005.

<http://www.sciencedirect.com/science/article/pii/S0890623812000482>

Fujimura T, Takahashi S, Urano T, Takayama K, Sugihara T, Obinata D, Yamada Y, Kumagai J, Kume H, Ouchi Y, Inoue S, Homma Y:

Expression of androgen and estrogen signaling components and stem cell markers to predict cancer progression and cancer-specific survival in patients with metastatic prostate cancer

Clin Cancer Res. 2014 Jul 1. pii: clincanres.1105.2013.

<http://clincancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24987058>

Fujita K, Taya Y, Shimazu Y, Aoba T, Soeno Y :

Molecular signaling at the fusion stage of the mouse mandibular arch: involvement of insulin-like growth factor family

Int J Dev Biol. 2013 Apr 12.

<http://www.ijdb.ehu.es/web/paper/120110ys/molecular-signaling-at-the-fusion-stage-of-the-mouse-mandibular-arch-involvement-of-insulin-like-growth-factor-family>

Galiger C, Kostin S, Golec A, Ahlbrecht K, Becker S, Gherghiceanu M, Popescu LM, Morty RE, Seeger W, Voswinckel R:

Phenotypical and ultrastructural features of Oct4-positive cells in the adult mouse lung

J Cell Mol Med. 2014 Jun 3. doi: 10.1111/jcmm.12295.

<http://onlinelibrary.wiley.com/doi/10.1111/jcmm.12295/pdf>

Gaska M, Kuśmider M, Solich J, Faron-Górecka A, Krawczyk MJ, Kułakowski K, Dziedzicka-Wasylewska M:

Analysis of region-specific changes in gene expression upon treatment with citalopram and desipramine reveals temporal dynamics in response to antidepressant drugs at the transcriptome level

Psychopharmacology (Berl). 2012 May 1. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00213-012-2714-0>

Gassler, N., Newrzella, D., Bohm, C., Lyer, S., Li, L., Sorgenfrei, O., van Laer, L., Sido, B., Mollenhauer, J., Poustka, A., Schirmacher, P., and Gretz, N.:

Molecular characterisation of non-absorptive and absorptive enterocytes in human small intestine

Gut 55(8): 1084-1089 (2006)

<http://gut.bmj.com/content/55/8/1084.abstract>

Gebeshuber CA, Kornauth C, Dong L, Sierig R, Seibler J, Reiss M, Tauber S, Bilban M, Wang S, Kain R, Böhmig GA, Moeller MJ, Gröne HJ, Englert C, Martinez J, Kerjaschki D :

Focal segmental glomerulosclerosis is induced by microRNA-193a and its downregulation of WT1

Nat Med. 2013 Apr;19(4):481-7. doi: 10.1038/nm.3142.

<http://dx.doi.org/10.1038/nm.3142>

Geel TM, Rots MG, Asgeirsdottir SA, Voorn P, Ruiters MHJ, Niezen-Koning KE:

Mimicking Pompe phenotypes for future therapeutic studies: Biodistribution of non-modified siRNA

Dissertation, 2010

<http://dissertations.ub.rug.nl/FILES/faculties/medicine/2010/t.m.geel/05c5.pdf>

Genre A, Bonfante P:

The Interface Between Plants and Mycorrhizal Fungi: Nutrient Exchange, Signaling and Cell Organization

Fungal Associations; The Mycota Volume 9, 2012, pp 39-49

http://link.springer.com/chapter/10.1007%2F978-3-642-30826-0_3?LI=true

Gillespie MJ, Crowley TM, Haring VR, Wilson SL, Harper JA, Payne JS, Green D, Monaghan P, Donald JA, Nicholas KR, Moore RJ:

Transcriptome analysis of pigeon milk production - role of cornification and triglyceride synthesis genes

BMC Genomics. 2013 Mar 13;14:169. doi: 10.1186/1471-2164-14-169.

<http://www.biomedcentral.com/1471-2164/14/169>

Giovannetti M, Balestrini R, Volpe V, Guether M, Straub D, Costa A, Ludewig U, Bonfante P:
Two putative-aquaporin genes are differentially expressed during arbuscular mycorrhizal symbiosis in *Lotus japonicus*

BMC Plant Biol. 2012 Oct 9;12(1):186.

<http://www.biomedcentral.com/1471-2229/12/186>

Giovannetti E, van der Velde A, Funel N, Vasile E, Perrone V, Leon LG, De Lio N, Avan A, Caponi S, Pollina LE, Gallá V, Sudo H, Falcone A, Campani D, Boggi U, Peters GJ:

High-Throughput MicroRNA (miRNAs) Arrays Unravel the Prognostic Role of MiR-211 in Pancreatic Cancer

PLoS One. 2012;7(11):e49145. doi: 10.1371/journal.pone.0049145. Epub 2012 Nov 14.

<http://dx.plos.org/10.1371/journal.pone.0049145>

Giovannetti E, Wang Q, Avan A, Funel N, Lagerweij T, Lee JH, Caretti V, van der Velde A, Boggi U, Wang Y, Vasile E, Peters GJ, Wurdinger T, Giaccone G:

Role of CYB5A in Pancreatic Cancer Prognosis and Autophagy Modulation

J Natl Cancer Inst. 2013 Dec 3.

<http://jnci.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24301457>

Gill BC, Balog BM, Dissaranan C, Jiang HH, Steward JB, Lin DL, Damaser MS

Neurotrophin therapy improves recovery of the neuromuscular continence mechanism following simulated birth injury in rats

NeuroUrol Urodyn. 2012 May 11. doi: 10.1002/nau.22264

<http://dx.doi.org/10.1002/nau.22264>

Gilling CE, Mittal AK, Chaturvedi NK, Iqbal J, Aoun P, Bierman PJ, Bociek RG, Weisenburger DD, Joshi SS:

Lymph node-induced immune tolerance in chronic lymphocytic leukaemia: a role for caveolin-1

Br J Haematol. 2012 May 10. doi: 10.1111/j.1365-2141.2012.09148.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2141.2012.09148.x/abstract>

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopollo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovannetti E, Funel N, Peters GJ, Del Chiaro M, Erozenci LA, Vasile E, Leon LG, Pollina LE, Groen A, Falcone A, Danesi R, Campani D, Verheul HM, Boggi U:

MicroRNA-21 in pancreatic cancer: correlation with clinical outcome and pharmacologic aspects underlying its role in the modulation of gemcitabine activity

Cancer Res. 2010 Jun 1;70(11):4528-38

<http://cancerres.aacrjournals.org/content/70/11/4528.short>

Gomez SK, Harrison MJ:

Laser microdissection and its application to analyze gene expression in arbuscular mycorrhizal symbiosis

Pest Manag Sci 65(5): 504-11 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ps.1715/full>

Gómez-Ariza J, Balestrini R, Novero M and Bonfante P

Cell-specific gene expression of phosphate transporters in mycorrhizal tomato roots

Biology and Fertility of Soils 45(8): 845-853 (2009)

<http://www.springerlink.com/content/72503011k6720883/>

Gong L, Yan-Hong Li, Qin Su, Gang Li, Wen-Dong Zhang, and Wei Zhang:

Use of X-chromosome inactivation pattern and laser microdissection to determine the clonal origin of focal nodular hyperplasia of the liver

Pathology 2009, Vol. 41, No. 4, Pages 348-355

<http://journals.lww.com/pathologyrcpa/pages/articleviewer.aspx?year=2009&issue=41040&article=00005&type=abstract>

Gründemann J, Schlaudraff F, Haeckel O, Liss B.

Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease.

Nucleic Acids Res. 2008 Apr;36(7):e38. Epub 2008 Mar 10.

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Gründemann J, Schlaudraff F, Liss B:

UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains

Methods Mol Biol. 2011;755:363-74

<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Guo Z, Wang Y, Li R, Huang H, Wang R:

Use of laser microdissection in the analysis of renal infiltrating T cells in murine lupus

Centr Eur J Immunol 2014; 39 (3): 285-293, DOI (digital object identifier): 10.5114/ceji.2014.45113

<http://www.termedia.pl/Experimental-immunology-Use-of-laser-microdissection-in-the-analysis-of-of-renal-infiltrating-T-cells-in-murine-lupus,10,23490,1,1.html>

Hagelkruys A, Lagger S, Krahmer J, Leopoldi A, Artaker M, Pusch O, Zezula J, Weissmann S, Xie Y, Schöfer C, Schleder M, Brosch G, Matthias P, Selfridge J, Lassmann H, Knoblich JA, Seiser C:
A single allele of Hdac2 but not Hdac1 is sufficient for normal mouse brain development in the absence of its paralog

Development. 2014 Feb;141(3):604-16. doi: 10.1242/dev.100487.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=24449838>

Hagiya M, Inoue T, Furuno T, Iino T, Itami S, Nakanishi M, Asada H, Hosokawa Y, Ito A:

Increased expression of cell adhesion molecule 1 by mast cells as a cause of enhanced nerve-mast cell interaction in a hapten-induced mouse model of atopic dermatitis

Br J Dermatol. 2012 Oct 27. doi: 10.1111/bjd.12108.

<http://dx.doi.org/10.1111/bjd.12108>

Hagner S, Welz H, Kicic A, Alrifai M, Marsh LM, Sutanto EN, Ling KM, Stick SM, Müller B, Weissmann N, Renz H:

Suppression of adrenomedullin contributes to vascular leakage and altered epithelial repair during asthma: Experimental Allergy and Immunology

Allergy. 2012 Jun 12. doi: 10.1111/j.1398-9995.2012.02851.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1398-9995.2012.02851.x/abstract>

Haishima A, Murakami M, Ikeda T, Inoue K, Kamiie J, Shirota K:

Detection of Bcl-2 mRNA and its product in the glomerular podocytes of the normal rat kidney

Exp Toxicol Pathol. 2011 Jan 7.

<http://dx.doi.org/10.1016/j.etp.2010.12.006>

Hamatani, K., Eguchi, H., Takahashi, K., Koyama, K., Mukai, M., Ito, R., Taga, M., Yasui, W., and Nakachi, K.:

Improved RT-PCR amplification for molecular analyses with long-term preserved formalin-fixed, paraffin-embedded tissue specimens

J Histochem Cytochem 54(7): 773-780 (2006)

<http://jhc.sagepub.com/content/54/7/773.long>

Handschiek K, Beuerlein K, Jurida L, Bartkuhn M, Müller H, Soelch J, Weber A, Dittrich-Breiholz O, Schneider H, Scharfe M, Jarek M, Stellzig J, Schmitz ML, Kracht M:

Cyclin-Dependent Kinase 6 Is a Chromatin-Bound Cofactor for NF- κ B-Dependent Gene Expression

Mol Cell. 2013 Dec 31. pii: S1097-2765(13)00870-8. doi: 10.1016/j.molcel.2013.12.002.

<https://www.cell.com/molecular-cell/abstract/S1097-2765%2813%2900870-8>

Han, Y.M., Romero, R., Kim, J.S., Tarca, A.L., Kim, S.K., Draghici, S., Kusanovic, J.P., Gotsch, F., Mittal, P., Hassan, S.S., and Kim, C.J.:

Region-specific gene expression profiling: novel evidence for biological heterogeneity of the human amnion

Biol Reprod 79(5): 954-961 (2008)

<http://www.biolreprod.org/content/79/5/954.long>

Haraguchi H, Saito-Fujita T, Hirota Y, Egashira M, Matsumoto L, Matsuo M, Hiraoka T, Koga K, Yamauchi N, Fukayama M, Bartos A, Cha J, Dey SK, Fujii T, Osuga Y:

MicroRNA-200a locally attenuates progesterone signaling in the cervix preventing embryo implantation

Mol Endocrinol. 2014 May 21:me20141097.

<http://press.endocrine.org/doi/pdf/10.1210/me.2014-1097>

Hashimoto, A., Matsui, T., Tanaka, S., Ishikawa, A., Endo, H., Hirohata, S., Kondo, H., Neumann, E., Tarner, I.H., and Muller-Ladner, U.:

Laser-mediated microdissection for analysis of gene expression in synovial tissue

Mod Rheumatol 17(3): 185-190 (2007)

<http://www.springerlink.com/content/p7j8347u126p7506/>

Hashimoto, A., Tarner, I.H., Bohle, R.M., Gaumann, A., Manetti, M., Distler, O., Steinmeyer, J., Ulfgren, A.K., Schulz, A., Gay, S., Muller-Ladner, U., and Neumann, E.:

Analysis of vascular gene expression in arthritic synovium by laser-mediated microdissection

Arthritis Rheum 56(4): 1094-1105 (2007)

<http://onlinelibrary.wiley.com/doi/10.1002/art.22450/full>

Hawkins MG, Winder DM, Ball SL, Vaughan K, Sonnex C, Stanley MA, Sterling JC, Goon PK:

Detection of specific HPV subtypes responsible for the pathogenesis of condylomata acuminata

Virology 2013 May 1;10(1):137.

<http://www.virologyj.com/content/10/1/137>

Heil, S.G., De Vriese, A.S., Kluijtmans, L.A., Dijkman, H., van Strien, D., Akkers, R., and Blom, H.J.:

Cytochrome P450-2C11 mRNA is not expressed in endothelial cells dissected from rat renal arterioles

Nephron Physiol 99(2): p43-49 (2005)

<http://content.karger.com/produktedb/produkte.asp?DOI=83135&typ=pdf>

Hemmerling J, Heller K, Hörmannspurger G, Bazanella M, Clavel T, Kollias G, Haller D:

Fetal Exposure to Maternal Inflammation Does Not Affect Postnatal Development of Genetically-Driven Ileitis and Colitis

PLoS ONE 9(5): e98237. doi: 10.1371/journal.pone.0098237

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0098237#pone-0098237-g004>

Hemmerling J, Jansen J, Müller M, Haller D:

Fetal gut laser microdissection in combination with RNA preamplification enables epithelial-specific transcriptional profiling

Journal of Immunological Methods, 2014 Nov 24, doi:10.1016/j.jim.2014.11.008

<http://www.sciencedirect.com/science/article/pii/S0022175914003214>

Henriques A, Kastner S, Chatzikonstantinou E, Pitzer C, Plaas C, Kirsch F, Wafzig O, Carola K, Spoelgen R, Gonzalez_de_aguilera J, Gretz N and Schneider A:

Gene expression changes in spinal motoneurons of the SOD1G93A transgenic model for ALS after treatment with G-CSF

Front. Cell. Neurosci. 8:464. (2014) doi:10.3389/fncel.2014.00464

<http://journal.frontiersin.org/Journal/10.3389/fncel.2014.00464/abstract>

Henriques A, Kastner S, Wafzig O, Gonzalez De Aguilera JL, Schneider A :

Analytical sequence to study G-CSF effect on the transcriptome of isolated spinal motor neurons from SOD1 G93A mice, an animal model for amyotrophic lateral sclerosis

Genomics Data 28 Feb 2015, doi:10.1016/j.gdata.2015.02.003

<http://www.sciencedirect.com/science/article/pii/S2213596015000161>

Hicks DJ, Kelly M, Brookes SM, Londt BZ, Ortiz Pelaez A, Orlowska A, Brown IH, Spencer YI, Núñez A: **Cytokine Expression at Different Stages of Influenza A(H1N1)pdm09 Virus Infection in the Porcine Lung, Using Laser Capture Microdissection**

Transbound Emerg Dis. 2014 Jun 3. doi: 10.1111/tbed.12232.

<http://onlinelibrary.wiley.com/doi/10.1111/tbed.12232/abstract>

Hideyama T, Teramoto S, Hachiga K, Yamashita T, Kwak S:

Co-Occurrence of TDP-43 Mislocalization with Reduced Activity of an RNA Editing Enzyme, ADAR2, in Aged Mouse Motor Neurons

PLoS One. 2012;7(8):e43469.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043469>

Hölscher, D., Schneider, B.

Application of Laser-Assisted Microdissection for Tissue and Cell-Specific Analysis of RNA, Proteins, and Metabolites

U. Lüttge et al. (eds.), Progress in Botany 69. 141, © Springer-Verlag Berlin Heidelberg 2008

<http://www.springerlink.com/content/m15305g9262t5776/>

Hollender CA, Kang C, Darwish O, Geretz A, Matthews BF, Slovin J, Alkharouf N, Liu Z:

Floral transcriptomes in woodland strawberry uncover developing receptacle and anther gene networks

Plant Physiol. 2014 May 14. pii: pp.114.237529.

<http://www.plantphysiol.org/content/early/2014/05/14/pp.114.237529.full.pdf>

Hopfgarten J, Stenwall PA, Wiberg A, Anagandula M, Ingvast S, Rosenling T, Korsgren O, Skog O:

Gene expression analysis of human islets in a subject at onset of type 1 diabetes

Acta Diabetol. 2013 Apr 27.

<http://link.springer.com/article/10.1007/s00592-013-0479-5>

Hsu, K., Huang, S., Chou, C., Shen, M., Cheng, Y., and Chen, Y.Q.:

SCC A2 and SCC A1 expression level in uterine cervical carcinogenesis

Proc Amer Assoc Caner Res 46 (2005)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2005/1/85?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&andorexacttitle=and&titleabstract=SCC+A2+and+SCC+A1+expression+level+in+uterine+cervical+carcinogenesis&andorexacttitleabs=and&andorexactfulltext=and&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Hu JC, Chan HC, Simmer SG, Seymen F, Richardson AS, Hu Y, Milkovich RN, Estrella NM, Yildirim M, Bayram M, Chen CF, Simmer JP:

Amelogenesis Imperfecta in Two Families with Defined AMELX Deletions in ARHGAP6

PLoS One. 2012;7(12):e52052. doi: 10.1371/journal.pone.0052052.

<http://dx.plos.org/10.1371/journal.pone.0052052>

Huang P, He Z, Ji S, Sun H, Xiang D, Liu C, Hu Y, Wang X, Hui L:

Induction of functional hepatocyte-like cells from mouse fibroblasts by defined factors.

Nature [Epub ahead of print] (2011)

<http://www.nature.com/nature/journal/vaop/ncurrent/full/nature10116.html>

Huang H, Parlier R, Shen JK, Luttly GA, Vinore SA:

VEGF Receptor Blockade Markedly Reduces Retinal Microglia/Macrophage Infiltration into Laser-Induced CNV

PLoS One. 2013 Aug 20;8(8):e71808. doi: 10.1371/journal.pone.0071808.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071808>

Huang P and Wang S:

Establishment of a new method to detect gene expression by laser capture microdissection-assisted single-cell real time RT-PCR without RNA purification

Molecular Biology, July 2013, Volume 47, Issue 4, pp 509-514

<http://link.springer.com/article/10.1134/S0026893313040055>

Huusko N, Pitkänen A:

Parvalbumin Immunoreactivity and Expression of GABA_A Receptor Subunits in the Thalamus after Experimental TBI

Neuroscience, 4 March 2014

<http://dx.doi.org/10.1016/j.neuroscience.2014.02.026>

Hwang JH, Voortman J, Giovannetti E, Steinberg SM, Leon LG, Kim YT, Funel N, Park JK, Kim MA, Kang GH, Kim SW, Del Chiaro M, Peters GJ, Giaccone G:

Identification of MicroRNA-21 as a Biomarker for Chemoresistance and Clinical Outcome Following Adjuvant Therapy in Resectable Pancreatic Cancer

PLoS One. 2010 May 14;5(5):e10630

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0010630>

Iacobellis G, Di Gioia C, Petramala L, Chiappetta C, Serra V, Zinamosca L, Marinelli C, Ciardi A, De Toma G, and Letizia C:

Brown Fat Expresses Adiponectin in Humans

International Journal of Endocrinology, vol. 2013, Article ID 126751, 6 pages, 2013.

<http://www.hindawi.com/journals/ije/2013/126751/cta/>

Ieta K, Tanaka F, Yokobori T, Kita Y, Haraguchi N, Mimori K, Kato H, Asao T, Inoue H, Kuwano H, Mori M:

Clinicopathological significance of stanniocalcin 2 gene expression in colorectal cancer

Int J Cancer 125(4):926-31 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24453/full>

Igarashi S, Matsubara T, Harada K, Ikeda H, Sato Y, Sasaki M, Matsui O, Nakanuma Y:
Bile duct expression of pancreatic and duodenal homeobox 1 in perihilar cholangiocarcinogenesis
Histopathology. 2012 May 17. doi: 10.1111/j.1365-2559.2012.04218.x.
<http://dx.doi.org/10.1111/j.1365-2559.2012.04218.x>

Ikeda A, Kai H, Kajimoto H, Yasuoka S, Kage K, and Imaizumi T:
Selective Gene Expression Analysis of Muscular and Vascular Components in Hearts Using Laser Microdissection Method
International Journal of Vascular Medicine, Volume 2012 (2012), Article ID 863410, 5 pages,
doi:10.1155/2012/863410
<http://www.hindawi.com/journals/ijvm/2012/863410/>

Ikeda J, Ichiki T, Matsuura H, Inoue E, Kishimoto J, Watanabe A, Sankoda C, Kitamoto S, Tokunou T, Takeda K, Fong GH, Sunagawa K:
Deletion of phd2 in myeloid lineage attenuates hypertensive cardiovascular remodeling
J Am Heart Assoc. 2013 Jun 18;2(3):e000178. doi: 10.1161/JAHA.113.000178.
<http://jaha.ahajournals.org/cgi/pmidlookup?view=long&pmid=23778187>

Itakura M, Terashima Y, Shingyoji M, Yokoi S, Ohira M, Kageyama H, Matui Y, Yoshida Y, Ashinuma H, Moriya Y, Tamura H, Harigaya K, Matushima K, Iizasa T, Nakagawara A, Kimura H:
High CC chemokine receptor 7 expression improves postoperative prognosis of lung adenocarcinoma patients
Br J Cancer. 2013 Aug 6. doi: 10.1038/bjc.2013.440.
<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2013440a.html>

Ito Y, Sonobe H:
The role of ecdysteroid 22-kinase in the accumulation of ecdysteroids in ovary of silkworm Bombyx mori
Ann N Y Acad Sci 1163:421-4 (2009)
<http://onlinelibrary.wiley.com/doi/10.1111/j.1749-6632.2009.04465.x/full>

Iwaisako K, Jiang C, Zhang M, Cong M, Moore-Morris TJ, Park TJ, Liu X, Xu J, Wang P, Paik YH, Meng F, Asagiri M, Murray LA, Hofmann AF, Iida T, Glass CK, Brenner DA, Kisseleva T:
Origin of myofibroblasts in the fibrotic liver in mice
Proc Natl Acad Sci U S A. 2014 Aug 12;111(32):E3297-305. doi: 10.1073/pnas.1400062111.
<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=25074909>

Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M:
A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer
J Surg Oncol. 2009 Sep 1;100(3):261-6.
<http://onlinelibrary.wiley.com/doi/10.1002/jso.21275/abstract>

Jacques J, Hotton D, Asselin A, De la Dure-Molla M, Coudert AE, Isaac J, Berdal A:
Ameloblastin as a putative marker of specific bone compartments
Connect Tissue Res. 2014 Aug;55 Suppl 1:117-20. doi: 10.3109/03008207.2014.923849.
<http://informahealthcare.com/doi/abs/10.3109/03008207.2014.923849>

Jiang HH, Gill BC, Dissaranan C, Zutshi M, Balog BM, Lin D, Damaser MS:
Effects of acute selective pudendal nerve electrical stimulation after simulated childbirth injury
Am J Physiol Renal Physiol. 2012 Nov 14.
<http://ajprenal.physiology.org/cgi/pmidlookup?view=reprint&pmid=23152293>

Ka, S.M., Rifai, A., Chen, J.H., Cheng, C.W., Shui, H.A., Lee, H.S., Lin, Y.F., Hsu, L.F., and Chen, A.:
Glomerular crescent-related biomarkers in a murine model of chronic graft versus host disease
Nephrol Dial Transplant 21(2): 288-298 (2006)
<http://ndt.oxfordjournals.org/content/21/2/288.long>

Kallenborn-Gerhardt W, Lu R, Lorenz J, Gao W, Weiland J, Del Turco D, Deller T, Laube B, Betz H, Geisslinger G, Schmidtko A:
Prolonged zymosan-induced inflammatory pain hypersensitivity in mice lacking glycine receptor alpha2
Behav Brain Res. 2012 Jan 1;226(1):106-11.
[http://linkinghub.elsevier.com/retrieve/pii/S0166-4328\(11\)00658-9](http://linkinghub.elsevier.com/retrieve/pii/S0166-4328(11)00658-9)

Kanaya M, Tsuda MC, Sagoshi S, Nagata K, Morimoto C, Tha Thu CK, Toda K, Kato S, Ogawa S, Tsukahara S:
Regional difference in sex steroid action on formation of morphological sex differences in the anteroventral periventricular nucleus and principal nucleus of the bed nucleus of the stria terminalis
PLoS One. 2014 Nov 14;9(11):e112616. doi: 10.1371/journal.pone.0112616. eCollection 2014.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0112616>

Kaneko T, Cordeiro MMR, Okiji T, Kaneko R, Suda H and Nör JE:
Laser capture microdissection from formaldehyde-fixed and demineralized paraffin embedded tissues
Microscopy: Science, Technology, Applications and Education (2010)
www.formatex.info/microscopy4/2111-2116.pdf

Kaneko T, Okiji T, Kaneko R, Suda H, Nör JE:
Gene expression analysis of immunostained endothelial cells isolated from formaldehyde-fixed paraffin embedded tumors using laser capture microdissection--a technical report
Microsc Res Tech. 2009 Dec;72(12):908-12.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2784235/?tool=pubmed>

Kaneko, T., Okiji, T. & Nör, J.E.:
Laser capture microdissection in oral cancer research: a review
The Research and Biology of Cancer II. ISBN: . iConcept Press. (2013)
<http://iconceptpress.com/download/paper/12050811061845.pdf>

Katz IK, Lamprecht R:
Fear conditioning leads to alteration in specific genes' expression in cortical and thalamic neurons that project to the lateral amygdala
J Neurochem. 2014 Oct 28. doi: 10.1111/jnc.12983.
<http://dx.doi.org/10.1111/jnc.12983>

Kawasaki, S., Tanioka, H., Yamasaki, K., Yokoi, N., Komuro, A., and Kinoshita, S.:
Clusters of corneal epithelial cells reside ectopically in human conjunctival epithelium
Invest Ophthalmol Vis Sci 47(4): 1359-1367 (2006)
<http://www.iovs.org/content/47/4/1359.long>

Kenngott RA, Vermehren M, Sauer U, Ebach K, Sinowatz F:
Cellular expression and localization of estrogen receptor α and progesterone receptor mRNA in the bovine oviduct combining laser-assisted microdissection, quantitative PCR, and in situ hybridization
J Histochem Cytochem. 2011 Mar;59(3):312-27.
<http://jhc.sagepub.com/content/59/3/312.abstract>

Khodosevich K, Alfonso J, Monyer H:

Dynamic changes in the transcriptional profile of subventricular zone-derived postnatally born neuroblasts

Mech Dev. 2012 Dec 4. pii: S0925-4773(12)00114-1. doi: 10.1016/j.mod.2012.11.003.

<http://www.sciencedirect.com/science/article/pii/S0925477312001141>

Khodosevich, K., Inta, D., Seeburg, P.H., and Monyer, H.:

Gene expression analysis of in vivo fluorescent cells

PLoS ONE 2(11): e1151 (2007)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0001151>

Kim W, Lee Y, McKenna ND, Yi M, Simunovic F, Wang Y, Kong B, Rooney RJ, Seo H, Stephens R, Sonntag KC:

miR-126 contributes to Parkinson disease by dysregulating IGF-1/PI3K signaling

Neurobiology of Aging, 0197-4580

<http://www.neurobiologyofaging.org/article/S0197-4580%2814%2900038-4/abstract>

Kimura Y, Kubo S, Koda H, Shigemoto K, Sawabe M, Kitamura K:

RNA analysis of inner ear cells from formalin fixed paraffin embedded (FFPE) archival human temporal bone section using laser microdissection. -A technical report

Hear Res. 2013 May 6. pii: S0378-5955(13)00101-9. doi: 10.1016/j.heares.2013.04.008.

<http://www.sciencedirect.com/science/article/pii/S0378595513001019>

Kinumatsu T, Hashimoto S, Muramatsu T, Sasaki H, Jung HS, Yamada S, Shimono M:

Involvement of laminin and integrins in adhesion and migration of junctional epithelium cells

J Periodontol Res 44(1):13-20 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0765.2007.01036.x/full>

Kieffer, N., Schmitz, M., Plancon, S., Margue, C., Huselstein, F., Grignard, G., Dippel, W., Nathan, M., Giacchi, S., and Scheiden, R.:

ILK as a potential marker gene to ascertain specific adenocarcinoma cell mRNA isolation from frozen prostate biopsy tissue sections

Int J Oncol 26(6): 1549-1558 (2005)

<http://www.spandidos-publications.com/ijo/26/6/1549>

Kim, J.S., Romero, R., Tarca, A.L., LaJeunesse, C., Han, Y.M., Kim, M.J., Suh, Y.L., Draghici, S., Mittal, P., Gotsch, F., Kusanovic, J.P., Hassan, S., and Kim, C.J.:

Gene expression profiling demonstrates a novel role for foetal fibrocytes and the umbilical vessels in human fetoplacental development

J Cell Mol Med 12(4): 1317-1330 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1582-4934.2008.00284.x/full>

Klumpp S, Hwa T.

Growth-rate-dependent partitioning of RNA polymerases in bacteria.

Proc Natl Acad Sci U S A. 2008 Dec 23;105(51):20245-50. Epub 2008 Dec 10.

<http://www.pnas.org/content/105/51/20245.long>

Knudsen ES, Ertel A, Davicioni E, Kline J, Schwartz GF, Witkiewicz AK:

Progression of ductal carcinoma in situ to invasive breast cancer is associated with gene expression programs of EMT and myoepithelia

Breast Cancer Res Treat. 2011 Dec 2. [Epub ahead of print]

<http://www.springerlink.com/content/f8f50452382np711/>

Kobayashi, K., Nishioka, M., Kohno, T., Nakamoto, M., Maeshima, A., Aoyagi, K., Sasaki, H., Takenoshita, S., Sugimura, H., and Yokota, J.:

Identification of genes whose expression is upregulated in lung adenocarcinoma cells in comparison with type II alveolar cells and bronchiolar epithelial cells in vivo

Oncogene 23(17): 3089-3096 (2004)

<http://www.nature.com/onc/journal/v23/n17/full/1207433a.html>

Kobayashi, K., Utsumi, H., Okada, M., Sakairi, T., Ikeda, I., Kusakabe, M., and Takagi, S.:

One-step RT-PCR without initial RNA isolation sStep for laser-microdissected tissue sample

J Vet Med Sci 65(8): 917-919 (2003)

<http://www.mendeley.com/research/onestep-rtPCR-without-initial-rna-isolation-sstep-for-lasermicrodissected-tissue-sample/>

Körber C, Dondzillo A, Eisenhardt G, Herrmannsdörfer F, Wafzig O, Kuner T:

Gene expression profile during functional maturation of a central mammalian synapse

Eur J Neurosci. 2014 Jul 3. doi: 10.1111/ejn.12661.

<http://dx.doi.org/10.1111/ejn.12661>

Kobayashi, T., Uehara, S., Ikeda, T., Itadani, H., and Kotani, H.:

Vitamin D3 up-regulated protein-1 regulates collagen expression in mesangial cells

Kidney Int 64: 1632-1642 (2003)

<http://www.nature.com/ki/journal/v64/n5/full/4494068a.html>

Kojima H, Kosugi T, Sato W, Sato Y, Maeda K, Kato N, Kato K, Inaba S, Ishimoto T, Tsuboi N, Matsuo S, Maruyama S, Yuzawa Y, Kadomatsu K:

Deficiency of Growth Factor Midkine Exacerbates Necrotizing Glomerular Injuries in Progressive Glomerulonephritis

Am J Pathol. 2012 Nov 27. pii: S0002-9440(12)00810-3. doi: 10.1016/j.ajpath.2012.10.016.

<http://www.sciencedirect.com/science/article/pii/S0002944012008103>

Kosloski LM, Kosmacek EA, Olson KE, Mosley RL, and Gendelman HE:

GM-CSF induces neuroprotective and anti-inflammatory responses in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine intoxicated mice

Journal of Neuroimmunology, 29 Oct 2013, ISSN 0165-5728

<http://dx.doi.org/10.1016/j.jneuroim.2013.10.009>

Kowalski PS, Zwiers PJ, Morselt HW, Kuldo JM, Leus NG, Ruiters MH, Molema G, Kamps JA:

Anti-VCAM-1 SAINT-O-Somes enable endothelial-specific delivery of siRNA and downregulation of inflammatory genes in activated endothelium in vivo

J Control Release. 2014 Jan 2. pii: S0168-3659(13)00971-1. doi: 10.1016/j.jconrel.2013.12.029.

<http://www.sciencedirect.com/science/article/pii/S0168365913009711>

Krabbe S, Duda J, Schiemann J, Poetschke C, Schneider G, Kandel ER, Liss B, Roeper J, Simpson EH:
Increased dopamine D2 receptor activity in the striatum alters the firing pattern of dopamine neurons in the ventral tegmental area

Proc Natl Acad Sci U S A. 2015 Feb 9. pii: 201500450.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=25675529>

Krane M, Dummler S, Dressen M, Hauner H, Hoffmann M, Haller D, Heller K, Wildhirt S, Voss B, Grammer J, Lahm H, Lange R, Bauernschmitt R:

Identification of an up-regulated anti-apoptotic network in the internal thoracic artery

Int J Cardiol. 2011 Jun 2;149(2):221-6. doi: 10.1016/j.ijcard.2010.02.003.

[http://linkinghub.elsevier.com/retrieve/pii/S0167-5273\(10\)00066-5](http://linkinghub.elsevier.com/retrieve/pii/S0167-5273(10)00066-5)

Kruse LC, Walter NA, Buck KJ:

Mpdz Expression In The Caudolateral Substantia Nigra Pars Reticulata Is Crucially Involved In Alcohol Withdrawal

Genes Brain Behav. 2014 Aug 11. doi: 10.1111/gbb.12171.

<http://dx.doi.org/10.1111/gbb.12171>

Kudo N, Ogose A, Ariizumi T, Kawashima H, Hotta T, Hatano H, Morita T, Nagata M, Siki Y, Kawai A, Hotta Y, Hoshino M, Endo N:

Expression of Bone Morphogenetic Proteins in Giant Cell Tumor of Bone

Anticancer Res. 2009 Jun;29(6):2219-25

<http://ar.iarjournals.org/content/29/6/2219.short>

Kurashina R, Kikuchi K, Iwaki J, Yoshitake H, Takeshita T, Takizawa T:

Placenta-specific miRNA (miR-512-3p) targets PPP3R1 encoding the calcineurin B regulatory subunit in BeWo cells

J Obstet Gynaecol Res. 2013 Nov 18. doi: 10.1111/jog.12217.

<http://onlinelibrary.wiley.com/doi/10.1111/jog.12217/abstract>

Kuribayashi, M., Asamoto, M., Suzuki, S., Hokaiwado, N., Ogawa, K., and Shirai, T.:

Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences

Cancer Lett 232(2): 289-299 (2006)

<http://www.cancerletters.info/article/S0304-3835%2805%2900231-4/abstract>

Kurita N, Honda S, Usui K, Shimizu Y, Miyamoto A, Tahara-Hanaoka S, Shibuya K, Shibuya A:

Identification of the Fc α /muR isoform specifically expressed in the kidney tubules

Mol Immunol. 2009 Feb;46(4):749-53.

<http://dx.doi.org/10.1016/j.molimm.2008.10.002>

Kurz A, Double KL, Lastres-Becker I, Tozzi A, Tantucci M, Bockhart V, Bonin M, García-Arencibia M, Nuber S, Schlaudraff F, Liss B, Fernández-Ruiz J, Gerlach M, Wüllner U, Lüddens H, Calabresi P, Auburger G and Gispert S:

A53T-alpha-Synuclein Overexpression Impairs Dopamine Signaling and Striatal Synaptic Plasticity in Old Mice.

PLoS One 5(7): e11464 (2010)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0011464>

Larkin J, Chen B, Shi XH, Mishima T, Kokame K, Barak Y, and Sadovsky Y:

EN-13-1425/NDRG1 deficiency attenuates fetal growth and the intrauterine response to hypoxic injury

Endocrinology, ISSN Print 0013-7227 ISSN Online 1945-7170, doi: 10.1210/en.2013-1425

<http://press.endocrine.org/doi/abs/10.1210/en.2013-1425?journalCode=endo>

Larkin J, Chen B, Shi XH, Mishima T, Kokame K, Barak Y, and Sadovsky Y:

NDRG1 deficiency attenuates fetal growth and the intrauterine response to hypoxic injury

Endocrinology. 2014 Mar;155(3):1099-106. doi: 10.1210/en.2013-1425.

http://press.endocrine.org/doi/abs/10.1210/en.2013-1425?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Lee AWS, Hengstler H, Schwald K, Berriel-Diaz M, Loreth D, Kirsch M, Kretz O, Haas CA, de Angelis MH, Herzig S, Brümmendorf T, Klingenspor M, Rathjen FG, Rozman J, Nicholson G, Cox RD, Schäfer MKE:

Functional Inactivation of the Genome-Wide Association Study Obesity Gene Neuronal Growth Regulator 1 in Mice Causes a Body Mass Phenotype

PLoS ONE 7(7): e41537. doi:10.1371/journal.pone.0041537

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0041537>

Lee K, Santibanez-Koref M, Polvikoski T, Birchall D, Mendelow AD, Keavney B:

Increased expression of fatty acid binding protein 4 and leptin in resident macrophages characterises atherosclerotic plaque rupture

Atherosclerosis, Epub 5 Oct 2012, ISSN 0021-9150, 10.1016/j.atherosclerosis.2012.09.037.
<http://www.sciencedirect.com/science/article/pii/S0021915012006557?v=s5>

Lee S, Toda T, Kiyama H, Yamashita T:

Weakened rate-dependent depression of Hoffmann's reflex and increased motoneuron hyperactivity after motor cortical infarction in mice

Cell Death Dis. 2014 Jan 16;5:e1007. doi: 10.1038/cddis.2013.544.
<http://www.nature.com/cddis/journal/v5/n1/pdf/cddis2013544a.pdf>

Lei Y, Huang T, Su M, Luo J, Korteweg C, Li J, Chen Z, Qiu Y, Liu X, Yan M, Wang Y, Gu J:

Expression and distribution of immunoglobulin G in the normal liver, hepatocarcinoma and postpartial hepatectomy liver

Lab Invest. 2014 Sep 29. doi: 10.1038/labinvest.2014.114
<http://dx.doi.org/10.1038/labinvest.2014.114>

Lembrechts R, Brouns I, Schnorbusch K, Pintelon I, Kemp PJ, Timmermans JP, Riccardi D, Adriaensen D:

Functional expression of the multimodal extracellular calcium-sensing receptor in pulmonary neuroendocrine cells

J Cell Sci. 2013 Jul 25.
<http://jcs.biologists.org/cgi/pmidlookup?view=long&pmid=23886943>

Lembrechts R, Pintelon I, Schnorbusch K, Kemp P, Timmermans JP, Riccardi D, Adriaensen D, Brouns I:
Functional expression of the extracellular Ca²⁺-sensing receptor in pulmonary neuroepithelial bodies unraveled by RT-PCR after laser microdissection, multilabel immunohistochemistry and high resolution confocal calcium imaging

Poster, EMC 2012, Manchester
http://www.emc2012.org.uk//documents/Abstracts/Abstracts/EMC2012_0483.pdf

Letellier E, Schmitz M, Baig K, Beaume N, Schwartz C, Frاسquilho S, Antunes L, Marcon N, Nazarov PV, Vallar L, Even J, Haan S:

Identification of SOCS2 and SOCS6 as biomarkers in human colorectal cancer

Br J Cancer. 2014 Jul 15. doi: 10.1038/bjc.2014.377.
<http://dx.doi.org/10.1038/bjc.2014.377>

Li Y, Guo X, Xue Q, Zhu M, Gao L, and Wang Y:

Single Cell Gene Profiling Revealed Heterogeneity of Paracrine Effects of Bone Marrow Cells in Mouse Infarcted Hearts

PLoS ONE 8(7): e68270. doi:10.1371/journal.pone.0068270
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0068270>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)
<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Liddel SA, Temple S, Møllgård K, Gehwolf R, Wagner A, Bauer H, Bauer HC, Phoenix TN, Dziegielewska KM, Saunders NR:

Molecular Characterisation of Transport Mechanisms at the Developing Mouse Blood-CSF Interface: A Transcriptome Approach

PLoS One. 2012;7(3):e33554. Epub 2012 Mar 21.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0033554>

Lin AC, Tan CL, Lin CL, Strochlic L, Huang YS, Richter JD, Holt CE:

Cytoplasmic polyadenylation and cytoplasmic polyadenylation element-dependent mRNA regulation are involved in *Xenopus* retinal axon development

Neural Dev. 2009 Mar 2;4:8. doi: 10.1186/1749-8104-4-8.

<http://www.neuraldevelopment.com/content/4/8>

Lin HY, Law PY, Loh HH:

Activation of PKC α or PKC ϵ as an approach to increase morphine tolerance in respiratory depression and lethal overdose

J Pharmacol Exp Ther. 2012 Jan 6. doi: 10.1124/jpet.111.188235

<http://jpet.aspetjournals.org/content/early/2012/01/06/jpet.111.188235.abstract>

Lin LC, Sibille E:

Somatostatin, neuronal vulnerability and behavioral emotionality

Mol Psychiatry. 2015 Jan 20. doi: 10.1038/mp.2014.184.

<http://www.nature.com/mp/journal/vaop/ncurrent/full/mp2014184a.html>

Lin, P.C., Hsiao, L.T., Poh, S.B., Wang, W.S., Yen, C.C., Chao, T.C., Liu, J.H., Chiou, T.J., and Chen, P.M.:

Higher fungal infection rate in elderly patients (more than 80 years old) suffering from diffuse large B cell lymphoma and treated with rituximab plus CHOP

Ann Hematol 86(2): 95-100 (2007)

<http://www.springerlink.com/content/y0v22r0507522037/>

Lin XY, Fan CF, Dong XJ, Yu JH, Dai SD, Wang EH:

Expression and significance of stem cell markers in pulmonary sclerosing haemangioma

Histopathology. 2012 Aug;61(2):178-85. doi: 10.1111/j.1365-2559.2011.04088.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2011.04088.x/abstract>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:

K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons

Nat Neurosci 8(12): 1742-1751 (2005)

<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

Liu PW, Lin Y, Chen XY :

The expression of B-cell-specific Moloney murine leukemia virus integration site 1 mRNA and protein in gastric cancer

J Dig Dis. 2014 Jan 6. doi: 10.1111/1751-2980.12129.

<http://www.ncbi.nlm.nih.gov/pubmed/24393364>

Liu XS, Chopp M, Wang XL, Zhang L, Hozeska-Solgot A, Tang T, Kassis H, Zhang RL, Chen C, Xu J, Zhang ZG:

MicroRNA-17/92 cluster mediates the proliferation and survival of neural progenitor cells after stroke

J Biol Chem. 2013 Mar 19.

<http://www.jbc.org/content/early/2013/03/19/jbc.M112.449025.full.pdf+html>

Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:
MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway

PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>

Liu, Y.Y., Leboeuf, C., Shi, J.Y., Li, J.M., Wang, L., Shen, Y., Garcia, J.F., Shen, Z.X., Chen, Z., Janin, A., Chen, S.J., and Zhao, W.L.:

Rituximab plus CHOP (R-CHOP) overcomes PRDM1-associated resistance to chemotherapy in patients with diffuse large B-cell lymphoma

Blood 110(1): 339-344 (2007)

<http://bloodjournal.hematologylibrary.org/content/110/1/339.long>

Lobsiger CS, Boillée S, Cleveland DW:

Toxicity from different SOD1 mutants dysregulates the complement system and the neuronal regenerative response in ALS motor neurons

Proc Natl Acad Sci U S A. 2007 May 1;104(18):7319-26.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=17463094>

Long C, Jiang L, Wei F, Ma C, Zhou H, Yang S, Liu X, Liu Z:

Integrated miRNA-mRNA Analysis Revealing the Potential Roles of miRNAs in Chordomas

PLoS One. 2013 Jun 24;8(6):e66676. doi: 10.1371/journal.pone.0066676. Print 2013.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0066676>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Macasai CE, Georgiou KR, Foster BK, Zannettino AC, Xian CJ:

Microarray expression analysis of genes and pathways involved in growth plate cartilage injury responses and bony repair

Bone. 2012 Feb 22;50(5):1081-1091.

<http://www.sciencedirect.com/science/article/pii/S8756328212000695>

Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:

Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord

Brain Res 1249:61-7 (2009)

<http://dx.doi.org/10.1016/j.brainres.2008.10.028>

Mateo F, Meca-Cortés O, Celià-Terrassa T, Fernández Y, Abasolo I, Sánchez-Cid L, Bermudo R, Sagasta A, Rodríguez-Carunchio L, Pons M, Cánovas V, Marín-Aguilera M, Mengual L, Alcaraz A, Schwartz S Jr, Mellado B, Aguilera KY, Brekken R, Fernández PL, Paciucci R, Thomson TM :

SPARC mediates metastatic cooperation between CSC and non-CSC prostate cancer cell subpopulations

Mol Cancer. 2014 Oct 21;13(1):237. doi: 10.1186/1476-4598-13-237.

<http://www.molecular-cancer.com/content/13/1/237>

Mena S, Rodriguez ML, Ortega A, Priego S, Obrador E, Asensi M, Petschen I, Cerda M, Brown BD, Estrela JM:

Glutathione and Bcl-2 targeting facilitates elimination by chemoradiotherapy of human A375 melanoma xenografts overexpressing bcl-xl, bcl-2, and mcl-1

J Transl Med. 2012 Jan 10;10(1):8.

<http://www.translational-medicine.com/content/pdf/1479-5876-10-8.pdf>

Mesci P, Zaïdi S, Lobsiger CS, Millecamps S, Escartin C, Seilhean D, Sato H, Mallat M, Boillée S:

System xC⁻ is a mediator of microglial function and its deletion slows symptoms in amyotrophic lateral sclerosis mice

Brain. 2014 Nov 10. pii: awu312.

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=25384799>

Metwaly H, Maruyama S, Yamazaki M, Tsuneki M, Abé T, Jen KY, Cheng J, Saku T

Parenchymal-stromal switching for extracellular matrix production on invasion of oral squamous cell carcinoma

Hum Pathol. 2012 May 9.

[http://linkinghub.elsevier.com/retrieve/pii/S0046-8177\(12\)00063-9](http://linkinghub.elsevier.com/retrieve/pii/S0046-8177(12)00063-9)

Mihelich BL, Khramtsova EA, Arva N, Vaishnav A, Johnson DN, Giangreco AA, Martens-Uzunova E, Bagasra O, Kajdacsy-Balla A, Nonn L:

The miR-183-96-182 cluster is overexpressed in prostate tissue and regulates zinc homeostasis in prostate cells

J Biol Chem. 2011 Nov 1. [Epub ahead of print]

<http://www.jbc.org/content/early/2011/11/01/jbc.M111.262915.full.pdf+html>

Miller JA, Ding SL, Sunkin SM, Smith KA, Ng L, Szafer A, Ebbert A, Riley ZL, Royall JJ, Aiona K, Arnold JM, Bennet C, Bertagnolli D, Brouner K, Butler S, Caldejon S, Carey A, Cuhaciyen C, Dalley RA, Dee N, Dolbeare TA, Facer BA, Feng D, Fliss TP, Gee G, Goldy J, Gourley L, Gregor BW, Gu G, Howard RE, Jochim JM, Kuan CL, Lau C, Lee CK, Lee F, Lemon TA, Lesnar P, McMurray B, Mastan N, Mosqueda N, Naluai-Cecchini T, Ngo NK, Nyhus J, Oldre A, Olson E, Parente J, Parker PD, Parry SE, Stevens A, Pletikos M, Reding M, Roll K, Sandman D, Sarreal M, Shapouri S, Shapovalova NV, Shen EH, Sjoquist N, Slaughterbeck CR, Smith M, Sodt AJ, Williams D, Zöllei L, Fischl B, Gerstein MB, Geschwind DH, Glass IA, Hawrylycz MJ, Hevner RF, Huang H, Jones AR, Knowles JA, Levitt P, Phillips JW, Sestan N, Wohnoutka P, Dang C, Bernard A, Hohmann JG, Lein ES:

Transcriptional landscape of the prenatal human brain

Nature. 2014 Apr 2. doi: 10.1038/nature13185.

<http://dx.doi.org/10.1038/nature13185>

Miller JA, Nathanson J, Franjic D, Shim S, Dalley RA, Shapouri S, Smith KA, Sunkin SM, Bernard A, Bennett JL, Lee CK, Hawrylycz MJ, Jones AR, Amaral DG, Sestan N, Gage FH, Lein ES:

Conserved molecular signatures of neurogenesis in the hippocampal subgranular zone of rodents and primates

Development. 2013 Oct 23.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=24154525>

Mimori, K., Kataoka, A., Yoshinaga, K., Ohta, M., Sagara, Y., Yoshikawa, Y., Ohno, S., Barnard, G.F., and Mori, M.:

Identification of molecular markers for metastasis-related genes in primary breast cancer cells

Clin Exp Metastasis 22(1): 59-67 (2005)

<http://www.springerlink.com/content/ju17kr07r6101603/>

Mishra PK, Teale JM:

Transcriptome analysis of the ependymal barrier during murine neurocysticercosis

J Neuroinflammation. 2012 Jun 25;9(1):141

<http://www.jneuroinflammation.com/content/9/1/141/abstract>

Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:

Advances in isolation and characterization of homogeneous cell populations using laser microdissection

Histol Histopathol 20(1): 139-146 (2005)

http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm

Mori, M., Mimori, K., Yoshikawa, Y., Shibuta, K., Utsunomiya, T., Sadanaga, N., Tanaka, F., Matsuyama, A., Inoue, H., and Sugimachi, K.:

Analysis of the gene-expression profile regarding the progression of human gastric carcinoma

Surgery 131(1 Suppl): S39-47 (2002)

<http://www.surgjournal.com/article/S0039-6060%2802%2970084-6/abstract>

Mori Y, Chung UI, Tanaka S, Saito T:

Determination of differential gene expression profiles in superficial and deeper zones of mature rat articular cartilage using RNA sequencing of laser microdissected tissue specimens

Biomed Res. 2014;35(4):263-70.

<http://japanlinkcenter.org/DN/JST.JSTAGE/biomedres/35.263?lang=en&from=PubMed>

Mozos A, Catasús L, D'Angelo E, Serrano E, Espinosa I, Ferrer I, Ponsa C, Prat J:

The FOXO1-miR27 Tandem Regulates Myometrial Invasion in Endometrioid Endometrial Adenocarcinoma

Human Pathology, 2014 Jan 8

<http://www.sciencedirect.com/science/article/pii/S0046817714000069>

Mucanj V, Lee SS, Skuli N, Giannoukos DN, Qiu B, Eisinger-Mathason TS, Nakazawa MS, Shay JE, Gopal PP, Venneti S, Lal P, Minn AJ, Simon MC, Mathew LK:

MicroRNA-124 expression counteracts pro-survival stress responses in glioblastoma

Oncogene. 2014 Jun 23. doi: 10.1038/onc.2014.168.

<http://dx.doi.org/10.1038/onc.2014.168>

Mueller, A., Merrell, D.S., Grimm, J., and Falkow, S.:

Profiling of microdissected gastric epithelial cells reveals a cell type-specific response to Helicobacter pylori infection

Gastroenterology 127(5): 1446-1462 (2004)

[http://www.gastrojournal.org/article/S0016-5085\(04\)01555-0/fulltext](http://www.gastrojournal.org/article/S0016-5085(04)01555-0/fulltext)

Mueller, A., O'Rourke, J., Grimm, J., Guillemin, K., Dixon, M.F., Lee, A., and Falkow, S.:

Distinct gene expression profiles characterize the histopathological stages of disease in Helicobacter-induced mucosa-associated lymphoid tissue lymphoma

Proc Natl Acad Sci U S A 100(3): 1292-1297 (2003)

<http://www.pnas.org/content/100/3/1292.long>

Nagahama J, Daa T, Yada N, Kashima K, Fujiwara S, Saikawa T, Yokoyama S:

Tyrosine kinase receptor RON and its ligand MSP in Merkel cell carcinoma

Pathol Res Pract. 2011 Jun 29. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033811001208>

Nagai K, Nakahata S, Shimosaki S, Tamura T, Kondo Y, Baba T, Taki T, Taniwaki M, Kurosawa G, Sudo Y, Okada S, Sakoda S, Morishita K:

Development of a complete human anti-human transferrin receptor C antibody as a novel marker of oral dysplasia and oral cancer

Cancer Med. 2014 Jun 2. doi: 10.1002/cam4.267.

<http://onlinelibrary.wiley.com/doi/10.1002/cam4.267/pdf>

Nagai, Y., Nochi, T., Watanabe, K., Aso, H., Kitazawa, H., Matsuzaki, M., Ohwada, S., and Yamaguchi, T.:
Localization of interleukin-18 and its receptor in somatotrophs of the bovine anterior pituitary gland

Cell Tissue Res 322(3): 455-462 (2005)

<http://www.springerlink.com/content/lw37x0713w628807/>

Naganuma S, Itoh H, Uchiyama S, Nagaike K, Tanaka H, Akiyama Y, Chijiwa K, and Kataoka H:
Nuclear translocation of H2RSP is impaired in regenerating intestinal epithelial cells of murine colitis model

Virchows Arch 448(3): 354-360 (2006)

<http://www.springerlink.com/content/y54w332352216546/>

Nave AH, Mižiková I, Niess G, Steenbock H, Reichenberger F, Talavera ML, Veit F, Herold S, Mayer K, Vadász I, Weissmann N, Seeger W, Brinckmann J, Morty RE:

Lysyl Oxidases Play a Causal Role in Vascular Remodeling in Clinical and Experimental Pulmonary Arterial Hypertension

Arterioscler Thromb Vasc Biol. 2014 May 15. pii: ATVBAHA.114.303534.

<http://atvb.ahajournals.org/cgi/pmidlookup?view=long&pmid=24833797>

Nevo I, Woolard K, Cam M, Li A, Webster JD, Kotliarov Y, Kim HS, Ahn S, Walling J, Kotliarova S, Belova G, Song H, Bailey R, Zhang W, Fine HA:

Identification of molecular pathways facilitating glioma cell invasion in situ

PLoS One. 2014 Nov 3;9(11):e111783. doi: 10.1371/journal.pone.0111783. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0111783#s2>

Nishida, K., Mine, S., Utsunomiya, T., Inoue, H., Okamoto, M., Udagawa, H., Hanai, T., and Mori, M.:

Global analysis of altered gene expressions during the process of esophageal squamous cell carcinogenesis in the rat: a study combined with a laser microdissection and a cDNA microarray

Cancer Res 65(2): 401-409 (2005)

<http://cancerres.aacrjournals.org/content/65/2/401.long>

Nishida N, Nagahara M, Sato T, Mimori K, Sudo T, Tanaka F, Shibata K, Ishii H, Sugihara K, Doki Y, Mori M:

Microarray analysis of colorectal cancer stromal tissue reveals upregulation of two oncogenic microRNA clusters.

Clin Cancer Res. 2012 Mar 27. [Epub ahead of print]

<http://clincancerres.aacrjournals.org/content/early/2012/03/26/1078-0432.CCR-11-1078.abstract>

Nishimoto K, Harris RB, Rainey WE, Seki T:

Sodium Deficiency Regulates Rat Adrenal Zona Glomerulosa Gene Expression

Endocrinology. 2014 Jan 14;en20131999.

http://press.endocrine.org/doi/abs/10.1210/en.2013-1999?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Nishimura R, Nishioka S, Fujisawa I, Shiku H, Shimada M, Sekiguchi S, Fujimori K, Ushiyama A, Matsue T, Ohuchi N, Satomi S, Goto M:

Tacrolimus Inhibits the Revascularization of Isolated Pancreatic Islets

PLoS ONE 8(4): e56799. doi:10.1371/journal.pone.0056799

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0056799>

Nitz JK:

Charakterisierung ausgewählter Genexpressionsmuster im porcinen Uterus und Ovar nach unilateraler, intrauteriner Infusion von Seminalplasma

Dissertation, 2013 (German language)

<http://d-nb.info/103787725X/34>

Noelke J, Wistuba J, Damm OS, Fietz D, Gerber J, Gaehle M, Brehm R:

A Sertoli cell-specific connexin43 knockout leads to altered interstitial connexin expression and increased Leydig cell numbers

Cell Tissue Res. 2015 Feb 19

<http://dx.doi.org/10.1007/s00441-015-2126-7>

Nonn L, Vaishnav A, Gallagher L, Gann PH:

mRNA and micro-RNA expression analysis in laser-capture microdissected prostate biopsies: valuable tool for risk assessment and prevention trials

Exp Mol Pathol. 2010 Feb;88(1):45-51

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC19874819/?tool=pubmed>

O'Brien, P.M., Millan, D.W., Davis, J.A., and Campo, M.S.:

In situ isolation of immunoglobulin sequences expressed by single tumor-infiltrating B cells using laser-assisted microdissection

Mol Biotechnol 29(2): 101-109 (2005)

<http://www.springerlink.com/content/p114h31ru1441kw2/>

Öhlund M, Franzen P, Andersson G, Holst BS, Lau J:

Laser Microdissection of Pancreatic Islets Allows for Quantitative Real-Time PCR Detection of Islet-Specific Gene Expression in Healthy and Diabetic Cats

Journal of Gastroenterology, Pancreatology & Liver Disorders

http://www.researchgate.net/publication/270816898_Laser_Microdissection_of_Pancreatic_Islets_Allows_for_Quantitative_Real-Time_PCR_Detection_of_Islet-Specific_Gene_Expression_in_Healthy_and_Diabetic_Cats_Amyloid

Ogawa, K., Asamoto, M., Suzuki, S., Tsujimura, K., and Shirai, T.:

Downregulation of apoptosis revealed by laser microdissection and cDNA microarray analysis of related genes in rat liver preneoplastic lesions

Med Mol Morphol 38(1): 23-29 (2005)

<http://www.springerlink.com/content/x70117321m2u095r/>

Okada T, Hu Y, Tucker MR, Taylor JM, Johnson SD, Spriggs A, Tsuchiya T, Oelkers K, Rodrigues JC, Koltunow AM:

Enlarging cells initiating apomixis in Hieracium praealtum transition to an embryo sac program prior to entering mitosis

Plant Physiol. 2013 Jul 17.

<http://www.plantphysiol.org/cgi/pmidlookup?view=long&pmid=23864557>

Olauson H, Lindberg K, Amin R, Sato T, Jia T, Goetz R, Mohammadi M, Andersson G, Lanske B, Larsson TE:

Parathyroid-Specific Deletion of Klotho Unravels a Novel Calcineurin-Dependent FGF23 Signaling Pathway That Regulates PTH Secretion

PLoS Genet. 2013 Dec;9(12):e1003975. doi: 10.1371/journal.pgen.1003975. Epub 2013 Dec 12.

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1003975#pgen-1003975-g005>

Olmstead DN, Mesnard-Hoaglin NA, Batka RJ, Haulcomb MM, Miller WM, Jones KJ:

Facial nerve axotomy in mice: a model to study motoneuron response to injury

J Vis Exp. 2015 Feb 23;(96). doi: 10.3791/52382

<http://www.jove.com/video/52382/facial-nerve-axotomy-mice-model-to-study-motoneuron-response-to>

Olsen Hult LT, Kleiveland CR, Fosnes K, Jacobsen M, Lea T:

EP Receptor Expression in Human Intestinal Epithelium and Localization Relative to the Stem Cell Zone of the Crypts

PLoS ONE 6(10): e26816. doi:10.1371/journal.pone.0026816 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0026816>

O'Mahony EM, Tay WT, Paxton RJ:

Multiple rRNA variants in a single spore of the microsporidian *Nosema bombi*

J Eukaryot Microbiol. 2007 Jan-Feb;54(1):103-9.

<http://dx.doi.org/10.1111/j.1550-7408.2006.00232.x>

O'Malley KJ, Dhir R, Nelson JB, Bost J, Lin Y, Wang Z:

The expression of androgen-responsive genes is up-regulated in the epithelia of benign prostatic hyperplasia

Prostate. 2009 Dec 1;69(16):1716-23. doi: 10.1002/pros.21034.

<http://dx.doi.org/10.1002/pros.21034>

Oshima H, Ishikawa T, Yoshida GJ, Naoi K, Maeda Y, Naka K, Ju X, Yamada Y, Minamoto T, Mukaida N, Saya H, Oshima M:

TNF- α /TNFR1 signaling promotes gastric tumorigenesis through induction of Noxo1 and Gna14 in tumor cells

Oncogene. 2013 Aug 26. doi: 10.1038/onc.2013.356.

<http://www.nature.com/ncurrent/journal/vaop/ncurrent/full/ncurrent2013356a.html>

Ozawa H, Iwatsuki M, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M:

FANCD2 mRNA overexpression is a bona fide indicator of lymph node metastasis in human colorectal cancer

Ann Surg Oncol. 2010 Sep;17(9):2341-8. Epub 2010 Mar 26.

<http://www.springerlink.com/content/45444108t4327750/>

Park, J.S., Onodera, T., Nishimura, S., Thompson, R.F., and Itohara, S.:

Molecular evidence for two-stage learning and partial laterality in eyeblink conditioning of mice

Proc Natl Acad Sci U S A 103(14): 5549-5554 (2006)

<http://www.pnas.org/content/103/14/5549.long>

Pascal LE, Ai J, Masoodi KZ, Wang Y, Wang D, Eisermann K, Rigatti LH, O'Malley KJ, Ma HM, Wang X, Dar JA, Parwani AV, Simons BW, Ittman MM, Li L, Davies BJ, Wang Z:

Development of a Reactive Stroma Associated with Prostatic Intraepithelial Neoplasia in EAF2 Deficient Mice

PLoS One. 2013 Nov 18;8(11):e79542.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0079542>

Pastò A, Marchesi M, Diamantini A, Frasson C, Curtarello M, Lago C, Pilotto G, Parenti AR, Esposito G, Agostini M, Nitti D, Amadori A:

PKH26 Staining Defines Distinct Subsets of Normal Human Colon Epithelial Cells at Different Maturation Stages

PLoS ONE 7(8): e43379. doi:10.1371/journal.pone.0043379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043379>

Patnaik SK, Kannisto E, Yendamuri S

Factors affecting the yield of microRNAs from laser microdissectates of formalin-fixed tissue sections

BMC Res Notes. 2012 Jan 19;5(1):40

<http://www.biomedcentral.com/1756-0500/5/40>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Patnaik S, Mallick R, Kannisto E, Sharma R, Bshara W, Yendamuri S, Dhillon SS:

MiR-205 and MiR-375 MicroRNA Assays to Distinguish Squamous Cell Carcinoma from Adenocarcinoma in Lung Cancer Biopsies

J Thorac Oncol. 2015 Mar;10(3):446-53. doi: 10.1097/JTO.0000000000000423.

<http://meta.wkhealth.com/pt/pt-core/template-journal/lwwgateway/media/landingpage.htm?issn=1556-0864&volume=10&issue=3&spage=446>

Pazin DE, Gamer LW, Capelo LP, Cox KA, Rosen V:

Gene signature of the embryonic meniscus

J. Orthop. Res., 1554-527X, 10.1002/jor.22490, 2013

<http://dx.doi.org/10.1002/jor.22490>

Perilli L, Pizzini S, Bisognin A, Mandruzzato S, Biasiolo M, Faccioli A, Rossi E, Esposito G, Rugge M, Pilati P, Mocellin S, Nitti D, Bortoluzzi S, and Zanovello P:

Human miRNome profiling in colorectal cancer and liver metastasis development

Genomics Data (2014) GDATA-00060

<http://www.sciencedirect.com/science/article/pii/S2213596014000506>

Perotto S, Rodda M, Benetti A, Sillo F, Ercole E, Rodda M, Girlanda M, Murat C, Balestrini R:

Gene expression in mycorrhizal orchid protocorms suggests a friendly plant-fungus relationship

Planta. 2014 Apr 24.

<http://dx.doi.org/10.1007/s00425-014-2062-x>

Perros, F., Dorfmüller, P., Souza, R., Durand-Gasselín, I., Godot, V., Capel, F., Adnot, S., Eddahibi, S., Mazmanian, M., Fadel, E., Herve, P., Simonneau, G., Emilie, D., and Humbert, M.:

Fractalkine-induced smooth muscle cell proliferation in pulmonary hypertension

Eur Respir J 29(5): 937-943 (2007)

<http://erj.ersjournals.com/content/29/5/937.long>

Petrelli A, Perra A, Cora D, Sulas P, Menegon S, Manca C, Migliore C, Kowalik MA, Ledda-Columbano GM, Giordano S, Columbano A:

MiRNA/gene profiling unveils early molecular changes and NRF2 activation in a rat model recapitulating human HCC

Hepatology. 2013 Jul 15. doi: 10.1002/hep.26616.

<http://dx.doi.org/10.1002/hep.26616>

Petrelli A, Perra A, Schernhuber K, Cargnelutti M, Salvi A, Migliore C, Ghiso E, Benetti A, Barlati S, Ledda-Columbano GM, Portolani N, De Petro G, Columbano A and Giordano S:

Sequential analysis of multistage hepatocarcinogenesis reveals that miR-100 and PLK1 dysregulation is an early event maintained along tumor progression

Oncogene, (16 January 2012) | doi:10.1038/onc.2011.631

<http://www.nature.com/onc/journal/vaop/ncurrent/full/onc2011631a.html>

Phillipps HR, Ladyman SR, and Grattan DR:

Maintained expression of genes associated with metabolism in the ventromedial hypothalamic nucleus despite development of leptin resistance during pregnancy in the rat

Physiological Reports ISSN 2051-817X

<http://onlinelibrary.wiley.com/doi/10.1002/phy2.162/pdf>

Phulwinder K, Grover, Adrian G, Cummins, Timothy J, Price, Ian C, Roberts-Thomson, Jennifer E, Hardingham:

A simple, cost-effective and flexible method for processing of snap-frozen tissue to prepare large amounts of intact RNA using laser microdissection

Biochimie, Available online 10 July 2012, ISSN 0300-9084, 10.1016/j.biochi.2012.06.031

<http://www.sciencedirect.com/science/article/pii/S0300908412002660?v=s5>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

Neuronal type-specific gene expression profiling and laser-capture microdissection

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Pizzini S, Bisognin A, Mandruzzato S, Biasiolo M, Faccioli A, Perilli L, Rossi E, Esposito G, Rugge M, Pilati P, Mocellin S, Nitti D, Bortoluzzi S, Zanovello P:

Impact of microRNAs on regulatory networks and pathways in human colorectal carcinogenesis and development of metastasis

BMC Genomics. 2013 Aug 29;14(1):589.

<http://www.biomedcentral.com/1471-2164/14/589>

Quan T, Qin Z, Xia W, Shao Y, Voorhees JJ, Fisher GJ:

Matrix-Degrading Metalloproteinases in Photoaging

J Investig Dermatol Symp Proc. 2009 Aug;14(1):20-4.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/19675548/?tool=pubmed>

Ramirez A, Heimbach A, Grundemann J, Stiller B, Hampshire D, Cid LP, Goebel I, Mubaidin AF, Wriekat AL, Roeper J, Al-Din A, Hillmer AM, Karsak M, Liss B, Woods CG, Behrens MI, and Kubisch C:

Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Ridder K, Keller S, Dams M, Rupp AK, Schlaudraff J, Turco DD, Starmann J, Macas J, Karpova D, Devraj K, Depboylu C, Landfried B, Arnold B, Plate KH, Höglinger G, Sültmann H, Altevogt P, Momma S:

Extracellular Vesicle-Mediated Transfer of Genetic Information between the Hematopoietic System and the Brain in Response to Inflammation

PLoS Biol. 2014 Jun 3;12(6):e1001874. doi: 10.1371/journal.pbio.1001874. eCollection 2014.

<http://www.plosbiology.org/article/info%3Adoi%2F10.1371%2Fjournal.pbio.1001874#pbio-1001874-g008>

Roessler S, Lin G, Forgues M, Budhu A, Hoover S, Simpson RM, Wu X, He P, Qin LX, Tang ZY, Ye QH, Wang XW:

Integrative Genomic and Transcriptomic Characterization of Matched Primary and Metastatic Liver and Colorectal Carcinoma

Int J Biol Sci 2015; 11(1):88-98. doi:10.7150/ijbs.10583

<http://www.ijbs.com/v11p0088.htm>

Root DH, Mejias-Aponte CA, Qi J, Morales M:

Role of glutamatergic projections from ventral tegmental area to lateral habenula in aversive conditioning

J Neurosci. 2014 Oct 15;34(42):13906-10. doi: 10.1523/JNEUROSCI.2029-14.2014.

<http://www.jneurosci.org/cgi/pmidlookup?view=long&pmid=25319687>

Rummel S, Penatzer CE, Shriver CD, and Ellsworth RE:

PSPHL and breast cancer in African American women: causative gene or population stratification?

BMC Genetics 2014, 15:38 doi:10.1186/1471-2156-15-38

<http://www.biomedcentral.com/content/pdf/1471-2156-15-38.pdf>

Sakai, T., Larsen, M., and Yamada, K.M.:

Fibronectin requirement in branching morphogenesis

Nature 423(6942): 876-881 (2003)

<http://www.nature.com/nature/journal/v423/n6942/full/nature01712.html>

Sakimoto, T., Sugaya, S., Ishimori, A., and Sawa, M.:

Anti-inflammatory effect of IL-6 receptor blockade in corneal alkali burn

Exp Eye Res, Volume 97, Issue 1, April 2012, Pages 98–104

<http://www.sciencedirect.com/science/article/pii/S001448351200084X>

Sanna PP, Repunte-Canonigo V, Guidotti A:

Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Sansonno, D., Lauletta, G., Montrone, M., Grandaliano, G., Schena, F.P., and Dammacco, F.:

Hepatitis C virus RNA and core protein in kidney glomerular and tubular structures isolated with laser capture microdissection

Clin Exp Immunol 140(3): 498-506 (2005)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2005.02778.x/full>

Sauvaget, D., Chauffeton, V., Citadelle, D., Chatelet, F.P., Cywiner-Golenzer, C., Chambaz, J., Pincon-Raymond, M., Cardot, P., Le Beyec, J., and Ribeiro, A.:

Restriction of apolipoprotein A-IV gene expression to the intestine villus depends on a hormone-responsive element and parallels differential expression of the hepatic nuclear factor 4alpha and gamma isoforms

J Biol Chem 277(37): 34540-34548 (2002)

<http://www.jbc.org/content/277/37/34540.long>

Schiemann J, Schlaudraff F, Klose V, Bingmer M, Seino S, Magill PJ, Zaghloul KA, Schneider G, Liss B, Roeper J:

K-ATP channels in dopamine substantia nigra neurons control bursting and novelty-induced exploration

Nat Neurosci. 2012 Aug 19. doi: 10.1038/nn.3185

http://www.uni-ulm.de/fileadmin/website_uni_ulm/med.inst.010/bliss-pdf/Schiemann_NatNeurosci_2012.pdf

Schlaudraff F:

Quantitative Genexpressionsanalysen humaner dopaminerger Neurone nach Lasermikrodissektion aus post-mortem Mittelhirngewebe von Morbus Parkinson Patienten und Kontrollen

Dissertation, 2010 (in German)

http://vts.uni-ulm.de/query/longview.meta.asp?document_id=7359

Schlaudraff F, Gründemann J, Fauler M, Dragecivic E, Hardy J, and Liss B:

Orchestrated increase of dopamine and PARK mRNAs but not miR-133b in dopamine neurons in Parkinson's disease

Neurobiology of Aging, 22 March 2014, <http://dx.doi.org/10.1016/j.neurobiolaging.2014.03.016>

<http://www.sciencedirect.com/science/article/pii/S019745801400270X>

Schnorbusch K, Lembrechts R, Pintelon I, Timmermans JP, Brouns I, Adriaensen D:

GABAergic signaling in the pulmonary neuroepithelial body microenvironment: functional imaging in GAD67-GFP mice

Histochem Cell Biol. 2013 Apr 9.

<http://dx.doi.org/10.1007/s00418-013-1093-x>

Schwartz AG, Long F, Thomopoulos S:

Enthesis fibrocartilage cells originate from a population of Hedgehog-responsive cells modulated by the loading environment

Development. 2015 Jan 1;142(1):196-206. doi: 10.1242/dev.112714.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=25516975>

Scott, M., McCluggage, W.G., Hillan, K.J., Hall, P.A., and Russell, S.E.:

Altered patterns of transcription of the septin gene, SEPT9, in ovarian tumorigenesis

Int J Cancer 118(5): 1325-1329 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21486/full>

See K, Yadav P, Giegerich M, Cheong PS, Graf M, Vyas H, Lee SG, Mathavan S, Fischer U, Sendtner M, Winkler C:

SMN-deficiency alters Nrnx2 expression and splicing in zebrafish and mouse models of Spinal Muscular Atrophy

Hum Mol Genet. 2013 Nov 11.

<http://hmg.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24218366>

Seki, K., Miyakoshi, S., Lee, G.H., Matsushita, H., Mutoh, Y., Nakase, K., Ida, M., and Taniguchi, H.:

Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma

Am J Surg Pathol 28(10): 1384-1388 (2004)

<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2004&issue=10000&article=00016&type=abstract>

Shao, Y.Y., Wang, L., Hicks, D.G., and Ballock, R.T.:

Analysis of gene expression in mineralized skeletal tissues by laser capture microdissection and RT-PCR

Lab Invest 86(10): 1089-1095 (2006)

<http://www.nature.com/labinvest/journal/v86/n10/full/3700459a.html>

Shiga A, Ishihara T, Miyashita A, Kuwabara M, Kato T, Watanabe N, Yamahira A, Kondo C, Yokoseki A, Takahashi M, Kuwano R, Kakita A, Nishizawa M, Takahashi H, Onodera O:

Alteration of POLDIP3 Splicing Associated with Loss of Function of TDP-43 in Tissues Affected with ALS

PLoS ONE 7(8): e43120. doi:10.1371/journal.pone.0043120

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043120>

Shibuya N, Imai Y, Lee YS, Kochi T, Tachi M:

Acute Rejection of Knee Joint Articular Cartilage in a Rat Composite Tissue Allotransplantation Model

J Bone Joint Surg Am. 2014 Jun 18;96(12):1033-1039.

<http://jbjs.org/content/96/12/1033>

Shin JO, Nakagawa E, Kim EJ, Cho KW, Lee JM, Cho SW, Jung HS

miR-200b regulates cell migration via Zeb family during mouse palate development

Histochem Cell Biol. 2012 Jan 20. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00418-012-0915-6>

Sikkema AH, de Bont ES, Molema G, Dimberg A, Zwiers PJ, Diks SH, Hoving EW, Kamps WA, Peppelenbosch MP, den Dunnen WF:

Vascular endothelial growth factor receptor 2 (VEGFR-2) signalling activity in paediatric pilocytic astrocytoma is restricted to tumour endothelial cells

Neuropathol Appl Neurobiol. 2011 Aug;37(5):538-48. doi: 10.1111/j.1365-2990.2011.01160.x

[http://onlinelibrary.wiley.com/doi/10.1111/j.1365-](http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2011.01160.x/abstract;jsessionid=F0E15DF99666E53D6065E8469E7BE8C0.d01t01)

[2990.2011.01160.x/abstract;jsessionid=F0E15DF99666E53D6065E8469E7BE8C0.d01t01](http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2011.01160.x/abstract;jsessionid=F0E15DF99666E53D6065E8469E7BE8C0.d01t01)

Simin, K., Hill, R., Song, Y., Zhang, Q., Bash, R., Cardiff, R.D., Yin, C., Xiao, A., McCarthy, K., and van Dyke, T.:

Deciphering cancer complexities in genetically engineered mice

Cold Spring Harb Symp Quant Biol 70: 283-290 (2005)

<http://symposium.cshlp.org/content/70/283.full.pdf+html>

Solga AC, Pong WW, Walker J, Wylie T, Magrini V, Apicelli AJ, Griffith M, Griffith OL, Kohsaka S, Wu GF, Brody DL, Mardis ER, Gutmann DH:

RNA-Sequencing Reveals Oligodendrocyte and Neuronal Transcripts in Microglia Relevant to Central Nervous System Disease

Glia. 2014 Sep 24. doi: 10.1002/glia.22754.

<http://dx.doi.org/10.1002/glia.22754>

Souda M, Umekita Y, Abeyama K, Yoshida H:

Gene expression profiling during rat mammary carcinogenesis induced by 7,12-dimethylbenz[a]anthracene

Int J Cancer. 2009 Sep 15;125(6):1285-97.

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24396/full>

Stahl A, Joyal JS, Chen J, Sapieha P, Juan AM, Hatton CJ, Pei DT, Hurst CG, Seaward MR, Krah NM, Dennison RJ, Greene ER, Boscolo E, Panigrahy D, Smith LE:

SOCS3 is an endogenous inhibitor of pathologic angiogenesis

Blood. 2012 Jul 12.

<http://bloodjournal.hematologylibrary.org/cgi/pmidlookup?view=long&pmid=22791286>

Sturtz LA, Melley J, Mamula K, Shriver CD, Ellsworth RE:

Outcome disparities in African American women with triple negative breast cancer: a comparison of epidemiological and molecular factors between African American and Caucasian women with triple negative breast cancer

BMC Cancer. 2014 Feb 4;14(1):62. doi: 10.1186/1471-2407-14-62

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3916697/>

Suárez-Calvet X, Gallardo E, Nogales-Gadea G, Querol L, Navas M, Diaz-Manera J, Rojas-Garcia R, Illa I:

Altered RIG-I/DDX58-mediated innate immunity in dermatomyositis

J Pathol. 2014 Mar 6. doi: 10.1002/path.4346.

<http://onlinelibrary.wiley.com/doi/10.1002/path.4346/abstract>

Sugimachi K, Yokobori T, Iinuma H, Ueda M, Ueo H, Shinden Y, Eguchi H, Sudo T, Suzuki A, Maehara Y, Mori M, Mimori K:

Aberrant Expression of Plastin-3 Via Copy Number Gain Induces the Epithelial-Mesenchymal Transition in Circulating Colorectal Cancer Cells

Ann Surg Oncol. 2013 Nov 12.

<http://link.springer.com/article/10.1245%2Fs10434-013-3366-y>

Sugino Y, O'Malley KJ, Wang Z, Tyagi P, Birder LA, Ogawa O, Yoshimura N:

Laser-capture microdissection for analysis of cell type-specific gene expression of muscarinic receptor subtypes in the rat bladder with cyclophosphamide-induced cystitis

Int Urol Nephrol. 2015 Feb 14.

<http://dx.doi.org/10.1007/s11255-015-0926-z>

Sukata T, Uwagawa S, Ozaki K, Sumida K, Kushida M, Kakehashi A, Wanibuchi H, Miyata K, Ogata K and Fukushima S:

Characteristic Upregulation of Glucose-Regulated Protein 78 in an Early Lesion Negative for Hitherto Established Cytochemical Markers in Rat Hepatocarcinogenesis

Journal of Toxicologic Pathology 22(4): pp.281

http://www.jstage.jst.go.jp/article/tox/22/4/22_281/article

Sumino J, Uzawa N, Okada N, Miyaguchi K, Mogushi K, Takahashi KI, Sato H, Michikawa C, Nakata Y, Tanaka H, Amagasa T:

Gene expression changes in initiation and progression of oral squamous cell carcinomas revealed by laser microdissection and oligonucleotide microarray analysis

Int J Cancer. 2012 Jun 28. doi: 10.1002/ijc.27702.

<http://dx.doi.org/10.1002/ijc.27702>

Sunde, J.S., Donninger, H., Wu, K., Johnson, M.E., Pestell, R.G., Rose, G.S., Mok, S.C., Brady, J., Bonome, T., and Birrer, M.J.:

Expression Profiling Identifies Altered Expression of Genes That Contribute to the Inhibition of Transforming Growth Factor- β Signaling in Ovarian Cancer

Cancer Res 66(17): 8404-8412 (2006)

<http://cancerres.aacrjournals.org/content/66/17/8404.long>

Sutherland KM, Combs TJ, Edwards PC, Van Winkle LS:

Site-specific differences in gene expression of secreted proteins in the mouse lung: comparison of methods to show differences by location

J Histochem Cytochem. 2010 Dec;58(12):1107-19. doi: 10.1369/jhc.2010.956052.

<http://jhc.sagepub.com/cgi/pmidlookup?view=long&pmid=20852037>

Suzuki, S., Asamoto, M., Tsujimura, K., and Shirai, T.:

Specific differences in gene expression profile revealed by cDNA microarray analysis of glutathione S-transferase placental form (GST-P) immunohistochemically positive rat liver foci and surrounding tissue

Carcinogenesis 25(3): 439-443 (2004)

<http://carcin.oxfordjournals.org/content/25/3/439.long>

Suzuki, Y., Komi, Y., Ashino, H., Yamashita, J., Inoue, J., Yoshiki, A., Eichmann, A., Amanuma, H., and Kojima, S.:

Retinoic acid controls blood vessel formation by modulating endothelial and mural cell interaction via suppression of Tie2 signaling in vascular progenitor cells

Blood 104(1): 166-169 (2004)

<http://bloodjournal.hematologylibrary.org/content/104/1/166.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Takahashi, K., Mizuarai, S., Araki, H., Mashiko, S., Ishihara, A., Kanatani, A., Itadani, H., and Kotani, H.:
Adiposity elevates plasma MCP-1 levels leading to the increased CD11b-positive monocytes in mice

J Biol Chem 278(47): 46654-46660 (2003)

<http://www.jbc.org/content/278/47/46654.long>

Takahashi Y, Sawada G, Kurashige J, Uchi R, Matsumura T, Ueo H, Takano Y, Eguchi H, Sudo T, Sugimachi K, Yamamoto H, Doki Y, Mori M, Mimori K:

Amplification of PVT-1 is involved in poor prognosis via apoptosis inhibition in colorectal cancers

Br J Cancer. 2013 Nov 5. doi: 10.1038/bjc.2013.698.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2013698a.html>

Takahashi K, Yamada T, Tsukita S, Kaneko K, Shirai Y, Munakata Y, Ishigaki Y, Imai J, Uno K, Hasegawa Y, Sawada S, Oka Y, Katagiri H:

Chronic mild stress alters circadian expressions of molecular clock genes in the liver

Am J Physiol Endocrinol Metab. 2012 Dec 4.

<http://ajpendo.physiology.org/cgi/pmidlookup?view=reprint&pmid=23211520>

Tamaki T, Iwakawa M, Ohno T, Imadome K, Nakawatari M, Sakai M, Tsujii H, Nakano T, Imai T:

Application of carbon-ion beams or gamma-rays on primary tumors does not change the expression profiles of metastatic tumors in an in vivo murine model

Int J Radiat Oncol Biol Phys 74(1):210-8 (2009)

<http://www.redjournal.org/article/S0360-3016%2809%2900091-1/abstract>

Tamura, J., Konno, A., Hashimoto, Y., and Kon, Y.:

Upregulation of renal renin-angiotensin system in mouse diabetic nephropathy

Jpn J Vet Res 53(1-2): 13-26 (2005)

<http://scielinks.jp/j-east/article/200522/000020052205A0809708.php>

Taruno A, Vingtdoux V, Ohmoto M, Ma Z, Dvoryanchikov G, Li A, Adrien L, Zhao H, Leung S, Abernethy M, Koppel J, Davies P, Civan MM, Chaudhari N, Matsumoto I, Hellekant G, Tordoff MG, Marambaud P, Foskett JK:

CALHM1 ion channel mediates purinergic neurotransmission of sweet, bitter and umami tastes

Nature. 2013 Mar 14;495(7440):223-6. doi: 10.1038/nature11906. Epub 2013 Mar 6.

<http://www.nature.com/nature/journal/v495/n7440/full/nature11906.html>

Thakare D, Yang R, Steffen JG, Zhan J, Wang D, Clark RM, Wang X, Yadegari R:
RNA-Seq analysis of laser-capture microdissected cells of the developing central starchy endosperm of maize

Genomics Data, Volume 2, December 2014, Pages 242–245

<http://www.sciencedirect.com/science/article/pii/S2213596014000610>

Tinkum KL, White LS, Marpegan L, Herzog E, Piwnicka-Worms D, Piwnicka-Worms H:
Forkhead Box O1 (FOXO1), but not p53, Contributes to Robust Induction of p21 Expression in Fasted Mice

J Biol Chem. 2013 Aug 5.

<http://www.jbc.org/cgi/pmidlookup?view=long&pmid=23918930>

Tretiakova M, Hart J:

Laser microdissection for gene expression study of hepatocellular carcinomas arising in cirrhotic and non-cirrhotic livers

Methods Mol Biol. 2011;755:233-44

<http://www.springerlink.com/content/m86764hj8232665h/#section=924940&page=2&locus=87>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsuchiyama K, Ito H, Taga M, Naganuma S, Oshinoya Y, Nagano KI, Yokoyama O, Itoh H
Expression of MicroRNAs associated with Gleason grading system in prostate cancer: miR-182-5p is a useful marker for high grade prostate cancer

Prostate. 2012 Nov 26. doi: 10.1002/pros.22626.

<http://dx.doi.org/10.1002/pros.22626>

Tsukamoto S, Ishikawa T, Iida S, Ishiguro M, Mogushi K, Mizushima H, Uetake H, Tanaka H, Sugihara K:
Clinical Significance of Osteoprotegerin Expression in Human Colorectal Cancer

Clin Cancer Res 17(8):2444-50 (2011)

<http://clincancerres.aacrjournals.org/content/17/8/2444.short>

Tuomisto, T.T., Korkeala, A., Rutanen, J., Viita, H., Brasen, J.H., Riekkinen, M.S., Rissanen, T.T., Karkola, K., Kiraly, Z., Kolble, K., and Yla-Herttuala, S.:

Gene expression in macrophage-rich inflammatory cell infiltrates in human atherosclerotic lesions as studied by laser microdissection and DNA array: overexpression of HMG-CoA reductase, colony stimulating factor receptors, CD11A/CD18 integrins, and interleukin receptors

Arterioscler Thromb Vasc Biol 23(12): 2235-2240 (2003)

<http://atvb.ahajournals.org/cgi/content/full/23/12/2235>

Tuomisto, T.T. and Yla-Herttuala, S.:

What have we learnt about microarray analyses of atherogenesis?

Curr Opin Lipidol 16(2): 201-205 (2005)

[http://journals.lww.com/co-](http://journals.lww.com/co-lipidology/pages/articleviewer.aspx?year=2005&issue=04000&article=00011&type=abstract)

[lipidology/pages/articleviewer.aspx?year=2005&issue=04000&article=00011&type=abstract](http://journals.lww.com/co-lipidology/pages/articleviewer.aspx?year=2005&issue=04000&article=00011&type=abstract)

Ubels JL, Gipson IK, Spurr-Michaud SJ, Tisdale AS, Van Dyken RE, Hatton MP:

Gene Expression in Human Accessory Lacrimal Glands of Wolfring

Invest Ophthalmol Vis Sci. 2012 Sep 6.

<http://www.iovs.org/cgi/pmidlookup?view=long&pmid=22956620>

Uchiyama S, Itoh H, Naganuma S, Nagaike K, Fukushima T, Tanaka H, Hamasuna R, Chijiwa K, Kataoka H:

Enhanced expression of hepatocyte growth factor activator inhibitor type 2-related small peptide at the invasive front of colon cancers

Gut. 2007 Feb;56(2):215-26

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856747/?tool=pubmed>

Uozaki H, Morita S, Kumagai A, Aso T, Soejima Y, Takahashi Y and Fukusato T:

Stromal miR-21 is more important than miR-21 of tumour cells for the progression of gastric cancer

Histopathology, SN - 1365-2559, 8 Jul 2014, doi: 10.1111/his.12491

<http://dx.doi.org/10.1111/his.12491>

Valente AL, Kane JL, Ellsworth DL, Shriver CD, Ellsworth RE:

Molecular response of the axillary lymph node microenvironment to metastatic colonization

J Clinical & Experimental Metastasis, April 2014; 10.1007/s10585-014-9650-9

<http://link.springer.com/article/10.1007/s10585-014-9650-9#>

van den Akker PC, Nijenhuis M, Meijer G, Hofstra RM, Jonkman MF, Pasmooij AM

Natural Gene Therapy in Dystrophic Epidermolysis Bullosa

Arch Dermatol. 2011 Oct 17. [Epub ahead of print]

<http://archderm.ama-assn.org/cgi/content/full/archdermatol.2011.298>

van Royen, N., Voskuil, M., Hoefler, I., Jost, M., de Graaf, S., Hedwig, F., Andert, J.P., Wormhoudt, T.A., Hua, J., Hartmann, S., Bode, C., Buschmann, I., Schaper, W., van der Neut, R., Piek, J.J., and Pals, S.T.:

CD44 regulates arteriogenesis in mice and is differentially expressed in patients with poor and good collateralization

Circulation 109(13): 1647-1652 (2004)

<http://circ.ahajournals.org/cgi/content/full/109/13/1647>

Vaira V, Favarsani A, Dohi T, Montorsi M, Augello C, Gatti S, Coggi G, Altieri DC, Bosari S

miR-296 regulation of a cell polarity-cell plasticity module controls tumor progression

Oncogene. 2012 Jan 5;31(1):27-38. doi: 10.1038/onc.2011.209.

<http://dx.doi.org/10.1038/onc.2011.209>

Valdés P, Mercado G, Vidal RL, Molina C, Parsons G, Court FA, Martinez A, Galleguillos D, Armentano D, Schneider BL, Hetz C:

Control of dopaminergic neuron survival by the unfolded protein response transcription factor XBP1

Proc Natl Acad Sci U S A. 2014 Apr 21.

<http://www.pnas.org/cgi/lookup?view=long&pmid=24753614>

Vega, C.J.:

Laser microdissection sample preparation for RNA analyses

Methods Mol Biol 414: 241-252 (2008)

<http://www.springerlink.com/content/t61576w4h02hr518/#section=82444&page=1>

Vicidomini R, Tortoriello G, Furia M, Polese G:

Laser Microdissection Applied to Gene Expression Profiling of Subset of Cells from the Drosophila Wing Disc

J Vis Exp (38) (2010)

Includes video:

<https://www.jove.com/details.stp?id=1895>

Visioli F, Wang Y, Alam GN, Ning Y, Rados PV, Nör JE, Polverini PJ:

Glucose-Regulated Protein 78 (Grp78) Confers Chemoresistance to Tumor Endothelial Cells under Acidic Stress

PLoS One. 2014 Jun 25;9(6):e101053. doi: 10.1371/journal.pone.0101053. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0101053#pone-0101053-g006>

Vlachos A, Ikenberg B, Lenz M, Becker D, Reifenberg K, Bas-Orth C, Deller T:

Synaptopodin regulates denervation-induced homeostatic synaptic plasticity

Proc Natl Acad Sci U S A. 2013 Apr 29.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23630268>

Vodička M, Ergang P, Mikulecká A, Řeháková L, Klusoňová P, Makal J, Soták M, Musílková J, Zach P, Pácha J:

Regulation of 11 β -Hydroxysteroid Dehydrogenase Type 1 and 7 α -Hydroxylase CYP7B1 during Social Stress

PLoS ONE 9(2): e89421. doi: 10.1371/journal.pone.0089421

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0089421#pone-0089421-g008>

Wada Y, Matsuura M, Sugawara M, Ushijima M, Miyata S, Nagasaki K, Noda T, Miki Y:

Development of detection method for novel fusion gene using GeneChip exon array

J Clin Bioinforma. 2014 Feb 18;4(1):3.

<http://www.jclinbioinformatics.com/content/4/1/3>

Wahlin KJ, Hackler L Jr, Adler R, Zack DJ:

Alternative splicing of neuroligin and its protein distribution in the outer plexiform layer of the chicken retina

J Comp Neurol. 2010 Dec 15;518(24):4938-62

<http://dx.doi.org/10.1002/cne.22499>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltsmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)

<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wang, X., Zhang, G., and Li, Y.:

Establishment of in situ hybridization technique for detection of parvovirus B19 and its clinical application

Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi 14(3): 268-270 (2000)

http://en.cnki.com.cn/Article_en/CJFDTOTAL-ZHSB200003022.htm

Wei Y, Gong J, Thimmulappa RK, Kosmider B, Biswal S, Duh EJ:

Nrf2 acts cell-autonomously in endothelium to regulate tip cell formation and vascular branching

Proc Natl Acad Sci U S A. 2013 Oct 8;110(41):E3910-E3918.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24062466>

Wendl JRWE:

Follikulogenese und Intermediärfilamente - Eine immunhistochemische Studie am Ovar des Rindes mit Verweisen auf Laser-Mikrodissektion und anschließender quantitativer Reverse-Transkriptase PCR

PhD thesis

http://edoc.ub.uni-muenchen.de/14022/1/Wendl_Josef_R.pdf

Wersinger E, Bordais A, Schwab Y, Sene A, Bénard R, Alunni V, Sahel JA, Rendon A, Roux MJ:

Re-Evaluation of Dystrophins Localization in the Mouse Retina

Invest Ophthalmol Vis Sci. 2011 Sep 6. [Epub ahead of print]

<http://www.iovs.org/content/early/2011/09/02/iovs.11-7519.long>

Wiggs JL, Yaspan BL, Hauser MA, Kang JH, Allingham RR, et al.

Common Variants at 9p21 and 8q22 Are Associated with Increased Susceptibility to Optic Nerve Degeneration in Glaucoma

PLoS Genet 8(4): e1002654. doi:10.1371/journal.pgen.1002654

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1002654>

Willsey AJ, Sanders SJ, Li M, Dong S, Tebbenkamp AT, Muhle RA, Reilly SK, Lin L, Fertuzinhos S, Miller JA, Murtha MT, Bichsel C, Niu W, Cotney J, Ercan-Sencicek AG, Gockley J, Gupta AR, Han W, He X, Hoffman EJ, Klei L, Lei J, Liu W, Liu L, Lu C, Xu X, Zhu Y, Mane SM, Lein ES, Wei L, Noonan JP, Roeder K, Devlin B, Sestan N, State MW:

Coexpression networks implicate human midfetal deep cortical projection neurons in the pathogenesis of autism

Cell. 2013 Nov 21;155(5):997-1007. doi: 10.1016/j.cell.2013.10.020.

http://medicine.yale.edu/lab/sestan/resources/635_173748_willseyC13complete.pdf

Wilting SM, Snijders PJ, Verlaet W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Wilting, S. and Steenbergen, R:

Total RNA Isolation after Laser-capture Microdissection of Human Cervical Squamous Epithelial Cells from Fresh Frozen Tissue

Bio-protocol 3(15): e848.

<http://www.bio-protocol.org/e848>

Withers, D.R., Davison, T.F., and Young, J.R.:

Diversified bursal medullary B cells survive and expand independently after depletion following neonatal infectious bursal disease virus infection

Immunology 117(4): 558-565 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2567.2006.02332.x/full>

Wolf L, Harrison W, Huang J, Xie Q, Xiao N, Sun J, Kong L, Lachke SA, Kuracha MR, Govindarajan V, Brindle PK, Ashery-Padan R, Beebe DC, Overbeek PA, and Cvekl A:

Histone posttranslational modifications and cell fate determination: lens induction requires the lysine acetyltransferases CBP and p300

Nucl. Acids Res., Sep 12, 2013 doi:10.1093/nar/gkt824

<http://nar.oxfordjournals.org/content/early/2013/09/12/nar.gkt824.full>

Xiang, C.C., Chen, M., Kozhich, O.A., Phan, Q.N., Inman, J.M., Chen, Y., and Brownstein, M.J.:

Probe generation directly from small numbers of cells for DNA microarray studies

Biotechniques 34(2): 386-388, 390, 392-383 (2003)

<http://ukpmc.ac.uk/abstract/MED/12613261/reload=0;jsessionid=37234B6ACAEDB2A4CCB780D6AE5093C5.jvm1>

Xiang, C.C., Mezey, E., Chen, M., Key, S., Ma, L., and Brownstein, M.J.:

Using DSP, a reversible cross-linker, to fix tissue sections for immunostaining, microdissection and expression profiling

Nucleic Acids Res 32(22): e185 (2004)

<http://nar.oxfordjournals.org/content/32/22/e185.long>

Xie L, Mouillet JF, Chu T, Parks WT, Sadovsky E, Knöfler M, Sadovsky Y:

C19MC microRNAs Regulate the Migration of Human Trophoblasts

Endocrinology. 2014 Sep 11:en20141501.

<http://press.endocrine.org/doi/pdf/10.1210/en.2014-1501>

Xin H, Li Y, Shen LH, Liu X, Wang X, Zhang J, Pourabdollah-Nejad D S, Zhang C, Zhang L, Jiang H, Zhang ZG, Chopp M:

Increasing tPA activity in astrocytes induced by multipotent mesenchymal stromal cells facilitate neurite outgrowth after stroke in the mouse

PLoS One. 2010 Feb 3;5(2):e9027. doi: 10.1371/journal.pone.0009027.

<http://dx.plos.org/10.1371/journal.pone.0009027>

Yamaura Y, Nakajima M, Tatsumi N, Takagi S, Fukami T, Tsuneyama K, Yokoi T:

Changes in the expression of miRNAs at the pericentral and periportal regions of the rat liver in response to hepatocellular injury: Comparison with the changes in the expression of plasma miRNAs

Toxicology. 2014 May 24. pii: S0300-483X(14)00102-4. doi: 10.1016/j.tox.2014.05.008.

<http://www.sciencedirect.com/science/article/pii/S0300483X14001024>

Yanagihara K, Niki H, Baba T:

Direct PCR amplification of the 16S rRNA gene from single microbial cells isolated from an Antarctic iceberg using laser microdissection microscopy

Polar Science, Volume 5, Issue 3, September 2011, Pages 375–382

<http://www.sciencedirect.com/science/article/pii/S1873965211000375>

Yick CY, Zwinderman AH, Kunst PW, Grünberg K, Mauad T, Chowdhury S, Bel EH, Baas F, Lutter R, Sterk PJ:

Gene expression profiling of laser microdissected airway smooth muscle tissue in asthma and atopy

Allergy. 2014 May 30. doi: 10.1111/all.12452.

<http://dx.doi.org/10.1111/all.12452>

Yoshida S, Arakawa F, Higuchi F, Ishibashi Y, Goto M, Sugita Y, Nomura Y, Niino D, Shimizu K, Aoki R, Hashikawa K, Kimura Y, Yasuda K, Tashiro K, Kuhara S, Nagata K, Ohshima K:

Gene expression analysis of rheumatoid arthritis synovial lining regions by cDNA microarray combined with laser microdissection: up-regulation of inflammation-associated STAT1, IRF1, CXCL9, CXCL10, and CCL5

Scand J Rheumatol. 2012 May;41(3):170-9. doi: 10.3109/03009742.2011.623137.

<http://informahealthcare.com/doi/abs/10.3109/03009742.2011.623137>

Yoshioka W, Endo N, Kurashige A, Haijima A, Endo T, Shibata T, Nishiyama R, Kakeyama M, Tohyama C:

Fluorescence laser microdissection reveals a distinct pattern of gene activation in the mouse hippocampal region

Sci Rep. 2012;2:783. doi: 10.1038/srep00783.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23136640/>

Young, C.S., Terada, S., Vacanti, J.P., Honda, M., Bartlett, J.D., and Yelick, P.C.:

Tissue engineering of complex tooth structures on biodegradable polymer scaffolds

J Dent Res 81(10): 695-700 (2002)

<http://jdr.sagepub.com/content/83/7/523.long>

Zeng H, Shen EH, Hohmann JG, Oh SW, Bernard A, Royall JJ, Glattfelder KJ, Sunkin SM, Morris JA, Guillozet-Bongaarts AL, Smith KA, Ebbert AJ, Swanson B, Kuan L, Page DT, Overly CC, Lein ES, Hawrylycz MJ, Hof PR, Hyde TM, Kleinman JE, Jones AR:

Large-scale cellular-resolution gene profiling in human neocortex reveals species-specific molecular signatures

Cell. 2012 Apr 13;149(2):483-96. doi: 10.1016/j.cell.2012.02.052.

[http://linkinghub.elsevier.com/retrieve/pii/S0092-8674\(12\)00348-0](http://linkinghub.elsevier.com/retrieve/pii/S0092-8674(12)00348-0)

Zhang W, Zeng Z, Fan S, Wang J, Yang J, Zhou Y, Li X, Huang D, Liang F, Wu M, Tang K, Cao L, Li X, Xiong W, Li G:

Evaluation of the prognostic value of TGF- β superfamily type I receptor and TGF- β type II receptor expression in nasopharyngeal carcinoma using high-throughput tissue microarrays

J Mol Histol. 2012 Mar 6. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10735-012-9392-4>

Zhang W, Zeng Z, Wei F, Chen P, Schmitt DC, Fan S, Guo X, Liang F, Shi L, Liu Z, Zhang Z, Xiang B, Zhou M, Huang D, Tang K, Li X, Xiong W, Tan M, Li G, Li X:

SPLUNC1 is associated with nasopharyngeal carcinoma prognosis and plays an important role in ATRA-induced growth inhibition and differentiation in nasopharyngeal cancer cells

FEBS J. 2014 Aug 27. doi: 10.1111/febs.13020.

<http://dx.doi.org/10.1111/febs.13020>

Zheng J, Garg S, Wang J, Loose DS, Hauer-Jensen M:

Laser Capture Microdissected Mucosa versus Whole Tissue Specimens for Assessment of Radiation-Induced Dynamic Molecular and Pathway Changes in the Small Intestine

PLoS ONE 8(1): e53711. doi:10.1371/journal.pone.0053711

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0053711>

Zheng J, Xi M, Lü Y, Lu Y and Shi J:

Transcriptional Analysis Provides New Insights into Cold- and Dehydration-Tolerance Signaling Pathways and on Regulation of Stem Cell Activity in the Vascular Cambium of Poplar

Plant Molecular Biology Reporter, 2012, DOI: 10.1007/s11105-012-0478-7

<http://www.springerlink.com/content/j9m521110p310220/?MUD=MP>

Zhou S, Wright JL, Liu J, Sin DD, and Churg A:

Aging does not Enhance Experimental Cigarette Smoke-Induced COPD in the Mouse

PLoS ONE 8(8): e71410. doi:10.1371/journal.pone.0071410

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071410>

Living up to Life



Zhu, J.S., Guo, H., Song, M.Q., Chen, G.Q., Sun, Q., and Zhang, Q.:

Gene profiles between non-invasive and invasive colon cancer using laser microdissection and polypeptide analysis

World J Gastroenterol 14(38): 5887-5892 (2008)

<http://www.wjgnet.com/1007-9327/full/v14/i38/5887.htm>

Zhu Q, Sun W, Okano K, Chen Y, Zhang N, Maeda T, Palczewski K:

A sponge transgenic mouse model reveals important roles for the miRNA-183/96/182 cluster in post-mitotic photoreceptors of the retina

J Biol Chem. 2011 Sep 9;286(36):31749-60

<http://www.jbc.org/content/286/36/31749.long>

Zuo J, Wen M, Lei M, Peng X, Yang X, Liu Z:

MiR-210 Links Hypoxia with Cell Proliferation Regulation in Human Laryngocarcinoma Cancer

Journal of Cellular Biochemistry, 2014 Dec 18, DOI 10.1002/jcb.25059

<http://onlinelibrary.wiley.com/doi/10.1002/jcb.25059/abstract>

3. Proteomics

Antoniades CG, Quaglia A, Taams LS, Mitry RR, Hussain M, Abeles R, Possamai LA, Bruce M, McPhail M, Starling C, Wagner B, Barnardo A, Pomplun S, Auzinger G, Bernal W, Heaton N, Vergani D, Thursz MR, Wendon J:

Source and characterisation of hepatic macrophages in acetaminophen-induced acute liver failure in humans

Hepatology. 2012 Feb 15. doi: 10.1002/hep.25657

<http://dx.doi.org/10.1002/hep.25657>

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:

Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis

ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545

<http://www.isrn.com/journals/mb/2012/706545/>

Arentz G, Chataway T, Price TJ, Izwan Z, Hardi G, Cummins AG, Hardingham JE:

Desmin expression in colorectal cancer stroma correlates with advanced stage disease and marks angiogenic microvessels

Clin Proteomics. 2011 Dec 5;8(1):16.

<http://www.clinicalproteomicsjournal.com/content/8/1/16/abstract>

Banyersad, SM; Moon, JC; Whelan, C; Hawkins, PN; Wechalekar, AD:

Updates in Cardiac Amyloidosis: A Review

Journal of the American Heart Association. 2012; 1: e000364 doi: 10.1161/JAHA.111.000364

<http://jaha.ahajournals.org/content/1/2/e000364.full>

Becker JS:

Imaging of metals in biological tissue by laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS): state of the art and future developments

J Mass Spectrom. 2013 Feb;48(2):255-68. doi: 10.1002/jms.3168.

<http://dx.doi.org/10.1002/jms.3168>

Bowen K, Shah N, and Lewin M:

AL-Amyloidosis Presenting with Negative Congo Red Staining in the Setting of High Clinical Suspicion: A Case Report

Case Reports in Nephrology, Volume 2012 (2012), Article ID 593460, 4 pages, doi:10.1155/2012/593460

<http://www.hindawi.com/crim/nephrology/2012/593460/>

Catenacci DV, Liao WL, Thyparambil S, Henderson L, Xu P, Zhao L, Rambo B, Hart J, Xiao SY, Bengali K, Uzzell J, Darfler M, Krizman DB, Cecchi F, Bottaro DP, Karrison T, Veenstra TD, Hembrough T, Burrows J:

Absolute Quantitation of Met Using Mass Spectrometry for Clinical Application: Assay Precision, Stability, and Correlation with MET Gene Amplification in FFPE Tumor Tissue

PLoS One. 2014 Jul 1;9(7):e100586. doi: 10.1371/journal.pone.0100586. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0100586#pone-0100586-g001>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:

Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis

Clin Cancer Res 14(2): 435-445 (2008)

<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:

Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis

J Proteome Res 7(6): 2415-2426 (2008)

<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

Choi J, Kim DH, Jung WH, Koo JS:

Metabolic interaction between cancer cells and stromal cells according to breast cancer molecular subtype

Breast Cancer Res. 2013 Sep 10;15(5):R78.

<http://breast-cancer-research.com/content/15/5/R78>

Cuadrado E, Rosell A, Penalba A, Slevin M, Alvarez-Sabín J, Ortega-Aznar A, Montaner J:

Vascular MMP-9/TIMP-2 and neuronal MMP-10 up-regulation in human brain after stroke: a combined laser microdissection and protein array study

J Proteome Res. 2009 Jun;8(6):3191-7. doi: 10.1021/pr801012x.

<http://dx.doi.org/10.1021/pr801012x>

Dasari S, Theis JD, Vrana JA, Zenka RM, Zimmermann MT, Kocher JP, Highsmith Jr WE, Kurtin PJ, Dogan A:

Clinical proteome informatics workbench detects pathogenic mutations in hereditary amyloidoses

J Proteome Res. 2014 Mar 20.

<http://dx.doi.org/10.1021/pr4011475>

de la Cuesta F, Mourino-Alvarez L, Baldan-Martin M, Moreno-Luna R, Barderas MG:

Contribution of proteomics to the management of vascular disorders

Translational Proteomics, 2014, Oct 28, DOI: 10.1016/j.trprot.2014.10.002

<http://www.sciencedirect.com/science/article/pii/S2212963414000114>

De Souza, A.I., McGregor, E., Dunn, M.J., and Rose, M.L.:

Preparation of human heart for laser microdissection and proteomics

Proteomics 4(3): 578-586 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300660/abstract>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.-C., Fink, L.

Catabolic Properties of Microdissected Human Endosteal Bone Lining Cells

Calcif Tissue Int 84(2): 146-155 (2008)

<http://www.springerlink.com/content/a2h715150m525279/>

Djidja MC, Chang J, Hadjiprocopis A, Schmich F, Sinclair J, Mršnik M, Schoof EM, Barker HE, Linding R, Jorgensen C, Erler JT:

Identification of hypoxia-regulated proteins using MALDI-Mass Spectrometry Imaging combined with quantitative proteomics

J Proteome Res. 2014 Apr 7

<http://dx.doi.org/10.1021/pr401056c>

Dogan, A:

Classification of Amyloidosis by Mass Spectrometry-Based Proteomics

Current Clinical Pathology, 2012, Part 3, 261-272, DOI: 10.1007/978-1-60761-389-3_21

<http://www.springerlink.com/content/r61x186030018128/>

D'Souza A, Theis J, Quint P, Kyle R, Gertz M, Zeldenrust S, Vrana J, Dogan A, Dispenzieri A:

Exploring the amyloid proteome in immunoglobulin-derived lymph node amyloidosis using laser microdissection/tandem mass spectrometry

Am J Hematol. 2013 Apr 20. doi: 10.1002/ajh.23456.

<http://dx.doi.org/10.1002/ajh.23456>

D'Souza A, Theis J, Vrana J, and Dogan A:

Drug-Induced Amyloidosis: A Proteomic Insight Into 52 Cases

Blood, October 21, 2013 vol. 122 no. 21 1871

<http://bloodjournal.hematologylibrary.org/content/122/21/1871.short>

D'Souza A, Theis JD, Vrana JA, Dogan A:

Pharmaceutical amyloidosis associated with subcutaneous insulin and enfuvirtide administration

Amyloid. 2014 Jan 22.

<http://informahealthcare.com/doi/abs/10.3109/13506129.2013.876984>

Esaka F, Lee CG, Magara M, Kimura T:

Fission track-secondary ion mass spectrometry as a tool for detecting the isotopic signature of individual uranium containing particles

Anal Chim Acta. 2012 Apr 6;721:122-8. Epub 2012 Feb 10.

<http://www.sciencedirect.com/science/article/pii/S0003267012002012>

Feldkirchner S, Schessl J, Müller S, Schoser B, Hanisch FG:

Patient-specific protein aggregates in myofibrillar myopathies: laser microdissection and differential proteomics for identification of plaque components

Proteomics. 2012 Dec;12(23-24):3598-609. doi: 10.1002/pmic.201100559.

<http://dx.doi.org/10.1002/pmic.201100559>

Feldkirchner S, Walter MC, Müller S, Kubny C, Krause S, Kress W, Hanisch FG, Schoser B, Schessl J:
Proteomic characterization of aggregate components in an intrafamilial variable FHL1-associated myopathy

Neuromuscul Disord. 2013 May;23(5):418-26. doi: 10.1016/j.nmd.2013.02.006.

[http://linkinghub.elsevier.com/retrieve/pii/S0960-8966\(13\)00062-X](http://linkinghub.elsevier.com/retrieve/pii/S0960-8966(13)00062-X)

Fervenza FC, Smith RJ, Sethi S:

Association of a Novel Complement Factor H Mutation With Severe Crescentic and Necrotizing Glomerulonephritis

Am J Kidney Dis. 2012 Apr 25. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0272-6386\(12\)00626-9](http://linkinghub.elsevier.com/retrieve/pii/S0272-6386(12)00626-9)

Figueroa JJ, Peter Bosch E, Dyck PJ, Singer W, Vrana JA, Theis JD, Dogan A, Klein CJ:

Amyloid-like IgM deposition neuropathy: a distinct clinico-pathologic and proteomic profile disorder

J Peripher Nerv Syst. 2012 Jun;17(2):182-90. doi: 10.1111/j.1529-8027.2012.00406.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1529-8027.2012.00406.x/abstract>

Fiorilli V, Klink VP and Balestrini R:

Proteomic Analyses of Cells Isolated by Laser Microdissection

Integrative Proteomics, ISBN: 978-953-51-0070-6

<http://www.intechopen.com/books/integrative-proteomics/proteomic-analyses-of-cells-isolated-by-laser-microdissection>

García-Berrocoso T, Giralt D, Llombart V, Bustamante A, Penalba A, Flores A, Ribó M, Molina CA, Rosell A, Montaner J:

Chemokines after human ischemic stroke: from neurovascular unit to blood using protein arrays

Translational Proteomics, 2014 12 Mar, <http://dx.doi.org/10.1016/j.trprot.2014.03.001>

<http://www.sciencedirect.com/science/article/pii/S2212963414000035>

Gilbertson JA, Theis JD, Vrana JA, Lachmann H, Wechalekar A, Whelan C, Hawkins PN, Dogan A, Gillmore JD:

A comparison of immunohistochemistry and mass spectrometry for determining the amyloid fibril protein from formalin-fixed biopsy tissue

J Clin Pathol. 2015 Jan 30. pii: jclinpath-2014-202722. doi: 10.1136/jclinpath-2014-202722.

<http://jcp.bmj.com/cgi/pmidlookup?view=long&pmid=25637636>

Goodwin RJ, Scullion P, Macintyre L, Watson DG, Pitt AR:

Use of a solvent-free dry matrix coating for quantitative matrix-assisted laser desorption ionization imaging of 4-bromophenyl-1,4-diazabicyclo(3.2.2)nonane-4-carboxylate in rat brain and quantitative analysis of the drug from laser microdissected tissue regions

Anal Chem 82(9): 3868-73 (2010)

<http://pubs.acs.org/doi/abs/10.1021/ac100398y>

Gu-Qing Z, Ai-Lan C, Hong Y, Mao-Yu L, Guo-Qing L, Jian-Ling L, Li L:

Quantitative Proteomic Study for Various Stage Tissues of Human Bronchial Epithelial Carcinogenesis by Laser Capture Microdissection

Prog. Biochem. Biophys. 2013; 40 (6)

http://www.pibb.ac.cn/pibben/ch/reader/view_abstract.aspx?file_no=20120474&flag=2

Happyana N, Agnolet S, Muntendam R, Van Dam A, Schneider B, Kayser O

Analysis of cannabinoids in laser-microdissected trichomes of medicinal Cannabis sativa using LCMS and cryogenic NMR

Phytochemistry. 2012 Dec 29. pii: S0031-9422(12)00475-X. doi: 10.1016/j.phytochem.2012.11.001.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(12\)00475-X](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(12)00475-X)

Hembrough T, Thyparambil S, Liao WL, Darfler MM, Abdo J, Bengali KM, Taylor P, Tong J, Lara-Guerra H, Waddell TK, Moran MF, Tsao MS, Krizman DB, Burrows J.:

Selected Reaction Monitoring (SRM) Analysis of Epidermal Growth Factor Receptor (EGFR) in Formalin Fixed Tumor Tissue

Clin Proteomics. 2012 May 3;9(1):5. doi: 10.1186/1559-0275-9-5.

<http://www.clinicalproteomicsjournal.com/content/9/1/5>

Hood BL, Liu B, Alkhas A, Shoji Y, Challa R, Wang G, Ferguson S, Oliver J, Mitchell D, Bateman NW, Zahn CM, Hamilton CA, Payson M, Lessey B, Fazleabas AT, Maxwell GL, Conrads TP, Risinger JI:

Proteomics of the Human Endometrial Glandular Epithelium and Stroma from the Proliferative and Secretory Phases of the Menstrual Cycle

Biol Reprod. 2015 Feb 18. pii: biolreprod.114.127217.

<http://www.biolreprod.org/cgi/pmidlookup?view=long&pmid=25695723>

Jaillard C, Mouret A, Niepon ML, Clérin E, Yang Y, Lee-Rivera I, Ait-Ali N, Millet-Puel G, Cronin T, Sedmak T, Raffelsberger W, Kinzel B, Trembleau A, Poch O, Bennett J, Wolfrum U, Lledo PM, Sahel JA, Léveillard T:

Nxn12 splicing results in dual functions in neuronal cell survival and maintenance of cell integrity

Hum Mol Genet. 2012 Feb 15. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/02/15/hmg.dds050.abstract>

Jaiswal YS, Liang Z, Guo P, Ho HM, Chen HB, Zhao Z:

Tissue-specific Metabolite Profiling of *Cyperus rotundus* L. Rhizomes and (+)-Nootkatone Quantitation by Using Laser Micro Dissection, UHPLC-QTOF MS and GC-MS Techniques

J Agric Food Chem. 2014 Jun 17.

<http://pubs.acs.org/doi/abs/10.1021/jf502494z?journalCode=jafcau>

Jaiswal Y, Liang Z, Ho A, Chen H, Zhao Z:

A Comparative Tissue-specific Metabolite Analysis and Determination of Protodioscin Content in Asparagus Species used in Traditional Chinese Medicine and Ayurveda by use of Laser Microdissection, UHPLC-QTOF/MS and LC-MS/MS

Phytochem Anal. 2014 Apr 16. doi: 10.1002/pca.2522.

<http://dx.doi.org/10.1002/pca.2522>

Jensen E:

Laser-Capture Microdissection

The Anatomical Record (Anat. Rec.), 2013, 1932-8494, 10.1002/ar.22791

<http://dx.doi.org/10.1002/ar.22791>

Kakimoto Y, Ito S, Abiru H, Kotani H, Ozeki M, Tamaki K, Tsuruyama T:

Sorbin and SH3 domain-containing protein 2 is released from infarcted heart in the very early phase: proteomic analysis of cardiac tissues from patients.

J Am Heart Assoc. 2013 Dec 16;2(6):e000565. doi: 10.1161/JAHA.113.000565.

<http://jaha.ahajournals.org/cgi/pmidlookup?view=long&pmid=24342996>

Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma

J Proteomics 73(6): 1089-99 (2010)

<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kim SK, Jung WH, Koo JS:

Differential expression of enzymes associated with serine/glycine metabolism in different breast cancer subtypes

PLoS One. 2014 Jun 30;9(6):e101004. doi: 10.1371/journal.pone.0101004. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0101004>

Kirana C, Shi H, Laing E, Hood K, Miller R, Bethwaite P, Keating J, Jordan TW, Hayes M, and Stubbs R:

Cathepsin D Expression in Colorectal Cancer: From Proteomic Discovery through Validation Using Western Blotting, Immunohistochemistry, and Tissue Microarrays

International Journal of Proteomics, Volume 2012 (2012), Article ID 245819, 10 pages,

doi:10.1155/2012/245819

<http://www.hindawi.com/journals/ijpro/2012/245819/cta/>

Kennard JT, Guévremont D, Mason-Parker SE, Abraham WC, Williams JM:

Redistribution of Ionotropic Glutamate Receptors Detected by Laser Microdissection of the Rat Dentate Gyrus 48 h following LTP Induction *In Vivo*

PLoS One. 2014 Mar 25;9(3):e92972. doi: 10.1371/journal.pone.0092972. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0092972#pone-0092972-g005>

Kley RA, Maerkens A, Leber Y, Theiss V, Schreiner A, van der Ven PF, Uszkoreit J, Stephan C, Eulitz S, Euler N, Kirschner J, Mueller K, Meyer HE, Tegenthoff M, Fuerst DO, Vorgerd M, Mueller T, Marcus K:

A combined laser microdissection and mass spectrometry approach reveals new disease relevant proteins accumulating in aggregates of filaminopathy patients

Mol Cell Proteomics. 2012 Oct 31.

<http://www.mcponline.org/content/early/2012/10/31/mcp.M112.023176.abstract>

Kley RA, Maerkens A, Olive M, Claeys KG, Hanisch F, van der Ven PFM, Fuerst DO, Mueller T, Marcus K, and Vorgerd M :

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9 , Page 874, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900418-X/abstract>

Kondo, T., Seike, M., Mori, Y., Fujii, K., Yamada, T., and Hirohashi, S.:

Application of sensitive fluorescent dyes in linkage of laser microdissection and two-dimensional gel electrophoresis as a cancer proteomic study tool

Proteomics 3(9): 1758-1766 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300531/abstract>

Koob AO, Bruns L, Prassler C, Masliah E, Klopstock T, Bender A:

Protein analysis through Western blot of cells excised individually from human brain and muscle tissue

Anal Biochem. 2012 Mar 5. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0003269712001431>

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Leung N, Nasr SH, Sethi S:

How I diagnose amyloidosis.

Blood. 2012 Sep 4.

<http://bloodjournal.hematologylibrary.org/content/early/2012/09/04/blood-2012-03-413682.abstract>

Li, C., Hong, Y., Tan, Y.X., Zhou, H., Ai, J.H., Li, S.J., Zhang, L., Xia, Q.C., Wu, J.R., Wang, H.Y., and Zeng, R.:

Accurate qualitative and quantitative proteomic analysis of clinical hepatocellular carcinoma using laser capture microdissection coupled with isotope-coded affinity tag and two-dimensional liquid chromatography mass spectrometry

Mol Cell Proteomics 3(4): 399-409 (2004)

<http://www.mcponline.org/content/3/4/399.long>

Li CH, Liu Y, Hua J, Luo SH, Li SH:

Peltate glandular trichomes of *Colquhounia seguinii* Vaniot harbor new defensive clerodane diterpenoids

J Integr Plant Biol. 2014 Jul 22. doi: 10.1111/jipb.12242.

<http://www.jipb.net/pubsoft/content/2/10.1111/jipb.12242.pdf>

Li M, Li C, Li D, Xie Y, Shi J, Li G, Guan Y, Li M, Zhang P, Peng F, Xiao Z, Chen Z:
Periostin, a stroma-associated protein, correlates with tumor invasiveness and progression in nasopharyngeal carcinoma

Clin Exp Metastasis. 2012 Jun 17. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10585-012-9465-5>

Li MX, Xiao ZQ, Chen YH, Peng F, Li C, Zhang PF, Li MY, Li F, Duan CJ, Li DJ, Yao HX, Chen ZC:
Proteomic analysis of the stroma-related proteins in nasopharyngeal carcinoma and normal nasopharyngeal epithelial tissues

Med Oncol. 2010 Mar;27(1):134-44.

<http://www.springerlink.com/content/m42pkx852hqh06n0/>

Liang Z, Sham T, Yang G, Yi L, Chen H, Zhao Z:
Profiling of secondary metabolites in tissues from *Rheum palmatum* L. using laser microdissection and liquid chromatography mass spectrometry

Anal Bioanal Chem. 2013 May;405(12):4199-212. doi: 10.1007/s00216-013-6819-z.

<http://dx.doi.org/10.1007/s00216-013-6819-z>

Liang Z, Zhang J, Yang G, Chen H, Zhao Z:
Chemical profiling and histochemical analysis of *Bupleurum marginatum* roots from different growing areas of Hubei province

Acta Pharmaceutica Sinica B, 21 May 2013, ISSN 2211-3835, 10.1016/j.apsb.2013.04.002.

<http://www.sciencedirect.com/science/article/pii/S2211383513000348>

Liba A and Wanagat J:

Single Cell Multiplex Protein Measurements through Rare Earth Element Immunolabeling, Laser Capture Microdissection and Inductively Coupled Mass Spectrometry

J Cytol Histol 2014, 5:6

<http://dx.doi.org/10.4172/2157-7099.1000290>

Liebe CH:

Klinische, histopathologische und genetische Charakterisierung der Myofibrillären Myopathien

PhD thesis (German language)

<http://darwin.bth.rwth-aachen.de/opus3/volltexte/2015/5290/pdf/5290.pdf>

Liewluck T, Winder TL, Dimberg EL, Crum BA, Heppelmann CJ, Wang Y, Bergen HR 3rd, Milone M:
ANO5-muscular dystrophy: clinical, pathological and molecular findings

Eur J Neurol. 2013 May 12. doi: 10.1111/ene.12191.

<http://onlinelibrary.wiley.com/doi/10.1111/ene.12191/abstract>

Liu PF, Cao YW, Jiang HP, Wang YH, Yang XC, Wang XS, Niu HT:

Heterogeneity research in muscle-invasive bladder cancer based on differential protein expression analysis

Med Oncol. 2014 Sep;31(9):21. doi: 10.1007/s12032-014-0021-9.

<http://link.springer.com/article/10.1007/s12032-014-0021-9>

Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:

Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma

Med Oncol. 2010 Dec 4. [Epub ahead of print]

<http://www.springerlink.com/content/1h53134871563152/>

Lorenz M, Ovchinnikova OS, Kertesz V, Van Berkel GJ:

Laser microdissection and atmospheric pressure chemical ionization mass spectrometry coupled for multimodal imaging

Rapid Commun. Mass Spectrom., 2013, Vol. 27, issue 13, pp. 1097-0231, doi 10.1002/rcm.6593

<http://onlinelibrary.wiley.com/doi/10.1002/rcm.6593/abstract>

Maerkens A, Kley RA, Schreiner A, Theis V, Mueller T, Vorgerd M, Marcus K:

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9, Page 821, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900249-0/abstract>

Mereuta OM, Theis JD, Vrana JA, Law ME, Grogg KL, Dasari S, Chandan VS, Wu TT, Jimenez-Zepeda VH, Fonseca R, Dispenzieri A, Kurtin PJ, Dogan A:

Mass spectrometry-based proteomics reveals that leukocyte cell-derived chemotaxin 2 associated amyloidosis is a frequent cause of hepatic amyloidosis in the United States

Blood. 2014 Jan 10.

<http://bloodjournal.hematologylibrary.org/content/early/2014/01/10/blood-2013-07-517938.abstract>

Mesko MF, Salber D, Pozebon D, Dressler VL, Becker JS:

Evaluation of metal distributions in small samples of mouse brain lesions (hematoma) by inductively coupled plasma mass spectrometry after sampling by laser microdissection (LMD)

Int J of Mass Spec, Volume 307, Issues 1–3, 1 October 2011, Pages 137–141

<http://www.sciencedirect.com/science/article/pii/S138738061100159X>

Micanovic R, Khan S, El-Achkar TM:

Immunofluorescence laser micro-dissection of specific nephron segments in the mouse kidney allows targeted downstream proteomic analysis

Physiol Rep. 2015 Feb 12;3(2). pii: e12306. doi: 10.14814/phy2.12306.

<http://physreports.physiology.org/cgi/pmidlookup?view=long&pmid=25677553>

Mikšík I, Ergang P, Pácha J:

Proteomic analysis of chicken eggshell cuticle membrane layer

Anal Bioanal Chem. 2014 Oct 11

<http://link.springer.com/article/10.1007/s00216-014-8213-x>

Miravalle, L., Calero, M., Takao, M., Roher, A.E., Ghetti, B., and Vidal, R.:

Amino-terminally truncated Abeta peptide species are the main component of cotton wool plaques

Biochemistry 44(32): 10810-10821 (2005)

<http://pubs.acs.org/doi/abs/10.1021/bi0508237>

Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:

Advances in isolation and characterization of homogeneous cell populations using laser microdissection

Histol Histopathol 20(1): 139-146 (2005)

http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm

Mukherjee S, Rodriguez-Canales J, Hanson J, Emmert-Buck MR, Tangrea MA, Prieto DA, Blonder J, Johann DJ Jr:

Proteomic analysis of frozen tissue samples using laser capture microdissection

Methods Mol Biol. 2013;1002:71-83. doi: 10.1007/978-1-62703-360-2_6

http://dx.doi.org/10.1007/978-1-62703-360-2_6

Murray GI:

Has the proteome of formalin-fixed wax-embedded tissue been unlocked?

Nephrol Dial Transplant. 2012 Aug 1. [Epub ahead of print]

<http://ndt.oxfordjournals.org/content/early/2012/07/31/ndt.gfs342.full.pdf+html>

Nasr SH, Said SM, Valeri AM, Sethi S, Fidler ME, Cornell LD, Gertz MA, Dispenzieri A, Buadi FK, Vrana JA, Theis JD, Dogan A, Leung N:

The diagnosis and characteristics of renal heavy-chain and heavy/light-chain amyloidosis and their comparison with renal light-chain amyloidosis

Kidney Int. 2013 Jan 9. doi: 10.1038/ki.2012.414.

<http://dx.doi.org/10.1038/ki.2012.414>

Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.

Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma

Cancer Sci 100(9):1605-1611 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>

Nishida Y, Aida K, Kihara M, Kobayashi T:

Antibody-validated proteins in inflamed islets of fulminant type 1 diabetes profiled by laser-capture microdissection followed by mass spectrometry

PLoS One. 2014 Oct 16;9(10):e107664. doi: 10.1371/journal.pone.0107664. eCollection 2014.

<http://dx.plos.org/10.1371/journal.pone.0107664>

Nishimura T, Kato H, Ikeda N, Kihara M, Nomura M, Kato Y and Marko-Varga G:

Cancer Phenotype Diagnosis and Drug Efficacy within Japanese Health Care

International Journal of Proteomics, Volume 2012 (2012), Article ID 921901

<http://www.hindawi.com/journals/ijpro/2012/921901/>

Nishimura T, Nomura M, Tojo H, Hamasaki H, Fukuda T, Fujii K, Mikami S, Bando Y, Kato H:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (2) MRM assay for stage-related proteins upon non-metastatic lung adenocarcinoma

J Proteomics. 2010 Apr 18;73(6):1100-10

<http://www.sciencedirect.com/science/article/pii/S187439190900342X>

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Ohara R, Michikami H, Nakamura Y, Sakata A, Sakashita S, Satomi K, Shiba-Ishii A, Kano J, Yoshikawa H, Noguchi M:

Moesin overexpression is a unique biomarker of adenomyosis

Pathol Int. 2014 Mar;64(3):115-22. doi: 10.1111/pin.12148.

<http://onlinelibrary.wiley.com/doi/10.1111/pin.12148/abstract>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

O'Malley KJ, Eisermann K, Pascal LE, Parwani AV, Majima T, Graham L, Hrebinko K, Acquafondata M, Stewart NA, Nelson JB, Yoshimura N, Wang Z:

Proteomic analysis of patient tissue reveals PSA protein in the stroma of benign prostatic hyperplasia

Prostate. 2014 Apr 7. doi: 10.1002/pros.22807.

<http://dx.doi.org/10.1002/pros.22807>

Omri S, Behar-Cohen F, Rothschild PR, Gélizé E, Jonet L, Jeanny JC, Omri B, Crisanti P:

PKC ζ Mediates Breakdown of Outer Blood-Retinal Barriers in Diabetic Retinopathy

PLoS One. 2013 Nov 29;8(11):e81600. doi: 10.1371/journal.pone.0081600.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0081600>

Pan S, Brentnall TA, Kelly K, Chen R:

Tissue proteomics in pancreatic cancer study: discovery, emerging technologies and challenges

Proteomics. 2012 Nov 2. doi: 10.1002/pmic.201200319.

<http://dx.doi.org/10.1002/pmic.201200319>

Reddy LA, Mikesh L, Moskaluk CA, Harvey J, Sherman N, Zigino P, Mauch C, Fox JW:

Host response to human breast in situ ductal carcinoma (IDC) as observed by changes in the stromal proteome

J Proteome Res. 2014 Sep 22

<http://dx.doi.org/10.1021/pr500620x>

Ruan W, Sassoon A, An F, Simko JP, Liu B:

Identification of clinically significant tumor antigens by selecting phage antibody library on tumor cells in situ using laser capture microdissection

Mol Cell Proteomics. 2006 Dec;5(12):2364-73.

<http://www.mcponline.org/cgi/pmidlookup?view=long&pmid=16982673>

Saha A, Chopra Y, Theis JD, Vrana JA, Sethi S:

AA Amyloidosis Associated With Systemic-Onset Juvenile Idiopathic Arthritis

American Journal of Kidney Diseases - 13 May 2013 (10.1053/j.ajkd.2013.02.377)

<http://www.ajkd.org/article/S0272-6386%2813%2900675-6/abstract>

Said SM, Sethi S, Valeri AM, Chang A, Nast CC, Krahl L, Molloy P, Barry M, Fidler ME, Cornell LD, Leung N, Vrana JA, Theis JD, Dogan A, Nasr SH:

Characterization and outcomes of renal leukocyte chemotactic factor 2-associated amyloidosis

Kidney Int. 2014 Jan 22. doi: 10.1038/ki.2013.558.

<http://dx.doi.org/10.1038/ki.2013.558>

Said SM, Sethi S, Valeri AM, Leung N, Cornell LD, Fidler ME, Herrera Hernandez L, Vrana JA, Theis JD, Quint PS, Dogan A, Nasr SH:

Renal Amyloidosis: Origin and Clinicopathologic Correlations of 474 Recent Cases

Clin J Am Soc Nephrol. 2013 May 23.

<http://cjasn.asnjournals.org/cgi/pmidlookup?view=long&pmid=23704299>

Saigusa D, Okudaira M, Wang J, Kano K, Kurano M, Uranbileg B, Ikeda H, Yatomi Y, Motohashi H, Aoki J:

Simultaneous Quantification of Sphingolipids in Small Quantities of Liver by LC-MS/MS

Vol. 3 (2014) No. Special_Issue_3 the 62nd MSSJ Annual Conference p. S0046

https://www.jstage.jst.go.jp/article/massspectrometry/3/Special_Issue_3/3/S0046/article

Sansonno, D., Lauletta, G., and Dammacco, F.:

Detection and quantitation of HCV core protein in single hepatocytes by means of laser capture microdissection and enzyme-linked immunosorbent assay

J Viral Hepat 11(1): 27-32 (2004)

<http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2893.2003.00474.x/full>

Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:

Proteomic signatures for histological types of lung cancer

Proteomics 5(11): 2939-2948 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>

Seldin DC and Sancharawala V:

Amyloidomics comes of age

Blood February 23, 2012 vol. 119 no. 8 1795-1796; doi: 10.1182/blood-2011-10-381178

<http://bloodjournal.hematologylibrary.org/content/119/8/1795.full.pdf+html>

Serhatli M, Baysal K, Acilan C, Tuncer E, Bekpinar S, Baykal AT:

Proteomic Study of the Microdissected Aortic Media in Human Thoracic Aortic Aneurysms

J Proteome Res. 2014 Sep 29

<http://dx.doi.org/10.1021/pr5006586>

Sethi S, Fervenza FC, Zhang Y, Zand L, Meyer NC, Borsa N, Nasr SH, Smith RJ:

Atypical postinfectious glomerulonephritis is associated with abnormalities in the alternative pathway of complement

Kidney Int. 2012 Dec 12. doi: 10.1038/ki.2012.384.

<http://dx.doi.org/10.1038/ki.2012.384>

Sethi S, Fervenza FC, Zhang Y, Zand L, Vrana JA, Nasr SH, Theis JD, Dogan A, Smith RJ:

C3 glomerulonephritis: clinicopathological findings, complement abnormalities, glomerular proteomic profile, treatment, and follow-up

Kidney Int. 2012 Jun 6. doi: 10.1038/ki.2012.212.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2012212a.html>

Sethi S, Theis JD, Leung N, Dispenzieri A, Nasr SH, Fidler ME, Cornell LD, Gamez JD, Vrana JA, Dogan A:

Mass spectrometry-based proteomic diagnosis of renal immunoglobulin heavy chain amyloidosis

Clin J Am Soc Nephrol. 2010 Dec;5(12):2180-7

<http://cjasn.asnjournals.org/content/5/12/2180.full.pdf+html>

Sethi S, Theis JD, Shiller SM, Nast CC, Harrison D, Rennke HG, Vrana JA, Dogan A:

Medullary amyloidosis associated with apolipoprotein A-IV deposition

Kidney Int. 2011 Sep 7. doi: 10.1038/ki.2011.316.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2011316a.html>

Sethi S, Theis JD, Vrana JA, Fervenza FC, Sethi A, Qian Q, Quint P, Leung N, Dogan A, Nasr SH:

Laser Microdissection and Proteomic Analysis of Amyloidosis, Cryoglobulinemic GN, Fibrillary GN, and Immunotactoid Glomerulopathy

Clin J Am Soc Nephrol. 2013 Feb 14. [Epub ahead of print]

<http://cjasn.asnjournals.org/content/early/2013/02/13/CJN.07030712.abstract>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:
Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.

<http://dx.doi.org/10.1038/ki.2012.108>

Sethi S, Theis JD, Quint P, Maierhofer W, Kurtin PJ, Dogan A, Highsmith EW Jr:
Renal Amyloidosis Associated With a Novel Sequence Variant of Gelsolin

Am J Kidney Dis. 2012 Aug 29.

<http://www.ajkd.org/article/S0272-6386%2812%2901042-6/abstract>

Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:

Proteomics of breast carcinoma

J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)

<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Takadate T, Onogawa T, Fujii K, Motoi F, Mikami S, Fukuda T, Kihara M, Suzuki T, Takemura T, Minowa T, Hanagata N, Kinoshita K, Morikawa T, Shirasaki K, Rikiyama T, Katayose Y, Egawa S, Nishimura T and Unno M:

Nm23/Nucleoside Diphosphate Kinase-A as a Potent Prognostic marker in Invasive Pancreatic Ductal Carcinoma Identified by Proteomic Analysis of Laser Micro-dissected Formalin-Fixed Paraffin-Embedded Tissue

Clinical Proteomics 2012, 9:8 doi:10.1186/1559-0275-9-8

<http://www.clinicalproteomicsjournal.com/content/9/1/8/abstract>

Takadate T, Onogawa T, Fukuda T, Motoi F, Suzuki T, Fujii K, Kihara M, Mikami S, Bando Y, Maeda S, Ishida K, Minowa T, Hanagata N, Ohtsuka H, Katayose Y, Egawa S, Nishimura T, Unno M:

Novel prognostic protein markers of resectable pancreatic cancer identified by coupled shotgun and targeted proteomics using formalin-fixed paraffin-embedded tissues

Int J Cancer. 2012 Aug 23. doi: 10.1002/ijc.27797.

<http://dx.doi.org/10.1002/ijc.27797>

Theis JD, Dasari S, Vrana JA, Kurtin PJ, Dogan A:

Shotgun-proteomics-based clinical testing for diagnosis and classification of amyloidosis

J. Mass Spectrom., Volume 48, Issue 10, 1096-9888

<http://dx.doi.org/10.1002/jms.3264>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsuruyama T, Kakimoto Y, Yajima Y:

Application of Mass Spectrometry for Identification of Biomarkers in Formaldehyde-Fixed Paraffin Embedded Specimens

Austin Biomark Diagn. 2014;1(1): 3

<http://austinpublishinggroup.com/biomarkers/fulltext/biomarkers-v1-id1005.pdf>

Ushio-Yamana H, Minegishi S, Ishigami T, Araki N, Umemura M, Tamura K, Maeda E, Kakizoe Y, Kitamura K, Umemura S:

Renin Angiotensin Antagonists Normalize Aberrant Activation of Epithelial Sodium Channels in Sodium-Sensitive Hypertension

Nephron Exp Nephrol. 2013 Apr 9;122(3-4):95-102.

<http://www.karger.com/Article/FullText/348660>

Valleix S, Gillmore JD, Bridoux F, Mangione PP, Dogan A, Nedelec B, Boimard M, Touchard G, Goujon JM, Lacombe C, Lozeron P, Adams D, Lacroix C, Maisonobe T, Planté-Bordeneuve V, Vrana JA, Theis JD, Giorgetti S, Porcari R, Ricagno S, Bolognesi M, Stoppini M, Delpech M, Pepys MB, Hawkins PN, Bellotti V:

Hereditary systemic amyloidosis due to Asp76Asn variant β 2-microglobulin

N Engl J Med. 2012 Jun 14;366(24):2276-83

<http://www.nejm.org/doi/full/10.1056/NEJMoa1201356>

Vincenti DC and Murray GI

The proteomics of formalin-fixed wax-embedded tissue

Clinical Biochemistry, epub 9 Oct 2012, ISSN 0009-9120, 10.1016/j.clinbiochem.2012.10.002.

<http://www.sciencedirect.com/science/article/pii/S0009912012005577?v=s5>

Vrana JA, Gamez JD, Madden BJ, Theis JD, Bergen HR 3rd, Dogan A:

Classification of amyloidosis by laser microdissection and mass spectrometry-based proteomic analysis in clinical biopsy specimens

Blood 114(24): 4957-9 (2009)

<http://bloodjournal.hematologylibrary.org/content/114/24/4957.short>

Wang Y, Ito S, Chino Y, Goto D, Matsumoto I, Murata H, Tsutsumi A, Hayashi T, Uchida K, Usui J, Yamagata K, Sumida T:

Laser microdissection-based analysis of cytokine balance in the kidneys of patients with lupus nephritis

Clin Exp Immunol 159(1):1-10 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2009.04031.x/full>

Wilson, K.E., Marouga, R., Prime, J.E., Pashby, D.P., Orange, P.R., Crosier, S., Keith, A.B., Lathe, R., Mullins, J., Estibeiro, P., Bergling, H., Hawkins, E., and Morris, C.M.:

Comparative proteomic analysis using samples obtained with laser microdissection and saturation dye labelling

Proteomics 5(15): 3851-3858 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401255/abstract>

Yasuno K, Araki S, Sakashita H, Kobayashi R, Baba T, Kawakami H, Kamiie J, Ogihara K, Shirota K:

Development of Podocyte Injuries in Osborne-Mendel Rats is Accompanied by Reduced Expression of Podocyte Proteins

J Comp Pathol. 2013 Apr 10. pii: S0021-9975(13)00029-7. doi: 10.1016/j.jcpa.2013.01.012.

<http://www.sciencedirect.com/science/article/pii/S0021997513000297>

Yi L, Liang ZT, Peng Y, Yao X, Chen HB, Zhao ZZ:

Tissue-specific metabolite profiling of alkaloids in Sinomenii Caulis using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry

J Chromatogr A. 2012 Jul 27;1248:93-103.

<http://www.sciencedirect.com/science/article/pii/S002196731200787X>

Yonemori H, Kubota D, Taniguchi H, Tsuda H, Fujita S, Murakami Y, and Kondo T:

Laser microdissection and two-dimensional difference gel electrophoresis with alkaline isoelectric point immobiline gel reveals proteomic intra-tumor heterogeneity in colorectal cancer

EuPA Open Proteomics, online 31 August 2013, ISSN 2212-9685,

<http://dx.doi.org/10.1016/j.euprot.2013.08.002>.

Zen Y, Britton D, Mitra V, Brand A, Jung S, Loessner C, Ward M, Pike I, Heaton N, Quaglia A:

Protein expression profiles of chemo-resistant mixed phenotype liver tumors using laser microdissection and LC-MS/MS proteomics

EuPA Open Proteomics, Available online 16 November 2013, ISSN 2212-9685

<http://dx.doi.org/10.1016/j.euprot.2013.10.001>

Zeng GQ, Yi H, Zhang PF, Li XH, Hu R, Li MY, Li C, Qu JQ, Deng X, and Xiao ZQ:

The Function and Significance of SELENBP1 Downregulation in Human Bronchial Epithelial Carcinogenic Process

PLoS ONE 8(8): e71865. doi:10.1371/journal.pone.0071865

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071865>

Zhao J, Li x, Luo Q, Chen L, Chai L, Huang Y, and Fang L:

Screening of surface markers on rat intestinal mucosa microfold cells by using laser capture microdissection combined with protein chip technology

Int J Clin Exp Med 2014;7(4):932-939; www.ijcem.com, /ISSN:1940-5901/IJCEM1401061

<http://www.ijcem.com/files/ijcem1401061.pdf>

4. Fluorescence Applications

Alonso C, Musat N, Adam B, Kuypers M, Amann R

HISH-SIMS analysis of bacterial uptake of algal-derived carbon in the Río de la Plata estuary

Syst Appl Microbiol. 2012 Sep 28. pii: S0723-2020(12)00109-9. doi: 10.1016/j.syapm.2012.08.004.

<http://www.sciencedirect.com/science/article/pii/S0723202012001099>

Bandyopadhyay U, Cotney J, Nagy M, Oh S, Leng J, Mahajan M, Mane S, Fenton WA, Noonan JP, Horwich AL:

RNA-Seq Profiling of Spinal Cord Motor Neurons from a Presymptomatic SOD1 ALS Mouse

PLoS ONE 8(1): e53575. doi:10.1371/journal.pone.0053575

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0053575>

Bender A, Desplats P, Spencer B, Rockenstein E, Adame A, Elstner M, Laub C, Mueller S, Koob AO, Mante M, Pham E, Klopstock T, Masliah E:

TOM40 mediates mitochondrial dysfunction induced by α -synuclein accumulation in Parkinson's disease

PLoS One. 2013 Apr 23;8(4):e62277.

<http://dx.plos.org/10.1371/journal.pone.0062277>

Blackmore MG, Wang Z, Lerch JK, Motti D, Zhang YP, Shields CB, Lee JK, Goldberg JL, Lemmon VP, Bixby JL:

Kruppel-like Factor 7 engineered for transcriptional activation promotes axon regeneration in the adult corticospinal tract

Proc Natl Acad Sci U S A. 2012 Apr 23. [Epub ahead of print]

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=22529377>

Brilli E, Reitano E, Conti L, Conforti P, Gulino R, Consalez GG, Cesana E, Smith A, Rossi F, Cattaneo E:

Neural stem cells engrafted in the adult brain fuse with endogenous neurons

Stem Cells Dev. 2013 Feb 15;22(4):538-47. doi: 10.1089/scd.2012.0530.

<http://dx.doi.org/10.1089/scd.2012.0530>

Burbach, G.J., Dehn, D., Del Turco, D., Staufenbiel, M., and Deller, T.:

Laser microdissection reveals regional and cellular differences in GFAP mRNA upregulation following brain injury, axonal denervation, and amyloid plaque deposition

Glia 48(1): 76-84 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20057/full>

Burbach, G.J., Dehn, D., Nagel, B., Del Turco, D., and Deller, T.:

Laser microdissection of immunolabeled astrocytes allows quantification of astrocytic gene expression

J Neurosci Methods 138(1-2): 141-148 (2004)

<http://dx.doi.org/10.1016/j.jneumeth.2004.03.022>

Cao J, Ni J, Ma W, Shiu V, Milla LA, Park S, Spletter ML, Tang S, Zhang J, Wei X, Kim SK, Scott MP:
Insight into Insulin Secretion from Transcriptome and Genetic Analysis of Insulin-Producing Cells of Drosophila

Genetics. 2014 Feb 20.

<http://www.genetics.org/content/early/2014/02/18/genetics.113.160663.full.pdf+html>

Dasari S, Theis JD, Vrana JA, Zenka RM, Zimmermann MT, Kocher JP, Highsmith Jr WE, Kurtin PJ, Dogan A:

Clinical proteome informatics workbench detects pathogenic mutations in hereditary amyloidoses

J Proteome Res. 2014 Mar 20.

<http://dx.doi.org/10.1021/pr4011475>

García-Berrocoso T, Giralt D, Llombart V, Bustamante A, Penalba A, Flores A, Ribó M, Molina CA, Rosell A, Montaner J:

Chemokines after human ischemic stroke: from neurovascular unit to blood using protein arrays

Translational Proteomics, 2014 12 Mar, <http://dx.doi.org/10.1016/j.trprot.2014.03.001>

<http://www.sciencedirect.com/science/article/pii/S2212963414000035>

Handschiek K, Beuerlein K, Jurida L, Bartkuhn M, Müller H, Soelch J, Weber A, Dittrich-Breiholz O, Schneider H, Scharfe M, Jarek M, Stellzig J, Schmitz ML, Kracht M:

Cyclin-Dependent Kinase 6 Is a Chromatin-Bound Cofactor for NF- κ B-Dependent Gene Expression

Mol Cell. 2013 Dec 31. pii: S1097-2765(13)00870-8. doi: 10.1016/j.molcel.2013.12.002.

<https://www.cell.com/molecular-cell/abstract/S1097-2765%2813%2900870-8>

Hou S, Zhao L, Shen Q, Yu J, Ng C, Kong X, Wu D, Song M, Shi X, Xu X, OuYang WH, He R, Zhao XZ, Lee T, Brunicardi FC, Garcia MA, Ribas A, Lo RS, Tseng HR:

Polymer nanofiber-embedded microchips for detection, isolation, and molecular analysis of single circulating melanoma cells

Angew Chem Int Ed Engl. 2013 Mar 18;52(12):3379-83. doi: 10.1002/anie.201208452. Epub 2013 Feb 21.

<http://dx.doi.org/10.1002/anie.201208452>

Jaiswal YS, Liang Z, Guo P, Ho HM, Chen HB, Zhao Z:

Tissue-specific Metabolite Profiling of *Cyperus rotundus* L. Rhizomes and (+)-Nootkatone Quantitation by Using Laser Micro Dissection, UHPLC-QTOF MS and GC-MS Techniques

J Agric Food Chem. 2014 Jun 17.

<http://pubs.acs.org/doi/abs/10.1021/jf502494z?journalCode=jafcau>

Jaiswal Y, Liang Z, Ho A, Chen H, Zhao Z:

A Comparative Tissue-specific Metabolite Analysis and Determination of Protodioscin Content in Asparagus Species used in Traditional Chinese Medicine and Ayurveda by use of Laser Microdissection, UHPLC-QTOF/MS and LC-MS/MS

Phytochem Anal. 2014 Apr 16. doi: 10.1002/pca.2522.

<http://dx.doi.org/10.1002/pca.2522>

Jensen E:

Laser-Capture Microdissection

The Anatomical Record (Anat. Rec.), 2013, 1932-8494, 10.1002/ar.22791

<http://dx.doi.org/10.1002/ar.22791>

Kadkhodaei B, Alvarsson A, Schintu N, Ramsköld D, Volakakis N, Joodmardi E, Yoshitake T, Kehr J, Decressac M, Björklund A, Sandberg R, Svenningsson P, Perlmann T :

Transcription factor Nurr1 maintains fiber integrity and nuclear-encoded mitochondrial gene expression in dopamine neurons

Proc Natl Acad Sci U S A. 2013 Jan 22.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23341612>

Khodosevich, K., Inta, D., Seeburg, P.H., and Monyer, H.:

Gene expression analysis of in vivo fluorescent cells

PLoS ONE 2(11): e1151 (2007)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0001151>

Khodosevich K, Alfonso J, Monyer H:

Dynamic changes in the transcriptional profile of subventricular zone-derived postnatally born neuroblasts

Mech Dev. 2012 Dec 4. pii: S0925-4773(12)00114-1. doi: 10.1016/j.mod.2012.11.003.

<http://www.sciencedirect.com/science/article/pii/S0925477312001141>

Kley RA, Maerkens A, Leber Y, Theiss V, Schreiner A, van der Ven PF, Uszkoreit J, Stephan C, Eulitz S, Euler N, Kirschner J, Mueller K, Meyer HE, Tegenthoff M, Fuerst DO, Vorgerd M, Mueller T, Marcus K:
A combined laser microdissection and mass spectrometry approach reveals new disease relevant proteins accumulating in aggregates of filaminopathy patients

Mol Cell Proteomics. 2012 Oct 31.

<http://www.mcponline.org/content/early/2012/10/31/mcp.M112.023176.abstract>

Körber C, Dondzillo A, Eisenhardt G, Herrmannsdörfer F, Wafzig O, Kuner T:

Gene expression profile during functional maturation of a central mammalian synapse

Eur J Neurosci. 2014 Jul 3. doi: 10.1111/ejn.12661.

<http://dx.doi.org/10.1111/ejn.12661>

Kosloski LM, Kosmacek EA, Olson KE, Mosley RL, and Gendelman HE:

GM-CSF induces neuroprotective and anti-inflammatory responses in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine intoxicated mice

Journal of Neuroimmunology, 29 Oct 2013, ISSN 0165-5728

<http://dx.doi.org/10.1016/j.jneuroim.2013.10.009>

Krabbe S, Duda J, Schiemann J, Poetschke C, Schneider G, Kandel ER, Liss B, Roeper J, Simpson EH:
Increased dopamine D2 receptor activity in the striatum alters the firing pattern of dopamine neurons in the ventral tegmental area

Proc Natl Acad Sci U S A. 2015 Feb 9. pii: 201500450.

<http://www.pnas.org/cgi/lookup?view=long&pmid=25675529>

Kruse LC, Walter NA, Buck KJ:

Mpdz Expression In The Caudolateral Substantia Nigra Pars Reticulata Is Crucially Involved In Alcohol Withdrawal

Genes Brain Behav. 2014 Aug 11. doi: 10.1111/gbb.12171.

<http://dx.doi.org/10.1111/gbb.12171>

Lammel, S., Hetzel, A., Hackel, O., Jones, I., Liss, B., and Roeper, J.:

Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system

Neuron 57(5): 760-773 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001074>

Li Y, Guo X, Xue Q, Zhu M, Gao L, and Wang Y:

Single Cell Gene Profiling Revealed Heterogeneity of Paracrine Effects of Bone Marrow Cells in Mouse Infarcted Hearts

PLoS ONE 8(7): e68270. doi:10.1371/journal.pone.0068270

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0068270>

Liang Z, Sham T, Yang G, Yi L, Chen H, Zhao Z:

Profiling of secondary metabolites in tissues from *Rheum palmatum* L. using laser microdissection and liquid chromatography mass spectrometry

Anal Bioanal Chem. 2013 May;405(12):4199-212. doi: 10.1007/s00216-013-6819-z.

<http://dx.doi.org/10.1007/s00216-013-6819-z>

Liddel SA, Temple S, Møllgård K, Gehwolf R, Wagner A, Bauer H, Bauer HC, Phoenix TN, Dziegielewska KM, Saunders NR:

Molecular Characterisation of Transport Mechanisms at the Developing Mouse Blood-CSF Interface: A Transcriptome Approach

PLoS One. 2012;7(3):e33554. Epub 2012 Mar 21.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0033554>

Lynch L, Gamblin A, Vintiner S, Simons JL:

STR profiling of epithelial cells identified by X/Y-FISH labelling and laser microdissection using standard and elevated PCR conditions

Forensic Sci Int Genet. 2014 Oct 25;16C:1-7. doi: 10.1016/j.fsigen.2014.10.017.

[http://linkinghub.elsevier.com/retrieve/pii/S1872-4973\(14\)00233-6](http://linkinghub.elsevier.com/retrieve/pii/S1872-4973(14)00233-6)

Micanovic R, Khan S, El-Achkar TM:

Immunofluorescence laser micro-dissection of specific nephron segments in the mouse kidney allows targeted downstream proteomic analysis

Physiol Rep. 2015 Feb 12;3(2). pii: e12306. doi: 10.14814/phy2.12306.

<http://physreports.physiology.org/cgi/pmidlookup?view=long&pmid=25677553>

Mishra PK, Teale JM:

Transcriptome analysis of the ependymal barrier during murine neurocysticercosis

J Neuroinflammation. 2012 Jun 25;9(1):141

<http://www.jneuroinflammation.com/content/9/1/141/abstract>

Öhlund M, Franzen P, Andersson G, Holst BS, Lau J:

Laser Microdissection of Pancreatic Islets Allows for Quantitative Real-Time PCR Detection of Islet-Specific Gene Expression in Healthy and Diabetic Cats

Journal of Gastroenterology, Pancreatology & Liver Disorders

http://www.researchgate.net/publication/270816898_Laser_Microdissection_of_Pancreatic_Islets_Allows_for_Quantitative_Real-Time_PCR_Detection_of_Islet-Specific_Gene_Expression_in_Healthy_and_Diabetic_Cats_Amyloid

Raasch J, Zeller N, van Loo G, Merkler D, Mildner A, Erny D, Knobloch KP, Bethea JR, Waisman A, Knust M, Del Turco D, Deller T, Blank T, Priller J, Brück W, Pasparakis M, Prinz M:

I κ B kinase 2 determines oligodendrocyte loss by non-cell-autonomous activation of NF- κ B in the central nervous system

Brain 134(Pt 4): 1184-98 (Epub 2011)

<http://brain.oxfordjournals.org/content/134/4/1184.long>

Root DH, Mejias-Aponte CA, Qi J, Morales M:

Role of glutamatergic projections from ventral tegmental area to lateral habenula in aversive conditioning

J Neurosci. 2014 Oct 15;34(42):13906-10. doi: 10.1523/JNEUROSCI.2029-14.2014.

<http://www.jneurosci.org/cgi/pmidlookup?view=long&pmid=25319687>

Schnorbusch K, Lembrechts R, Pintelon I, Timmermans JP, Brouns I, Adriaensen D:

GABAergic signaling in the pulmonary neuroepithelial body microenvironment: functional imaging in GAD67-GFP mice

Histochem Cell Biol. 2013 Apr 9.

<http://dx.doi.org/10.1007/s00418-013-1093-x>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:
Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.

<http://dx.doi.org/10.1038/ki.2012.108>

Suárez-Calvet X, Gallardo E, Nogales-Gadea G, Querol L, Navas M, Diaz-Manera J, Rojas-Garcia R, Illa I:

Altered RIG-I/DDX58-mediated innate immunity in dermatomyositis

J Pathol. 2014 Mar 6. doi: 10.1002/path.4346.

<http://onlinelibrary.wiley.com/doi/10.1002/path.4346/abstract>

Wei Y, Gong J, Thimmulappa RK, Kosmider B, Biswal S, Duh EJ:

Nrf2 acts cell-autonomously in endothelium to regulate tip cell formation and vascular branching

Proc Natl Acad Sci U S A. 2013 Oct 8;110(41):E3910-E3918.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24062466>

Welsh IC, Thomsen M, Gludish DW, Alfonso-Parra C, Bai Y, Martin JF, Kurpios NA:

Integration of Left-Right Pitx2 Transcription and Wnt Signaling Drives Asymmetric Gut Morphogenesis via Daam2

Dev Cell. 2013 Sep 30;26(6):629-44. doi: 10.1016/j.devcel.2013.07.019.

[http://linkinghub.elsevier.com/retrieve/pii/S1534-5807\(13\)00449-8](http://linkinghub.elsevier.com/retrieve/pii/S1534-5807(13)00449-8)

Yi L, Liang ZT, Peng Y, Yao X, Chen HB, Zhao ZZ:

Tissue-specific metabolite profiling of alkaloids in Sinomenii Caulis using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry

J Chromatogr A. 2012 May 24. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S002196731200787X>

Yoshioka W, Endo N, Kurashige A, Haijima A, Endo T, Shibata T, Nishiyama R, Kakeyama M, Tohyama C:

Fluorescence laser microdissection reveals a distinct pattern of gene activation in the mouse hippocampal region

Sci Rep. 2012;2:783. doi: 10.1038/srep00783.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23136640/>

Zhao J, Li x, Luo Q, Chen L, Chai L, Huang Y, and Fang L:

Screening of surface markers on rat intestinal mucosa microfold cells by using laser capture microdissection combined with protein chip technology

Int J Clin Exp Med 2014;7(4):932-939; www.ijcem.com, /ISSN:1940-5901/IJCEM1401061

<http://www.ijcem.com/files/ijcem1401061.pdf>

5. Cancer-Research

Ai J, Pascal LE, O'Malley KJ, Dar JA, Isharwal S, Qiao Z, Ren B, Rigatti LH, Dhir R, Xiao W, Nelson JB, Wang Z:

Concomitant loss of EAF2/U19 and Pten synergistically promotes prostate carcinogenesis in the mouse model

Oncogene. 2013 May 27. doi: 10.1038/onc.2013.190.

<http://dx.doi.org/10.1038/onc.2013.190>

Albino D, Scaruffi P, Moretti S, Coco S, Truini M, Di Cristofano C, Cavazzana A, Stigliani S, Bonassi S, Tonini GP:

Identification of low intratumoral gene expression heterogeneity in neuroblastic tumors by genome-wide expression analysis and game theory

Cancer. 2008 Sep 15;113(6):1412-22.

<http://onlinelibrary.wiley.com/doi/10.1002/cncr.23720/abstract>

Ardighieri L, Zeppernick F, Hannibal CG, Vang R, Cope L, Junge J, Kjaer SK, Kurman RJ, Shih IM:
Mutational Analysis of BRAF and KRAS in Ovarian Atypical Proliferative Serous (Borderline) Tumors and Associated Peritoneal Implants

J. Pathol., 1096-9896, 10.1002/path.4293, 2013

<http://dx.doi.org/10.1002/path.4293>

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:

Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis

ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545

<http://www.isrn.com/journals/mb/2012/706545/>

Asztalos S, Gann PH, Hayes MK, Nonn L, Beam CA, Dai Y, Wiley EL, Tonetti DA:

Gene expression patterns in the human breast after pregnancy

Cancer Prev Res (Phila). 2010 Mar;3(3):301-11

<http://cancerpreventionresearch.aacrjournals.org/content/3/3/301.short>

Augello C, Gianelli U, Savi F, Moro A, Bonoldi E, Gambacorta M, Vaira V, Baldini L, Bosari S:

MicroRNA as potential biomarker in HCV-associated diffuse large B-cell lymphoma

J Clin Pathol. 2014 Jun 9. pii: jclinpath-2014-202352. doi: 10.1136/jclinpath-2014-202352.

<http://jcp.bmj.com/cgi/pmidlookup?view=long&pmid=24914240>

Augello C, Vaira V, Caruso L, Destro A, Maggioni M, Park YN, Montorsi M, Santambrogio R, Roncalli M, Bosari S:

MicroRNA profiling of hepatocarcinogenesis identifies C19MC cluster as a novel prognostic biomarker in hepatocellular carcinoma

Liver Int. 2012 Mar 19. doi: 10.1111/j.1478-3231.2012.02795.x. [Epub ahead of print]

<http://onlinelibrary.wiley.com/doi/10.1111/j.1478-3231.2012.02795.x/full>

Avan A, Caretti V, Funel N, Galvani E, Maftouh M, Honeywell RJ, Lagerweij T, Van Tellingen O, Campani D, Fuchs D, Verheul HM, Schuurhuis GJ, Boggi U, Peters GJ, Wurdinger T, Giovannetti E:

Crizotinib inhibits metabolic inactivation of gemcitabine in c-Met-driven pancreatic carcinoma

Cancer Res. 2013 Oct 1.

<http://cancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24085787>

Avan A, Crea F, Paolicchi E, Funel N, Galvani E, Marquez VE, Honeywell RJ, Danesi R, Peters GJ, Giovannetti E:

Molecular mechanisms involved in the synergistic interaction of the EZH2 inhibitor 3-deazaneplanocin A (DZNeP) with gemcitabine in pancreatic cancer cells

Mol Cancer Ther. 2012 May 23

<http://mct.aacrjournals.org/content/early/2012/05/23/1535-7163.MCT-12-0037.abstract>

Bagan JV, Mata-Roig M, Cortio-Gimeno J, Murillo-Cortes J, Hens-Aumente E, Poveda-Roda R, Bagan L: **Epidermal growth factor receptor copy number in potentially malignant oral disorders and oral squamous cell carcinoma: a short communication and preliminary study**

J Oral Pathol Med. 2012 Mar 14. doi: 10.1111/j.1600-0714.2012.01137.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0714.2012.01137.x/abstract>

Bainer RO, Veneris JT, Yamada SD, Montag A, Lingen MW, Gilad Y, Rinker-Schaeffer CW:

Time-dependent transcriptional profiling links gene expression to mitogen-activated protein kinase kinase 4 (MKK4)-mediated suppression of omental metastatic colonization

Clin Exp Metastasis. 2012 Feb 21. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10585-011-9448-y>

Bandapalli, O.R., Geheeb, M., Kobelt, D., Kuehnle, K., Elezkurtaj, S., Herrmann, J., Gressner, A.M., Weiskirchen, R., Beule, D., Bluthgen, N., Herzel, H., Franke, C., and Brand, K.:

Global analysis of host tissue gene expression in the invasive front of colorectal liver metastases

Int J Cancer 118(1): 74-89 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21307/full>

Bao W, Wang HH, Tian FJ, He XY, Qiu MT, Wang JY, Zhang HJ, Wang LH, Wan XP:

A TrkB-STAT3-miR-204-5p regulatory circuitry controls proliferation and invasion of endometrial carcinoma cells

Mol Cancer. 2013 Dec 9;12(1):155.

<http://www.molecular-cancer.com/content/12/1/155>

Barault L, Ellsworth RE, Harris HR, Valente AL, Shriver CD, and Michels KB:

Leukocyte DNA as Surrogate for the Evaluation of Imprinted Loci Methylation in Mammary Tissue DNA

PLoS ONE 8(2): e55896. doi:10.1371/journal.pone.0055896

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0055896>

Barrow TM, Barault L, Ellsworth RE, Harris HR, Binder AM, Valente AL, Shriver CD, Michels KB:

Aberrant methylation of imprinted genes is associated with negative hormone receptor status in invasive breast cancer

Int J Cancer. 2015 Jan 5. doi: 10.1002/ijc.29419.

<http://dx.doi.org/10.1002/ijc.29419>

Becette, V., Vignaud, S., Regnier, C., Labroquere, M., Fourme, E., Menet, E., Bieche, I., and Spyrtos, F.: **Gene transcript assay by real-time RT-PCR in epithelial breast cancer cells selected by laser microdissection**

Int J Biol Markers 19(2): 100-108 (2004)

<http://cat.inist.fr/?aModele=afficheN&cpsidt=15941984>

Betta P.G., Olivieri F., Lazzarini R., Ceka A., Graciotti L., Babini L., Rippo M.R., Procopio A., Grosso F., Libener R.:

miRNAs signature in microdissected tissues and primary cultured cells of malignant mesotelioma

J Clin Oncol 29: 2011 (suppl; abstr e21031)

http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst_detail_view&confID=102&abstractID=78897

Björner S, Fitzpatrick PA, Li Y, Allred C, Howell A, Ringberg A, Olsson H, Miller CJ, Axelson H, Landberg G:

Epithelial and Stromal MicroRNA Signatures of Columnar Cell Hyperplasia Linking Let-7c to Precancerous and Cancerous Breast Cancer Cell Proliferation

PLoS One. 2014 Aug 14;9(8):e105099. doi: 10.1371/journal.pone.0105099.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0105099>

Bourdeaut F, Hérault A, Gentien D, Pierron G, Ballet S, Reynaud S, Paris R, Schleiermacher G, Baumann C, Philippe-Chomette P, Gauthier-Villars M, Peuchmaur M, Radvanyi F, Delattre O:

Mosaicism for oncogenic G12D KRAS mutation associated with epidermal nevus, polycystic kidneys and rhabdomyosarcoma

J Med Genet 47(12):859-62 (2010)

<http://img.bmj.com/content/47/12/859.short>

Bullock MD, Mellone M, Pickard KM, Sayan AE, Mitter R, Primrose JN, Packham GK, Thomas G, Mirnezami AH:

Molecular Profiling of the Invasive Tumor Microenvironment in a 3-Dimensional Model of Colorectal Cancer Cells and Ex vivo Fibroblasts

Journal of Visualized Experiments (86) p. e51475 (2014)

<http://www.jove.com/video/51475/molecular-profiling-invasive-tumor-microenvironment-3-dimensional>

Bullock MD, Pickard KM, Nielsen BS, Sayan AE, Jenei V, Mellone M, Mitter R, Primrose JN, Thomas GJ, Packham GK, Mirenzami AH:

Pleiotropic actions of miR-21 highlight the critical role of deregulated stromal microRNAs during colorectal cancer progression

Cell Death Dis. 2013 Jun 20;4:e684. doi: 10.1038/cddis.2013.213.

<http://www.nature.com/cddis/journal/v4/n6/abs/cddis2013213a.html>

Buob D, Fauvel H, Buisine MP, Truant S, Mariette C, Porchet N, Wacrenier A, Copin MC, Leteurtre E:

The Complex Intratumoral Heterogeneity of Colon Cancer Highlighted by Laser Microdissection

Dig Dis Sci. 2011 Dec 25., DOI 10.1007/s10620-011-2023-1

<http://dx.doi.org/10.1007/s10620-011-2023-1>

Cameselle-Teijeiro J, Ferreira R, Caramés N, Abdulkader I, Máximo V, Soares P, Sobrinho-Simões M:

Absence of the BRAF and the GRIM-19 Mutations in Oncocytic (Hurthle Cell) Solid Cell Nests of the Thyroid

Am J Clin Pathol. 2012 Apr;137(4):612-8

<http://ajcp.ascpjournals.org/content/137/4/612.full>

Caponi S, Funel N, Frampton AE, Mosca F, Santarpia L, Van der Velde AG, Jiao LR, De Lio N, Falcone A, Kazemier G, Mejer GA, Verheul HM, Vasile E, Peters GJ, Boggi U, Giovannetti E:

The good, the bad and the ugly: a tale of miR-101, miR-21 and miR-155 in pancreatic intraductal papillary mucinous neoplasms

Ann Oncol. 2012 Nov 8.

<http://annonc.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23139258>

Catenacci DV, Liao WL, Thyparambil S, Henderson L, Xu P, Zhao L, Rambo B, Hart J, Xiao SY, Bengali K, Uzzell J, Darfler M, Krizman DB, Cecchi F, Bottaro DP, Karrison T, Veenstra TD, Hembrough T, Burrows J:

Absolute Quantitation of Met Using Mass Spectrometry for Clinical Application: Assay Precision, Stability, and Correlation with MET Gene Amplification in FFPE Tumor Tissue

PLoS One. 2014 Jul 1;9(7):e100586. doi: 10.1371/journal.pone.0100586. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0100586#pone-0100586-g001>

Cavallari I, Silic-Benussi M, Rende F, Martines A, Fogar P, Basso D, Vella MD, Pedrazzoli S, Herman JG, Chieco-Bianchi L, Esposito G, Ciminale V, D'Agostino DM:

Decreased expression and promoter methylation of the menin tumor suppressor in pancreatic ductal adenocarcinoma

Genes Chromosomes Cancer 48(5):383-96 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.20650/full>

Chan MK, Ocampo-Hafalla MT, Vartanian V, Jaruga P, Kirkali G, Koenig KL, Brown S, Lloyd RS, Dizdaroglu M, Teebor GW:

Targeted deletion of the genes encoding NTH1 and NEIL1 DNA N-glycosylases reveals the existence of novel carcinogenic oxidative damage to DNA

DNA Repair (Amst). 2009 Jul 4;8(7):786-94

<http://dx.doi.org/10.1016/j.dnarep.2009.03.001>

Chen, Z. and Gu, J.:

Immunoglobulin G expression in carcinomas and cancer cell lines

Faseb J (2007)

<http://www.fasebj.org/content/21/11/2931.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:

Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis

Clin Cancer Res 14(2): 435-445 (2008)

<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:

Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis

J Proteome Res 7(6): 2415-2426 (2008)

<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

Chiappetta C, Proietti I, Soccodato V, Puggioni C, Zaralli R, Pacini L, Porta N, Skroza N, Petrozza V, Potenza C, Rocca CD, Di Cristofano C:

BRAF and NRAS Mutations are Heterogeneous and Not Mutually Exclusive in Nodular Melanoma

Applied Immunohistochemistry & Molecular Morphology, doi: 10.1097/PAI.0000000000000071

http://journals.lww.com/appliedimmunohist/Abstract/publshahead/BRAF_and_NRAS_Mutations_are_Heterogeneous_and_Not.99403.aspx

Choi J, Kim DH, Jung WH, Koo JS:

Metabolic interaction between cancer cells and stromal cells according to breast cancer molecular subtype

Breast Cancer Res. 2013 Sep 10;15(5):R78.

<http://breast-cancer-research.com/content/15/5/R78>

Choong, N.W., Dietrich, S., Seiwert, T.Y., Tretiakova, M.S., Nallasura, V., Davies, G.C., Lipkowitz, S., Husain, A.N., Salgia, R., and Ma, P.C.:

Gefitinib response of erlotinib-refractory lung cancer involving meninges--role of EGFR mutation

Nat Clin Pract Oncol 3(1): 50-57; quiz 51 p following 57 (2006)

<http://www.nature.com/nrclinonc/journal/v3/n1/full/nrclinonc0400.html>

Chui, D.T., Hammond, D., Baird, M., Shield, L., Jackson, R., and Jarrett, R.F.:

Classical Hodgkin lymphoma is associated with frequent gains of 17q

Genes Chromosomes Cancer 38(2): 126-136 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.10266/full>

Co NN, Iglesias D, Celestino J, Kwan SY, Mok SC, Schmandt R, Lu KH:

Loss of LKB1 in high-grade endometrial carcinoma: LKB1 is a novel transcriptional target of p53

Cancer. 2014 Jul 16. doi: 10.1002/ncr.28854.

<http://dx.doi.org/10.1002/ncr.28854>

Confavreux CB, Girard N, Pialat J-P, Bringuier P-P, Shisheboran MD, Rousseau J-C, Isaac S, Thivolet-Bejui F, Clezardin P, and Brevet M:

Mutational profiling of bone metastases from lung adenocarcinoma: results of a prospective study (POUMOS-TEC)

BoneKEy Reports 3, Article number: 580 (2014) | doi:10.1038/bonekey.2014.75

<http://www.nature.com/bonekeyreports/2014/141001/bonekey201475/pdf/bonekey201475.pdf>

Cook CC, Kim A, Terao S, Gotoh A, Higuchi M

Consumption of oxygen: a mitochondrial-generated progression signal of advanced cancer

Cell Death Dis. 2012 Jan 19;3:e258. doi: 10.1038/cddis.2011.141

<http://dx.doi.org/10.1038/cddis.2011.141>

Cotoi CG, Khorsandi SE, Pleșea IE, Quaglia A:

Whole-genome DASL gene expression profiling of hepatocellular carcinoma sub-populations isolated by laser microdissection on formalin-fixed and paraffin-embedded liver tissue samples

Rom J Morphol Embryol. 2012;53(4):893-902.

<http://www.rjme.ro/RJME/resources/files/530412893902.pdf>

Crescenzi M, Persano L, Esposito G, Zulato E, Borsi L, Balza E, Ruol A, Ancona E, Indraccolo S, Amadori A:

Vandetanib improves anti-tumor effects of L19mTNFalpha in xenograft models of esophageal cancer

Clin Cancer Res. 2011 Feb 1;17(3):447-58

<http://clincancerres.aacrjournals.org/content/17/3/447.short>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

de Chaisemartin L, Goc J, Damotte D, Validire P, Magdeleinat P, Alifano M, Cremer I, Fridman WH, Sautes-Fridman C, Dieu-Nosjean MC:

Characterization of chemokines and adhesion molecules associated with T cell presence in tertiary lymphoid structures in human lung cancer

Cancer Res. 2011 Sep 7. [Epub ahead of print]

<http://cancerres.aacrjournals.org/content/early/2011/09/06/0008-5472.CAN-11-0952.long>

Del Grosso F, Coco S, Scaruffi P, Stigliani S, Valdora F, Benelli R, Salvi S, Boccardo S, Truini M, Croce M, Ferrini S, Longo L, Tonini GP:

Role of CXCL13-CXCR5 crosstalk between malignant neuroblastoma cells and Schwannian stromal cells in neuroblastic tumors

Mol Cancer Res. 2011 Jul;9(7):815-23.

<http://mcr.aacrjournals.org/content/9/7/815.long>

Dellmann A, Schroeder HG, Donhuijsen K:

Destructive tumours of the larynx mimicking osteosarcoma: two cases of osteoblastoma with organ-saving resection and follow-up

Eur Arch Otorhinolaryngol. 2010 Jan;267(1):151-4

<http://www.springerlink.com/content/151254313937q5j3/>

Deyarmin B, Kane JL, Valente AL, van Laar R, Gallagher C, Shriver CD, Ellsworth RE:

Effect of ASCO/CAP Guidelines for Determining ER Status on Molecular Subtype

Ann Surg Oncol. 2012 Aug 9. [Epub ahead of print]

<http://dx.doi.org/10.1245/s10434-012-2588-8>

Djidja MC, Chang J, Hadjiprocopis A, Schmich F, Sinclair J, Mršnik M, Schoof EM, Barker HE, Linding R, Jorgensen C, Erler JT:

Identification of hypoxia-regulated proteins using MALDI-Mass Spectrometry Imaging combined with quantitative proteomics

J Proteome Res. 2014 Apr 7

<http://dx.doi.org/10.1021/pr401056c>

Domazet B, Maclennan GT, Lopez-Beltran A, Montironi R, Cheng L:

Laser capture microdissection in the genomic and proteomic era: targeting the genetic basis of cancer

Int J Clin Exp Pathol. 2008 Mar 15;1(6):475-88

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2480591/?tool=pubmed>

Dong, B., Sato, M., Sakurada, A., Sagawa, M., Endo, C., Wu, S., Yamanaka, S., Horii, A., and Kondo, T.:
Computed tomographic images reflect the biologic behavior of small lung adenocarcinoma: they correlate with cell proliferation, microvascularization, cell adhesion, degradation of extracellular matrix, and K-ras mutation

J Thorac Cardiovasc Surg 130(3): 733-739 (2005)

<http://www.jtcvsonline.org/article/S0022-5223%2805%2900791-9/abstract>

Du L, Peng R, Björkman A, Filipe de Miranda N, Rosner C, Kotnis A, Berglund M, Liu C, Rosenquist R, Enblad G, Sundström C, Hojjat-Farsangi M, Rabbani H, Teixeira MR, Revy P, Durandy A, Zeng Y, Gennery AR, de Villartay JP, Pan-Hammarström Q:

Cernunnos influences human immunoglobulin class switch recombination and may be associated with B cell lymphomagenesis

J Exp Med. 2012 Feb 6. [Epub ahead of print]

<http://www.jem.org/cgi/pmidlookup?view=long&pmid=22312109>

Ellsworth, D.L., Ellsworth, R.E., Love, B., Deyarmin, B., Lubert, S.M., Mittal, V., and Shriver, C.D.:

Genomic patterns of allelic imbalance in disease free tissue adjacent to primary breast carcinomas

Breast Cancer Res Treat 88(2): 131-139 (2004)

<http://www.springerlink.com/content/p08585p766261t33/>

Ellsworth, R.E., Ellsworth, D.L., Lubert, S.M., Hooke, J., Somiari, R.I., and Shriver, C.D.:

High-throughput loss of heterozygosity mapping in 26 commonly deleted regions in breast cancer

Cancer Epidemiol Biomarkers Prev 12(9): 915-919 (2003)

<http://cebp.aacrjournals.org/content/12/9/915.long>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Ellsworth RE, Seebach J, Field LA, Heckman C, Kane J, Hooke JA, Love B, Shriver CD:

A gene expression signature that defines breast cancer metastases

Clin Exp Metastasis 26(3):205-13 (2009)

<http://www.springerlink.com/content/102574228038m751/>

Ellsworth RE, Ellsworth DL, Weyandt JD, Fantacone-Campbell JL, Deyarmin B, Hooke JA, Shriver CD:
Chromosomal Alterations in Pure Nonneoplastic Breast Lesions: Implications for Breast Cancer Progression

Ann Surg Oncol. 2010 Jun;17(6):1688-94

<http://www.springerlink.com/content/b611350886456851/>

Eslami A, Miyaguchi K, Mogushi K, Watanabe H, Okada N, Shibuya H, Mizushima H, Miura M, Tanaka H:
PARVB overexpression increases cell migration capability and defines high risk for endophytic growth and metastasis in tongue squamous cell carcinoma

Br J Cancer. 2014 Nov 25. doi: 10.1038/bjc.2014.590.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2014590a.html>

Esposito, G.:

Complementary techniques: laser capture microdissection--increasing specificity of gene expression profiling of cancer specimens

Adv Exp Med Biol 593: 54-65 (2007)

<http://www.springerlink.com/content/g448m0n0710r420n/>

Feltmate, C.M., Lee, K.R., Johnson, M., Schorge, J.O., Wong, K.K., Hao, K., Welch, W.R., Bell, D.A., Berkowitz, R.S., and Mok, S.C.:

Whole-genome allelotyping identified distinct loss-of-heterozygosity patterns in mucinous ovarian and appendiceal carcinomas

Clin Cancer Res 11(21): 7651-7657 (2005)

<http://clincancerres.aacrjournals.org/content/11/21/7651.long>

Feng, X., Ren, C., Zhou, W., Liu, W., Zeng, L., Li, G., Wang, L., Li, M., Zhu, B., Yao, K. and Jiang, X:
Promoter Hypermethylation Along With LOH, But Not Mutation, Contributes to Inactivation of DLC-1 in Nasopharyngeal Carcinoma

Mol. Carcinog., 12 JUN 2013, DOI: 10.1002/mc.22044

<http://onlinelibrary.wiley.com/doi/10.1002/mc.22044/abstract>

Field LA, Love B, Deyarmin B, Hooke JA, Shriver CD, Ellsworth RE:

Identification of differentially expressed genes in breast tumors from African American compared with Caucasian women

Cancer. 2012 Mar 1;118(5):1334-44. doi: 10.1002/cncr.26405. Epub 2011 Jul 28.

<http://dx.doi.org/10.1002/cncr.26405>

Frau C, Loi R, Petrelli A, Perra A, Menegon S, Kowalik MA, Pinna S, Leoni VP, Fornari F, Gramantieri L, Ledda-Columbano GM, Giordano S, Columbano A:

Local hypothyroidism favours the progression of rat preneoplastic lesions to HCC

Hepatology. 2014 Aug 25. doi: 10.1002/hep.27399.

<http://dx.doi.org/10.1002/hep.27399>

Freire J, Ajona D, de Biurrun G, Agorreta J, Segura V, Guruceaga E, Bleau AM, Pio R, Blanco D, Montuenga LM:

Silica-induced Chronic Inflammation Promotes Lung Carcinogenesis in the Context of an Immunosuppressive Microenvironment

Neoplasia. 2013 Aug;15(8):913-24.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3730043/>

Frierson, H.F., Jr., El-Naggar, A.K., Welsh, J.B., Sapinoso, L.M., Su, A.I., Cheng, J., Saku, T., Moskaluk, C.A., and Hampton, G.M.:

Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma

Am J Pathol 161(4): 1315-1323 (2002)

<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2810%2964408-2/abstract>

Frietsch JJ, Grunewald TG, Jasper S, Kammerer U, Herterich S, Kapp M, Honig A, Butt E:

Nuclear localisation of LASP-1 correlates with poor long-term survival in female breast cancer

Br J Cancer. 2010 May 25;102(11):1645-53

<http://www.nature.com/bjc/journal/v102/n11/full/6605685a.html>

Fujita K, Yamamoto H, Matsumoto T, Hirahashi M, Gushima M, Kishimoto J, Nishiyama K, Taguchi T, Yao T, Oda Y :

Sessile Serrated Adenoma With Early Neoplastic Progression: A Clinicopathologic and Molecular Study

Am J Surg Pathol. 2011 Feb;35(2):295-304

http://journals.lww.com/ajsp/Abstract/2011/02000/Sessile_Serrated_Adenoma_With_Early_Neoplastic.15.aspx

Fujimura T, Takahashi S, Urano T, Takayama K, Sugihara T, Obinata D, Yamada Y, Kumagai J, Kume H, Ouchi Y, Inoue S, Homma Y:

Expression of androgen and estrogen signaling components and stem cell markers to predict cancer progression and cancer-specific survival in patients with metastatic prostate cancer

Clin Cancer Res. 2014 Jul 1. pii: clincanres.1105.2013.

<http://clincancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24987058>

Funel N, Baron M, Pollina LE, Del Chiaro M, Salem FA, Boggi U, Bevilacqua G, Mosca F, Campani D:
Homozygosity Mutation in K-ras Oncogene in Primary Cell Culture from Pancreatic Ductal Adenocarcinoma. Characteristic of the Tumor or Adaptation in Vitro?

JOP. J Pancreas (Online) 2007; 8(5 Suppl):658-659.

<http://www.joplink.net/prev/200709/39.html>

Funel N, Giovannetti E, Del Chiaro M, Pollina LE, Mosca F, Boggi U, Campani D:

Critical Role of Laser Microdissection for Genetic and Epigenetic Analyses in Pancreatic Cancer: Ten Years of Monocentric Experience

JOP. J Pancreas (Online) 2011 Oct 11; 12(5 Suppl):535

<http://www.joplink.net/prev/201109/162.html>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Funel N, Maftouh M, Faviana P, Avan A, Pollina LE, Caponi S, Milella M, Cantore M, Pacetti P, Mambrini A, Vasile E, Reni M, Boggi U, Campani D, Giovannetti E:

EZH2 Expression and Polymorphisms in Advanced Pancreatic Cancer

JOP. Journal of the Pancreas, Vol 14, No 5S (2013)

<http://dx.doi.org/10.6092%2F1590-8577%2F1776>

Funel, N., Menicagli, M., Campani, D., Esposito, I., Pollina, L.E., Recarli, N., Di Cristofano, C., Cavazzana, A.O., Chifenti, B., Del Chiaro, M., Boggi, U., Mosca, T., and Bevilacqua, G.:

Laser Microdissection on Primary Cell Cultures of Pancreatic Adenocarcinoma

J Pancreas 5: 438-439 (2004)

<http://www.joplink.net/prev/200409/68.html>

Funel N, Morelli M, Giovannetti E, Del Chiaro M, Pollina LE, Mosca F, Boggi U, Cavazzana A, Campani D:
Loss of Heterozygosity Status of D9S105 Marker Is Associated with Downregulation of Krüppel-Like Factor 4 Expression in Pancreatic Ductal Adenocarcinoma and Pancreatic Intraepithelial Lesions

Pancreatology. 2011 Mar 16;11(1):30-42.

<http://content.karger.com/produktedb/produkte.asp?doi=322990>

Gilling CE, Mittal AK, Chaturvedi NK, Iqbal J, Aoun P, Bierman PJ, Bociek RG, Weisenburger DD, Joshi SS:

Lymph node-induced immune tolerance in chronic lymphocytic leukaemia: a role for caveolin-1

Br J Haematol. 2012 May 10. doi: 10.1111/j.1365-2141.2012.09148.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2141.2012.09148.x/abstract>

Giovannetti E, Del Tacca M, Mey V, Funel N, Nannizzi S, Ricci S, Boggi U, Orlandini C, Campani D, Del Chiaro M, Iannopollo M, Codacci-Pisanelli G, Bevilacqua G, Mosca F and Danesi R:

Expression of genes involved in the gemcitabine pathway and clinical outcome in pancreatic cancer patients

Proc Amer Assoc Cancer Res, Volume 47 (2006)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2006/1/734-a>

Giovannetti E, van der Velde A, Funel N, Vasile E, Perrone V, Leon LG, De Lio N, Avan A, Caponi S, Pollina LE, Gallá V, Sudo H, Falcone A, Campani D, Boggi U, Peters GJ:

High-Throughput MicroRNA (miRNAs) Arrays Unravel the Prognostic Role of MiR-211 in Pancreatic Cancer

PLoS One. 2012;7(11):e49145. doi: 10.1371/journal.pone.0049145. Epub 2012 Nov 14.

<http://dx.plos.org/10.1371/journal.pone.0049145>

Giovannetti E, Wang Q, Avan A, Funel N, Lagerweij T, Lee JH, Caretti V, van der Velde A, Boggi U, Wang Y, Vasile E, Peters GJ, Wurdinger T, Giaccone G:

Role of CYB5A in Pancreatic Cancer Prognosis and Autophagy Modulation

J Natl Cancer Inst. 2013 Dec 3.

<http://jnci.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24301457>

Giuffre, G., Muller, A., Brodegger, T., Bocker-Edmonston, T., Gebert, J., Kloor, M., Dietmaier, W., Kullmann, F., Buttner, R., Tuccari, G., and Ruschoff, J.:

Microsatellite analysis of hereditary nonpolyposis colorectal cancer-associated colorectal adenomas by laser-assisted microdissection: correlation with mismatch repair protein expression provides new insights in early steps of tumorigenesis

J Mol Diagn 7(2): 160-170 (2005)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960542-9/abstract>

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopollo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovannetti E, Funel N, Peters GJ, Del Chiaro M, Erozenski LA, Vasile E, Leon LG, Pollina LE, Groen A, Falcone A, Danesi R, Campani D, Verheul HM, Boggi U:

MicroRNA-21 in pancreatic cancer: correlation with clinical outcome and pharmacologic aspects underlying its role in the modulation of gemcitabine activity

Cancer Res. 2010 Jun 1;70(11):4528-38

<http://cancerres.aacrjournals.org/content/70/11/4528.short>

Gong L, Wei LX, Ren P, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Dysplastic nodules with glypican-3 positive immunostaining: a risk for early hepatocellular carcinoma

PLoS One. 2014 Jan 31;9(1):e87120. doi: 10.1371/journal.pone.0087120. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0087120>

Gong L, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Clonal status and clinicopathological observation of cervical minimal deviation adenocarcinoma

Diagn Pathol 5:25 (2010)

<http://diagnosticpathology.org/content/5/1/25/abstract>

Gu-Qing Z, Ai-Lan C, Hong Y, Mao-Yu L, Guo-Qing L, Jian-Ling L, Li L:

Quantitative Proteomic Study for Various Stage Tissues of Human Bronchial Epithelial Carcinogenesis by Laser Capture Microdissection

Prog. Biochem. Biophys. 2013; 40 (6)

http://www.pibb.ac.cn/pibben/ch/reader/view_abstract.aspx?file_no=20120474&flag=2

Guerra A, Sapio MR, Marotta V, Campanile E, Rossi S, Forno I, Fugazzola L, Budillon A, Moccia T, Fenzi G, Vitale M

The Primary Occurrence of BRAFV600E Is a Rare Clonal Event in Papillary Thyroid Carcinoma

J Clin Endocrinol Metab. 2011 Dec 14. [Epub ahead of print]

<http://jcem.endojournals.org/cgi/pmidlookup?view=long&pmid=22170714>

Guidoboni, M., Ponzoni, M., Caggiari, L., Lettini, A.A., Vago, L., De Re, V., Gloghini, A., Zancai, P., Carbone, A., Boiocchi, M., and Dolcetti, R.:

Latent membrane protein 1 deletion mutants accumulate in reed-sternberg cells of human immunodeficiency virus-related Hodgkin's lymphoma

J Virol 79(4): 2643-2649 (2005)

<http://jvi.asm.org/cgi/content/full/79/4/2643?view=long&pmid=15681466>

Hayashi T, Koike K, Kumasaka T, Saito, T, Mitani K, Terao Y, Ogishima D, Yao T, Takeda S, Takahashi K, Seyama K:

Uterine angiosarcoma associated with lymphangioliomyomatosis in a patient with tuberous sclerosis complex: an autopsy case report with immunohistochemical and genetic analysis

Human Pathology, PII: S0046-8177(12)00112-8; doi:10.1016/j.humpath.2012.03.020

<http://www.humanpathol.com/article/S0046-8177%2812%2900112-8/abstract>

Hembrough T, Thyparambil S, Liao WL, Darfler MM, Abdo J, Bengali KM, Taylor P, Tong J, Lara-Guerra H, Waddell TK, Moran MF, Tsao MS, Krizman DB, Burrows J.:

Selected Reaction Monitoring (SRM) Analysis of Epidermal Growth Factor Receptor (EGFR) in Formalin Fixed Tumor Tissue

Clin Proteomics. 2012 May 3;9(1):5. doi: 10.1186/1559-0275-9-5.

<http://www.clinicalproteomicsjournal.com/content/9/1/5>

Hosono Y, Yamaguchi T, Mizutani E, Yanagisawa K, Arima C, Tomida S, Shimada Y, Hiraoka M, Kato S, Yokoi K, Suzuki M, Takahashi T:

MYBPH, a transcriptional target of TTF-1, inhibits ROCK1, and reduces cell motility and metastasis
EMBO J. 2011 Nov 15. doi: 10.1038/emboj.2011.416.

<http://www.nature.com/emboj/journal/vaop/ncurrent/full/emboj2011416a.html>

Hou S, Zhao L, Shen Q, Yu J, Ng C, Kong X, Wu D, Song M, Shi X, Xu X, OuYang WH, He R, Zhao XZ, Lee T, Brunicardi FC, Garcia MA, Ribas A, Lo RS, Tseng HR:

Polymer nanofiber-embedded microchips for detection, isolation, and molecular analysis of single circulating melanoma cells

Angew Chem Int Ed Engl. 2013 Mar 18;52(12):3379-83. doi: 10.1002/anie.201208452. Epub 2013 Feb 21.

<http://dx.doi.org/10.1002/anie.201208452>

Hsu, K., Huang, S., Chou, C., Shen, M., Cheng, Y., and Chen, Y.Q.:

SCC A2 and SCC A1 expression level in uterine cervical carcinogenesis

Proc Amer Assoc Caner Res 46 (2005)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2005/1/85?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&andorexacttitle=and&titleabstract=SCC+A2+and+SCC+A1+expression+level+in+uterine+cervical+carcinogenesis&andorexacttitleabs=and&andorexactfulltext=and&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Huang YS, Bu DF, Li XY, Ma ZH, Yang Y, Lin ZM, Lu FM, Tu P, Li H:

Unique features of PTCH1 mutation spectrum in Chinese sporadic basal cell carcinoma

J Eur Acad Dermatol Venereol. 2012 Feb 7. doi: 10.1111/j.1468-3083.2012.04453.x.

<http://dx.doi.org/10.1111/j.1468-3083.2012.04453.x>

Humphries A, Cereser B, Gay LJ, Miller DS, Das B, Gutteridge A, Elia G, Nye E, Jeffery R, Poulsom R, Novelli MR, Rodriguez-Justo M, McDonald SA, Wright NA, Graham TA:

Lineage tracing reveals multipotent stem cells maintain human adenomas and the pattern of clonal expansion in tumor evolution

Proc Natl Acad Sci U S A. 2013 Jun 13.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23766371>

Hwang JH, Voortman J, Giovannetti E, Steinberg SM, Leon LG, Kim YT, Funel N, Park JK, Kim MA, Kang GH, Kim SW, Del Chiaro M, Peters GJ, Giaccone G:

Identification of MicroRNA-21 as a Biomarker for Chemoresistance and Clinical Outcome Following Adjuvant Therapy in Resectable Pancreatic Cancer

PLoS One. 2010 May 14;5(5):e10630

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0010630>

Igarashi S, Matsubara T, Harada K, Ikeda H, Sato Y, Sasaki M, Matsui O, Nakanuma Y:

Bile duct expression of pancreatic and duodenal homeobox 1 in perihilar cholangiocarcinogenesis
Histopathology. 2012 May 17. doi: 10.1111/j.1365-2559.2012.04218.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2012.04218.x/abstract>

Ikeda, J., Morii, E., Tomita, Y., Xu, J.X., Kimura, H., Kohara, M., Hoshida, Y., and Aozasa, K.:

Methotrexate-associated lymphoproliferative disorder mimicking composite lymphoma

Int J Hematol 83(4): 363-365 (2006)

<http://www.springerlink.com/content/2700876436721844/>

Imaoka, T., Okamoto, M., Nishimura, M., Nishimura, Y., Ootawara, M., Kakinuma, S., Tokairin, Y., and Shimada, Y.:

Mammary tumorigenesis in ApcMin/+ mice is enhanced by X irradiation with a characteristic age dependence

Radiat Res 165(2): 165-173 (2006)

<http://www.rjournal.org/doi/full/10.1667/RR3502.1>

Itakura M, Terashima Y, Shingyoji M, Yokoi S, Ohira M, Kageyama H, Matui Y, Yoshida Y, Ashinuma H, Moriya Y, Tamura H, Harigaya K, Matushima K, Iizasa T, Nakagawara A, Kimura H:

High CC chemokine receptor 7 expression improves postoperative prognosis of lung adenocarcinoma patients

Br J Cancer. 2013 Aug 6. doi: 10.1038/bjc.2013.440.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2013440a.html>

Ito S, Fujii H, Matsumoto T, Abe M, Ikeda K, Hino O:

Frequent expression of Niban in head and neck squamous cell carcinoma and squamous dysplasia

Head Neck 32(1):96-103 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/hed.21153/full>

Ito, S., Ohga, T., Saeki, H., Nakamura, T., Watanabe, M., Tanaka, S., Kakeji, Y., and Maehara, Y.:

p53 mutation profiling of multiple esophageal carcinoma using laser capture microdissection to demonstrate field carcinogenesis

Int J Cancer 113(1): 22-28 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20500/full>

Iwatsuki M, Mimori K, Ishii H, Yokobori T, Takatsuno Y, Sato T, Toh H, Onoyama I, Nakayama KI, Baba H, Mori M :

Loss of FBXW7, a cell cycle regulating gene, in colorectal cancer: clinical significance

Int J Cancer 126(8):1828-37 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24879/full>

Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M:

A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer

J Surg Oncol. 2009 Sep 1;100(3):261-6.

<http://onlinelibrary.wiley.com/doi/10.1002/jso.21275/abstract>

Jiang YZ, Yu KD, Peng WT, Di GH, Wu J, Liu GY, Shao ZM:

Enriched variations in TEKT4 and breast cancer resistance to paclitaxel

Nat Commun. 2014 May 13;5:3802. doi: 10.1038/ncomms4802.

<http://dx.doi.org/10.1038/ncomms4802>

Joseph A, Gnanapragasam VJ:

Laser-Capture Microdissection and Transcriptional Profiling in Archival FFPE Tissue in Prostate Cancer

Methods Mol Biol. 2011;755:291-300.

<http://www.springerlink.com/content/x5q8x31w083p3239/#section=924966&page=1&locus=5>

Kachroo N, Valencia T, Warren AY, Gnanapragasam VJ:

Evidence for downregulation of the negative regulator SPRED2 in clinical prostate cancer

Br J Cancer. 2012 Nov 20. doi: 10.1038/bjc.2012.507.

<http://dx.doi.org/10.1038/bjc.2012.507>

Kaneko, T., Okiji, T. & Nör, J.E.:

Laser capture microdissection in oral cancer research: a review

The Research and Biology of Cancer II. ISBN: . iConcept Press. (2013)

<http://iconceptpress.com/download/paper/12050811061845.pdf>

Kato K, Kuhara A, Yoneda T, Inoue T, Takao T, Ohgami T, Dan L, Kuboyama A, Kusunoki S, Takeda S, Wake N:

Sodium butyrate inhibits the self-renewal capacity of endometrial tumor side-population cells by inducing a DNA damage response.

Mol Cancer Ther. 2011 Jun 1; doi: 10.1158/1535-7163.MCT-10-1062

<http://mct.aacrjournals.org/content/early/2011/06/01/1535-7163.MCT-10-1062.abstract>

Katz SF, Lechel A, Obenauf AC, Begus-Nahrman Y, Kraus J, Hoffmann EM, Duda J, Eshraghi P, Hartmann D, Liss B, Schirmacher P, Kestler HA, Speicher MR, Rudolph KL

Disruption of Trp53 in Livers of Mice Induces Formation of Carcinomas with Bilineal Differentiation

Gastroenterology. 2012 Feb 15. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0016-5085\(12\)00204-1](http://linkinghub.elsevier.com/retrieve/pii/S0016-5085(12)00204-1)

Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma

J Proteomics 73(6): 1089-99 (2010)

<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kerr SE, Flotte AB, McFalls MJ, Vrana JA, Halling KC, Bell DA:

Matching Maternal Isodisomy in Mucinous Carcinomas and Associated Ovarian Teratomas Provides Evidence of Germ Cell Derivation for Some Mucinous Ovarian Tumors

Am J Surg Pathol. 2013 Jun 14.

http://journals.lww.com/ajsp/Abstract/publishahead/Matching_Maternal_Isodisomy_in_Mucinous_Carcinomas.98783.aspx

Kieffer, N., Schmitz, M., Plancon, S., Margue, C., Huselstein, F., Grignard, G., Dippel, W., Nathan, M., Giacchi, S., and Scheiden, R.:

ILK as a potential marker gene to ascertain specific adenocarcinoma cell mRNA isolation from frozen prostate biopsy tissue sections

Int J Oncol 26(6): 1549-1558 (2005)

<http://www.spandidos-publications.com/ijco/26/6/1549>

Kikuchi A, Ishikawa T, Mogushi K, Ishiguro M, Iida S, Mizushima H, Uetake H, Tanaka H, Sugihara K:

Identification of NUCKS1 as a colorectal cancer prognostic marker through integrated expression and copy number analysis

Int J Cancer. 2012 Oct 15. doi: 10.1002/ijc.27911.

<http://dx.doi.org/10.1002/ijc.27911>

Kim SK, Jung WH, Koo JS:

Differential expression of enzymes associated with serine/glycine metabolism in different breast cancer subtypes

PLoS One. 2014 Jun 30;9(6):e101004. doi: 10.1371/journal.pone.0101004. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0101004>

Kimura Y, Arakawa F, Kiyasu J, Miyoshi H, Yoshida M, Ichikawa A, Niino D, Sugita Y, Okamura T, Doi A, Yasuda K, Tashiro K, Kuhara S, Ohshima K:

The Wnt signaling pathway and mitotic regulators in the initiation and evolution of mantle cell lymphoma: Gene expression analysis

Int J Oncol. 2013 Jun 12. doi: 10.3892/ijo.2013.1982.

<http://www.spandidos-publications.com/10.3892/ijo.2013.1982>

Kirana C, Shi H, Laing E, Hood K, Miller R, Bethwaite P, Keating J, Jordan TW, Hayes M, and Stubbs R:
Cathepsin D Expression in Colorectal Cancer: From Proteomic Discovery through Validation Using Western Blotting, Immunohistochemistry, and Tissue Microarrays

International Journal of Proteomics, Volume 2012 (2012), Article ID 245819, 10 pages,

doi:10.1155/2012/245819

<http://www.hindawi.com/journals/ijpro/2012/245819/cta/>

Knudsen ES, Ertel A, Davicioni E, Kline J, Schwartz GF, Witkiewicz AK:

Progression of ductal carcinoma in situ to invasive breast cancer is associated with gene expression programs of EMT and myoepithelia

Breast Cancer Res Treat. 2011 Dec 2. [Epub ahead of print]

<http://www.springerlink.com/content/f8l50452382np711/>

Kobayashi, K., Nishioka, M., Kohno, T., Nakamoto, M., Maeshima, A., Aoyagi, K., Sasaki, H., Takenoshita, S., Sugimura, H., and Yokota, J.:

Identification of genes whose expression is upregulated in lung adenocarcinoma cells in comparison with type II alveolar cells and bronchiolar epithelial cells in vivo

Oncogene 23(17): 3089-3096 (2004)

<http://www.nature.com/onc/journal/v23/n17/full/1207433a.html>

Komuta M, Govaere O, Vandecaveye V, Akiba J, Van Steenberg W, Verslype C, Pirenne J, Aerts R, Yano H, Nevens F, Topal B, Roskams T

Histological diversity in cholangiocellular carcinoma reflects the different cholangiocyte phenotypes

Hepatology. 2012 Jan 23. doi: 10.1002/hep.25595.

<http://dx.doi.org/10.1002/hep.25595>

Koperek O, Kornauth C, Capper D, Berghoff AS, Asari R, Niederle B, von Deimling A, Birner P, Preusser M:

Immunohistochemical detection of the BRAF V600E-mutated protein in papillary thyroid carcinoma

Am J Surg Pathol. 2012 Jun;36(6):844-50. doi: 10.1097/PAS.0b013e318246b527.

<http://meta.wkhealth.com/pt/pt-core/template-journal/lwwgateway/media/landingpage.htm?issn=0147-5185&volume=36&issue=6&spage=844>

Kortüm B, Campregher C, Lang M, Khare V, Pinter M, Evstatiev R, Schmid G, Mittlböck M, Scharl T, Kucherlapati MH, Edelman W, Gasche C:

Mesalazine and thymoquinone attenuate intestinal tumour development in Msh2loxP/loxP Villin-Cre mice

Gut. 2014 Nov 26. pii: gutjnl-2014-307663. doi: 10.1136/gutjnl-2014-307663.

<http://gut.bmj.com/cgi/lookup?view=long&pmid=25429050>

Kuscu C, Evensen N, Kim D, Hu Y-J, Zucker S, and Cao J:

Transcriptional and Epigenetic Regulation of KIAA1199 Gene Expression in Human Breast Cancer

PLoS ONE 7(9): e44661. doi:10.1371/journal.pone.0044661

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0044661>

Kudo N, Ogose A, Ariizumi T, Kawashima H, Hotta T, Hatano H, Morita T, Nagata M, Siki Y, Kawai A, Hotta Y, Hoshino M, Endo N:

Expression of Bone Morphogenetic Proteins in Giant Cell Tumor of Bone

Anticancer Res. 2009 Jun;29(6):2219-25

<http://ar.iijournals.org/content/29/6/2219.short>

Kuribayashi, M., Asamoto, M., Suzuki, S., Hokaiwado, N., Ogawa, K., and Shirai, T.:

Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences

Cancer Lett 232(2): 289-299 (2006)

<http://www.cancerletters.info/article/S0304-3835%2805%2900231-4/abstract>

Langenkamp E, vom Hagen FM, Zwiers PJ, Moorlag HE, Schouten JP, Hammes HP, Gouw ASH, and Molema G:

Tumor Vascular Morphology Undergoes Dramatic Changes during Outgrowth of B16Melanoma While Proangiogenic Gene Expression Remains Unchanged

ISRN Oncology, Vol 2011, Article ID 409308, 14 pages, doi:10.5402/2011/409308

<http://www.isrn.com/journals/oncology/2011/409308/>

Lee JH, Giovannetti E, Hwang JH, Petrini I, Wang Q, Voortman J, Wang Y, Steinberg SM, Funel N, Meltzer PS, Wang Y, Giaccone G :

Loss of 18q22.3 involving the carboxypeptidase of glutamate-like gene is associated with poor prognosis in resected pancreatic cancer

Clin Cancer Res. 2012 Jan 15;18(2):524-33.

<http://clincancerres.aacrjournals.org/content/18/2/524.abstract>

LeGrand J, Park ES, Wang H, Gupta S, Owens JD Jr, Nelson PJ, Dubois W, Bair T, Janz S, Mushinski JF:

Global gene expression profiling in mouse plasma cell tumor precursor and bystander cells reveals potential intervention targets for plasma-cell neoplasia

Blood. 2011 Dec 6.

<http://bloodjournal.hematologylibrary.org/cgi/pmidlookup?view=long&pmid=22147894>

Lei Y, Huang T, Su M, Luo J, Korteweg C, Li J, Chen Z, Qiu Y, Liu X, Yan M, Wang Y, Gu J:

Expression and distribution of immunoglobulin G in the normal liver, hepatocarcinoma and postpartial hepatectomy liver

Lab Invest. 2014 Sep 29. doi: 10.1038/labinvest.2014.114

<http://dx.doi.org/10.1038/labinvest.2014.114>

Leone, F., Cavalloni, G., Pignochino, Y., Sarotto, I., Ferraris, R., Piacibello, W., Venesio, T., Capussotti, L., Rasio, M., and Aglietta, M.:

Somatic mutations of epidermal growth factor receptor in bile duct and gallbladder carcinoma

Clin Cancer Res 12(6): 1680-1685 (2006)

<http://clincancerres.aacrjournals.org/content/12/6/1680.long>

Letellier E, Schmitz M, Baig K, Beaume N, Schwartz C, Frاسquilho S, Antunes L, Marcon N, Nazarov PV, Vallar L, Even J, Haan S:

Identification of SOCS2 and SOCS6 as biomarkers in human colorectal cancer

Br J Cancer. 2014 Jul 15. doi: 10.1038/bjc.2014.377.

<http://dx.doi.org/10.1038/bjc.2014.377>

Li JN, Zhang WY, Tang Y, Li GD, Dong DD:

In situ follicular lymphoma with progressive transformation of the germinal centers confirmed by laser capture microdissection, IGH gene rearrangement analysis, and fluorescence in situ hybridization for t(14;18)

Hum Pathol. 2011 Jul 4. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0046817711001547>

Li M, Li C, Li D, Xie Y, Shi J, Li G, Guan Y, Li M, Zhang P, Peng F, Xiao Z, Chen Z:

Periostin, a stroma-associated protein, correlates with tumor invasiveness and progression in nasopharyngeal carcinoma

Clin Exp Metastasis. 2012 Jun 17. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10585-012-9465-5>

Li S, Park H, Trempus CS, Gordon D, Liu Y, Cotsarelis G, Morris RJ:

A keratin 15 containing stem cell population from the hair follicle contributes to squamous papilloma development in the mouse

Mol Carcinogenesis, 2012, DOI: 10.1002/mc.21896

<http://onlinelibrary.wiley.com/doi/10.1002/mc.21896/abstract>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)

<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Lin CS, Wang LS, Chou TY, Hsu WH, Lin HC, Lee SY, Lee MH, Chang SC, Wei YH :

Cigarette Smoking and hOGG1 Ser326Cys Polymorphism are Associated with 8-OHdG Accumulation on Mitochondrial DNA in Thoracic Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2012 Sep 1.

<http://dx.doi.org/10.1245/s10434-012-2576-z>

Lin J, Song X, Liu C:

Pelvic intravascular leiomyomatosis associated with benign pulmonary metastasizing leiomyoma: clinicopathologic, clonality, and copy number variance analysis

Int J Gynecol Pathol. 2014 Mar;33(2):140-5. doi: 10.1097/PGP.0b013e31828def26

<http://www.ncbi.nlm.nih.gov/pubmed/24487468>

Lin XY, Zhang D, Zhang Y, Fan CF, Dai SD, Wang EH:

In pulmonary sclerosing hemangioma expression of β -catenin, Axin, and C-myc differs between the two cell types

Virchows Arch. 2012 May 22

<http://dx.doi.org/10.1007/s00428-012-1247-6>

Liu PF, Cao YW, Jiang HP, Wang YH, Yang XC, Wang XS, Niu HT:

Heterogeneity research in muscle-invasive bladder cancer based on differential protein expression analysis

Med Oncol. 2014 Sep;31(9):21. doi: 10.1007/s12032-014-0021-9.

<http://link.springer.com/article/10.1007/s12032-014-0021-9>

Liu PW, Lin Y, Chen XY :

The expression of B-cell-specific Moloney murine leukemia virus integration site 1 mRNA and protein in gastric cancer

J Dig Dis. 2014 Jan 6. doi: 10.1111/1751-2980.12129.

<http://www.ncbi.nlm.nih.gov/pubmed/24393364>

Liu WB, Ao L, Cui ZH, Zhou ZY, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

Molecular analysis of DNA repair gene methylation and protein expression during chemical-induced rat lung carcinogenesis

Biochem Biophys Res Commun. 2011 Apr 21.

<http://dx.doi.org/10.1016/j.bbrc.2011.04.067>

Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:

Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma

Med Oncol. 2010 Dec 4. [Epub ahead of print]

<http://www.springerlink.com/content/1h53134871563152/>

Liu, Y.Y., Leboeuf, C., Shi, J.Y., Li, J.M., Wang, L., Shen, Y., Garcia, J.F., Shen, Z.X., Chen, Z., Janin, A., Chen, S.J., and Zhao, W.L.:

Rituximab plus CHOP (R-CHOP) overcomes PRDM1-associated resistance to chemotherapy in patients with diffuse large B-cell lymphoma

Blood 110(1): 339-344 (2007)

<http://bloodjournal.hematologylibrary.org/content/110/1/339.long>

Lin Y, Jiang X, Shen Y, Li M, Ma H, Xing M, Lu Y:

Frequent mutations and amplifications of the PIK3CA gene in pituitary tumors

Endocr Relat Cancer 16(1):301-10 (2009)

<http://erc.endocrinology-journals.org/cgi/content/abstract/16/1/301>

Liu WB, Ao L, Zhou ZY, Cui ZH, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

CpG island hypermethylation of multiple tumor suppressor genes associated with loss of their protein expression during rat lung carcinogenesis induced by 3-methylcholanthrene and diethylnitrosamine

Biochem Biophys Res Commun. 2010 Nov 19;402(3):507-14

<http://dx.doi.org/10.1016/j.bbrc.2010.10.061>

Llosa NJ, Cruise M, Tam A, Wick EC, Hechenbleikner EM, Taube JM, Blosser L, Fan H, Wang H, Lubber B, Zhang M, Papadopoulos N, Kinzler KW, Vogelstein B, Sears CL, Anders RA, Pardoll DM, Housseau F:

The vigorous immune microenvironment of microsatellite instable colon cancer is balanced by multiple counter-inhibitory checkpoints

Cancer Discov. 2014 Oct 30. pii: CD-14-0863.

<http://cancerdiscovery.aacrjournals.org/cgi/pmidlookup?view=long&pmid=25358689>

Locatelli-Sanchez M, Couraud S, Arpin D, Riou R, Bringuier PP, Souquet PJ :

Routine EGFR Molecular Analysis in Non-Small-Cell Lung Cancer Patients is Feasible: Exons 18-21 Sequencing Results of 753 Patients and Subsequent Clinical Outcomes

Lung. 2013 Jun 9.

<http://dx.doi.org/10.1007/s00408-013-9482-4>

Luo CH, Liu QQ, Zhang PF, Li MY, Chen ZC, Liu YF:

Prognostic significance of annexin II expression in non-small cell lung cancer

Clin Transl Oncol. 2013 Mar 26.

<http://link.springer.com/article/10.1007/s12094-013-1028-y>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Makita K, Kitazawa R, Semba S, Fujiishi K, Nakagawa M, Haraguchi R, Kitazawa S:
Cdx2 expression and its promoter methylation during metaplasia-dysplasia-carcinoma sequence in Barrett's esophagus

World J Gastroenterol. 2013 Jan 28;19(4):536-41. doi: 10.3748/wjg.v19.i4.536.

<http://www.wjgnet.com/1007-9327/full/v19/i4/536.htm>

Mateo F, Meca-Cortés O, Celià-Terrassa T, Fernández Y, Abasolo I, Sánchez-Cid L, Bermudo R, Sagasta A, Rodríguez-Carunchio L, Pons M, Cánovas V, Marín-Aguilera M, Mengual L, Alcaraz A, Schwartz S Jr, Mellado B, Aguilera KY, Brekken R, Fernández PL, Paciucci R, Thomson TM :

SPARC mediates metastatic cooperation between CSC and non-CSC prostate cancer cell subpopulations

Mol Cancer. 2014 Oct 21;13(1):237. doi: 10.1186/1476-4598-13-237.

<http://www.molecular-cancer.com/content/13/1/237>

Matsunoki A, Kawakami K, Kotake M, Kaneko M, Kitamura H, Ooi A, Watanabe G, Minamoto T:

LINE-1 methylation shows little intra-patient heterogeneity in primary and synchronous metastatic colorectal cancer

BMC Cancer. 2012 Dec 5;12(1):574.

<http://www.biomedcentral.com/content/pdf/1471-2407-12-574.pdf>

Mazzanti CM, Hamad MA, Fanelli G, Scatena C, Zammarchi F, Zavaglia K, Lessi F, Pistello M, Naccarato AG, Bevilacqua G:

A Murine Mammary Tumor Virus env-Like Exogenous Sequence Is Strictly Related to Progression of Human Sporadic Breast Carcinoma

Am J Pathol. 2011 Aug 17, doi:10.1016/j.ajpath.2011.06.046

<http://www.sciencedirect.com/science/article/pii/S0002944011006961>

Mena S, Rodriguez ML, Ortega A, Priego S, Obrador E, Asensi M, Petschen I, Cerda M, Brown BD, Estrela JM:

Glutathione and Bcl-2 targeting facilitates elimination by chemoradiotherapy of human A375 melanoma xenografts overexpressing bcl-xl, bcl-2, and mcl-1

J Transl Med. 2012 Jan 10;10(1):8.

<http://www.translational-medicine.com/content/pdf/1479-5876-10-8.pdf>

Metwaly H, Maruyama S, Yamazaki M, Tsuneki M, Abé T, Jen KY, Cheng J, Saku T

Parenchymal-stromal switching for extracellular matrix production on invasion of oral squamous cell carcinoma

Hum Pathol. 2012 May 9.

[http://linkinghub.elsevier.com/retrieve/pii/S0046-8177\(12\)00063-9](http://linkinghub.elsevier.com/retrieve/pii/S0046-8177(12)00063-9)

Mihelich BL, Khramtsova EA, Arva N, Vaishnav A, Johnson DN, Giangreco AA, Martens-Uzunova E, Bagasra O, Kajdacsy-Balla A, Nonn L:

The miR-183-96-182 cluster is overexpressed in prostate tissue and regulates zinc homeostasis in prostate cells

J Biol Chem. 2011 Nov 1. [Epub ahead of print]

<http://www.jbc.org/content/early/2011/11/01/jbc.M111.262915.full.pdf+html>

Mimori, K., Kataoka, A., Yoshinaga, K., Ohta, M., Sagara, Y., Yoshikawa, Y., Ohno, S., Barnard, G.F., and Mori, M.:

Identification of molecular markers for metastasis-related genes in primary breast cancer cells

Clin Exp Metastasis 22(1): 59-67 (2005)

<http://www.springerlink.com/content/ju17kr07r6101603/>

Miyaguchi K, Fukuoka Y, Mizushima H, Yasen M, Nemoto S, Ishikawa T, Uetake H, Tanaka S, Sugihara K, Arai S, Tanaka H:

Genome-wide integrative analysis revealed a correlation between lengths of copy number segments and corresponding gene expression profile

Bioinformatics. 2011;7(6):280-4. Epub 2011 Nov 20.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3280495/pdf/97320630007280.pdf>

Miyagaki H, Yamasaki M, Miyata H, Takahashi T, Kurokawa Y, Nakajima K, Takiguchi S, Fujiwara Y, Ishii H, Tanaka F, Mori M, Doki Y:

Overexpression of PFTK1 predicts resistance to chemotherapy in patients with oesophageal squamous cell carcinoma

Br J Cancer. 2012 Feb 14. doi: 10.1038/bjc.2012.35

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc201235a.html>

Miyagaki H, Yamasaki M, Takahashi T, Kurokawa Y, Miyata H, Nakajima K, Takiguchi S, Fujiwara Y, Mori M, Doki Y:

DOK2 as a Marker of Poor Prognosis of Patients with Gastric Adenocarcinoma After Curative Resection

Ann Surg Oncol. 2011 Dec 1. [Epub ahead of print]

<http://www.springerlink.com/content/d337x47663351170/>

Miyai K, Yamamoto S, Aida S, Shimazaki H, Takano M, Kudoh K, Furuya K, Tamai S, Matsubara O:

Massive intra-abdominal undifferentiated carcinoma derived from an endometrioid

adenocarcinoma in a "normal-sized" ovary

Int J Gynecol Pathol. 2010 Jul;29(4):321-7.

http://journals.lww.com/intjgynpathology/Abstract/2010/07000/Massive_Intra_abdominal_Undifferentiated_Carcinoma.4.aspx

Mohri D, Asaoka Y, Ijichi H, Miyabayashi K, Kudo Y, Seto M, Ohta M, Tada M, Tanaka Y, Ikenoue T, Tateishi K, Isayama H, Kanai F, Fukushima N, Tada M, Kawabe T, Omata M, Koike K:

Different subtypes of intraductal papillary mucinous neoplasm in the pancreas have distinct pathways to pancreatic cancer progression

J Gastroenterol. 2011 Nov 1. [Epub ahead of print]

<http://www.springerlink.com/content/w85p1l73382j550h/>

Mori, M., Mimori, K., Yoshikawa, Y., Shibuta, K., Utsunomiya, T., Sadanaga, N., Tanaka, F., Matsuyama, A., Inoue, H., and Sugimachi, K.:

Analysis of the gene-expression profile regarding the progression of human gastric carcinoma

Surgery 131(1 Suppl): S39-47 (2002)

<http://www.surgjournal.com/article/S0039-6060%2802%2970084-6/abstract>

Mozos A, Catasús L, D'Angelo E, Serrano E, Espinosa I, Ferrer I, Ponsa C, Prat J:

The FOXO1-miR27 Tandem Regulates Myometrial Invasion in Endometrioid Endometrial Adenocarcinoma

Human Pathology, 2014 Jan 8

<http://www.sciencedirect.com/science/article/pii/S0046817714000069>

Mucanj V, Lee SS, Skuli N, Giannoukos DN, Qiu B, Eisinger-Mathason TS, Nakazawa MS, Shay JE, Gopal PP, Venneti S, Lal P, Minn AJ, Simon MC, Mathew LK:

MicroRNA-124 expression counteracts pro-survival stress responses in glioblastoma

Oncogene. 2014 Jun 23. doi: 10.1038/onc.2014.168.

<http://dx.doi.org/10.1038/onc.2014.168>

Mueller, A., O'Rourke, J., Grimm, J., Guillemin, K., Dixon, M.F., Lee, A., and Falkow, S.:

Distinct gene expression profiles characterize the histopathological stages of disease in Helicobacter-induced mucosa-associated lymphoid tissue lymphoma

Proc Natl Acad Sci U S A 100(3): 1292-1297 (2003)

<http://www.pnas.org/content/100/3/1292.long>

Mukherjee S, Rodriguez-Canales J, Hanson J, Emmert-Buck MR, Tangrea MA, Prieto DA, Blonder J, Johann DJ Jr:

Proteomic analysis of frozen tissue samples using laser capture microdissection

Methods Mol Biol. 2013;1002:71-83. doi: 10.1007/978-1-62703-360-2_6

http://dx.doi.org/10.1007/978-1-62703-360-2_6

Muller, A., Giuffre, G., Edmonston, T.B., Mathiak, M., Roggendorf, B., Heinmoller, E., Brodegger, T., Tuccari, G., Mangold, E., Buettner, R., and Ruschoff, J.:

Challenges and pitfalls in HNPCC screening by microsatellite analysis and immunohistochemistry

J Mol Diagn 6(4): 308-315 (2004)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960526-0/abstract>

Nagahama J, Daa T, Yada N, Kashima K, Fujiwara S, Saikawa T, Yokoyama S:

Tyrosine kinase receptor RON and its ligand MSP in Merkel cell carcinoma

Pathol Res Pract. 2011 Jun 29. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033811001208>

Nagahara, H., Mimori, K., Ohta, M., Utsunomiya, T., Inoue, H., Barnard, G.F., Ohira, M., Hirakawa, K., and Mori, M.:

Somatic mutations of epidermal growth factor receptor in colorectal carcinoma

Clin Cancer Res 11(4): 1368-1371 (2005)

<http://clincancerres.aacrjournals.org/content/11/4/1368.long>

Nagai K, Nakahata S, Shimosaki S, Tamura T, Kondo Y, Baba T, Taki T, Taniwaki M, Kurosawa G, Sudo Y, Okada S, Sakoda S, Morishita K:

Development of a complete human anti-human transferrin receptor C antibody as a novel marker of oral dysplasia and oral cancer

Cancer Med. 2014 Jun 2. doi: 10.1002/cam4.267.

<http://onlinelibrary.wiley.com/doi/10.1002/cam4.267/pdf>

Nakayama T, Ling ZQ, Mukaisho K, Hattori T, Sugihara H:

Lineage analysis of early and advanced tubular adenocarcinomas of the stomach: continuous or discontinuous?

BMC Cancer. 2010 Jun 21;10:311

<http://www.biomedcentral.com/1471-2407/10/311/>

Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.

Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma

Cancer Sci 100(9):1605-1611 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>

Nishida, K., Mine, S., Utsunomiya, T., Inoue, H., Okamoto, M., Udagawa, H., Hanai, T., and Mori, M.:

Global analysis of altered gene expressions during the process of esophageal squamous cell carcinogenesis in the rat: a study combined with a laser microdissection and a cDNA microarray

Cancer Res 65(2): 401-409 (2005)

<http://cancerres.aacrjournals.org/content/65/2/401.long>

Nishida N, Nagahara M, Sato T, Mimori K, Sudo T, Tanaka F, Shibata K, Ishii H, Sugihara K, Doki Y, Mori M:

Microarray analysis of colorectal cancer stromal tissue reveals upregulation of two oncogenic microRNA clusters.

Clin Cancer Res. 2012 Mar 27. [Epub ahead of print]

<http://clincancerres.aacrjournals.org/content/early/2012/03/26/1078-0432.CCR-11-1078.abstract>

Nishimura T, Kato H, Ikeda N, Kihara M, Nomura M, Kato Y and Marko-Varga G:

Cancer Phenotype Diagnosis and Drug Efficacy within Japanese Health Care

International Journal of Proteomics, Volume 2012 (2012), Article ID 921901

<http://www.hindawi.com/journals/ijpro/2012/921901/>

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Nonn L, Vaishnav A, Gallagher L, Gann PH:

mRNA and micro-RNA expression analysis in laser-capture microdissected prostate biopsies: valuable tool for risk assessment and prevention trials

Exp Mol Pathol. 2010 Feb;88(1):45-51

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC19874819/?tool=pubmed>

Obrador E, Benlloch M, Pellicer JA, Asensi M, Estrela JM:

Intertissue Flow of Glutathione (GSH) as a Tumor Growth-promoting Mechanism: INTERLEUKIN 6 INDUCES GSH RELEASE FROM HEPATOCYTES IN METASTATIC B16 MELANOMA-BEARING MICE

J Biol Chem. 2011 May 6;286(18):15716-27

<http://www.jbc.org/content/286/18/15716.short>

O'Brien, P.M., Millan, D.W., Davis, J.A., and Campo, M.S.:

In situ isolation of immunoglobulin sequences expressed by single tumor-infiltrating B cells using laser-assisted microdissection

Mol Biotechnol 29(2): 101-109 (2005)

<http://www.springerlink.com/content/p114h31ru1441kw2/>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

Ooki A, Yamashita K, Kikuchi S, Sakuramoto S, Katada N, Watanabe M:

Phosphatase of regenerating liver-3 as a convergent therapeutic target for lymph node metastasis in esophageal squamous cell carcinoma

Int J Cancer. 2010 Aug 1;127(3):543-54.

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25082/full>

Oparka R, Cassidy A, Reilly S, Stenhouse A, McCluggage WG, Herrington CS:

The C134W (402 C>G) FOXL2 mutation is absent in ovarian gynandroblastoma: insights into the genesis of an unusual tumour

Histopathology. 2012 Feb 1. doi: 10.1111/j.1365-2559.2011.04148.x.

<http://dx.doi.org/10.1111/j.1365-2559.2011.04148.x>

Oshima H, Hioki K, Popivanova BK, Oguma K, Van Rooijen N, Ishikawa TO, Oshima M:
Prostaglandin E₂ signaling and bacterial infection recruit tumor-promoting macrophages to mouse gastric tumors

Gastroenterology. 2011 Feb;140(2):596-607.e7

<http://dspace.lib.kanazawa-u.ac.jp/dspace/handle/2297/26532>

Oshima H, Ishikawa T, Yoshida GJ, Naoi K, Maeda Y, Naka K, Ju X, Yamada Y, Minamoto T, Mukaida N, Saya H, Oshima M:

TNF- α /TNFR1 signaling promotes gastric tumorigenesis through induction of Noxo1 and Gna14 in tumor cells

Oncogene. 2013 Aug 26. doi: 10.1038/onc.2013.356.

<http://www.nature.com/oncjournal/vaop/ncurrent/full/onc2013356a.html>

Otsubo T, Okamura T, Hagiwara T, Ishizaka Y, Dohi T, Kawamura YI:

Retrotransposition of long interspersed nucleotide element-1 is associated with colitis but not tumors in a murine colitic cancer model

PLoS One. 2015 Feb 24;10(2):e0116072. doi: 10.1371/journal.pone.0116072. eCollection 2015.

<http://dx.plos.org/10.1371/journal.pone.0116072>

Ozawa H, Iwatsuki M, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M:

FANCD2 mRNA overexpression is a bona fide indicator of lymph node metastasis in human colorectal cancer

Ann Surg Oncol. 2010 Sep;17(9):2341-8. Epub 2010 Mar 26.

<http://www.springerlink.com/content/45444108t4327750/>

Pace E, Ferraro M, Minervini MI, Vitulo P, Pipitone L, Chiappara G, Siena L, Montalbano AM, Johnson M, Gjomarkaj M:

Beta Defensin-2 Is Reduced in Central but Not in Distal Airways of Smoker COPD Patients

PLoS ONE 7(3): e33601. doi:10.1371/journal.pone.0033601

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0033601>

Pan S, Brentnall TA, Kelly K, Chen R:

Tissue proteomics in pancreatic cancer study: discovery, emerging technologies and challenges

Proteomics. 2012 Nov 2. doi: 10.1002/pmic.201200319.

<http://dx.doi.org/10.1002/pmic.201200319>

Pascal LE, Ai J, Masoodi KZ, Wang Y, Wang D, Eisermann K, Rigatti LH, O'Malley KJ, Ma HM, Wang X, Dar JA, Parwani AV, Simons BW, Ittman MM, Li L, Davies BJ, Wang Z:

Development of a Reactive Stroma Associated with Prostatic Intraepithelial Neoplasia in EAF2 Deficient Mice

PLoS One. 2013 Nov 18;8(11):e79542.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0079542>

Pastò A, Marchesi M, Diamantini A, Frasson C, Curtarello M, Lago C, Pilotto G, Parenti AR, Esposito G, Agostini M, Nitti D, Amadori A:

PKH26 Staining Defines Distinct Subsets of Normal Human Colon Epithelial Cells at Different Maturation Stages

PLoS ONE 7(8): e43379. doi:10.1371/journal.pone.0043379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043379>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Patnaik S, Mallick R, Kannisto E, Sharma R, Bshara W, Yendamuri S, Dhillon SS:

MiR-205 and MiR-375 MicroRNA Assays to Distinguish Squamous Cell Carcinoma from Adenocarcinoma in Lung Cancer Biopsies

J Thorac Oncol. 2015 Mar;10(3):446-53. doi: 10.1097/JTO.0000000000000423.

<http://meta.wkhealth.com/pt/pt-core/template-journal/wwwgateway/media/landingpage.htm?issn=1556-0864&volume=10&issue=3&spage=446>

Perilli L, Pizzini S, Bisognin A, Mandruzzato S, Biasiolo M, Faccioli A, Rossi E, Esposito G, Rugge M, Pilati P, Mocellin S, Nitti D, Bortoluzzi S, and Zanovello P:

Human miRNome profiling in colorectal cancer and liver metastasis development

Genomics Data (2014) GDATA-00060

<http://www.sciencedirect.com/science/article/pii/S2213596014000506>

Petersson F, Branzovsky J, Martinek P, Korabecna M, Kruslin B, Hora M, Peckova K, Bauleth K, Pivovarcikova K, Michal M, Svajdler M, Sperga M, Bulimbasic S, Leroy X, Rychly B, Trivunic S, Kokoskova B, Rotterova P, Podhola M, Suster S, Hes O:

The leiomyomatous stroma in renal cell carcinomas is polyclonal and not part of the neoplastic process

Virchows Arch. 2014 May 18.

<http://link.springer.com/article/10.1007/s00428-014-1591-9>

Petrelli A, Perra A, Cora D, Sulas P, Menegon S, Manca C, Migliore C, Kowalik MA, Ledda-Columbano GM, Giordano S, Columbano A:

MiRNA/gene profiling unveils early molecular changes and NRF2 activation in a rat model recapitulating human HCC

Hepatology. 2013 Jul 15. doi: 10.1002/hep.26616.

<http://dx.doi.org/10.1002/hep.26616>

Petrelli A, Perra A, Schernhuber K, Cargnelutti M, Salvi A, Migliore C, Ghiso E, Benetti A, Barlati S, Ledda-Columbano GM, Portolani N, De Petro G, Columbano A and Giordano S:

Sequential analysis of multistage hepatocarcinogenesis reveals that miR-100 and PLK1 dysregulation is an early event maintained along tumor progression

Oncogene, (16 January 2012) | doi:10.1038/onc.2011.631

<http://www.nature.com/onc/journal/vaop/ncurrent/full/onc2011631a.html>

Pignochino Y, Sarotto I, Peraldo-Neia C, Penachioni JY, Cavalloni G, Migliardi G, Casorzo L, Chiorino G, Risio M, Bardelli A, Aglietta M, Leone F:

Targeting EGFR/HER2 pathways enhances the antiproliferative effect of gemcitabine in biliary tract and gallbladder carcinomas

BMC Cancer. 2010 Nov 18;10:631.

<http://www.biomedcentral.com/1471-2407/10/631>

Pizzini S, Bisognin A, Mandruzzato S, Biasiolo M, Faccioli A, Perilli L, Rossi E, Esposito G, Rugge M, Pilati P, Mocellin S, Nitti D, Bortoluzzi S, Zanovello P:

Impact of microRNAs on regulatory networks and pathways in human colorectal carcinogenesis and development of metastasis

BMC Genomics. 2013 Aug 29;14(1):589.

<http://www.biomedcentral.com/1471-2164/14/589>

Priego S, Feddi F, Ferrer P, Mena S, Benlloch M, Ortega A, Carretero J, Obrador E, Asensi M, Estrela JM:

Natural polyphenols facilitate elimination of HT-29 colorectal cancer xenografts by chemoradiotherapy: a Bcl-2- and superoxide dismutase 2-dependent mechanism

Mol Cancer Ther. 2008 Oct;7(10):3330-42. doi: 10.1158/1535-7163.MCT-08-0363.

<http://mct.aacrjournals.org/cgi/pmidlookup?view=long&pmid=18852136>

Prowse, A.H., Fakis, G., Manek, S., Churchman, M., Edwards, S., Rowan, A., Koninckx, P., Kennedy, S., and Tomlinson, I.P.:

Allelic loss studies do not provide evidence for the "endometriosis-as-tumor" theory

Fertil Steril 83 Suppl 1: 1134-1143 (2005)

<http://www.fertstert.org/article/S0015-0282%2804%2903224-8/abstract>

Prowse AH, Manek S, Varma R, Liu J, Godwin AK, Maher ER, Tomlinson IP, and Kennedy SH:

Molecular genetic evidence that endometriosis is a precursor of ovarian cancer

Int J Cancer 119(3): 556-562 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21845/full>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:

Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient

Hum Pathol 32(12): 1410-1413 (2001)

<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Rabien A, Fritzsche FR, Jung M, Tölle A, Diamandis EP, Miller K, Jung K, Kristiansen G, Stephan C:

KLK15 is a prognostic marker for progression-free survival in patients with radical prostatectomy

Int J Cancer 127(10):2386-94 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25435/full>

Rahrmann EP, Collier LS, Knutson TP, Doyal ME, Kuslak SL, Green LE, Malinowski RL, Roethe L, Akagi K, Waknitz M, Huang W, Largaespada DA, Marker PC:

Identification of PDE4D as a proliferation promoting factor in prostate cancer using a Sleeping Beauty transposon-based somatic mutagenesis screen

Cancer Res. 2009 May 15;69(10):4388-97. doi: 10.1158/0008-5472.CAN-08-3901.

<http://cancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=19401450>

Ran R, Li L, Wang M, Wang S, Zheng Z, Lin PP:

Determination of EGFR mutations in single cells microdissected from enriched lung tumor cells in peripheral blood

Anal Bioanal Chem. 2013 Jul 5

<http://dx.doi.org/10.1007/s00216-013-7156-y>

Reddy LA, Mikesh L, Moskaluk CA, Harvey J, Sherman N, Zigino P, Mauch C, Fox JW:

Host response to human breast in situ ductal carcinoma (IDC) as observed by changes in the stromal proteome

J Proteome Res. 2014 Sep 22

<http://dx.doi.org/10.1021/pr500620x>

Ren X, Daa T, Yada N, Kashima K, Fujitomi Y, Yokoyama S:

Expression and mutational status of RON in neoplastic lesions of the breast: analysis of MSP/RON signaling in ductal carcinoma in situ and invasive ductal carcinoma

APMIS, 2011, DOI: 10.1111/j.1600-0463.2011.02841.x

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0463.2011.02841.x/full>

Roessler S, Lin G, Forgues M, Budhu A, Hoover S, Simpson RM, Wu X, He P, Qin LX, Tang ZY, Ye QH, Wang XW:

Integrative Genomic and Transcriptomic Characterization of Matched Primary and Metastatic Liver and Colorectal Carcinoma

Int J Biol Sci 2015; 11(1):88-98. doi:10.7150/ijbs.10583

<http://www.ijbs.com/v11p0088.htm>

Ruan W, Sassoon A, An F, Simko JP, Liu B:

Identification of clinically significant tumor antigens by selecting phage antibody library on tumor cells in situ using laser capture microdissection

Mol Cell Proteomics. 2006 Dec;5(12):2364-73.

<http://www.mcponline.org/cgi/pmidlookup?view=long&pmid=16982673>

Rummel S, Penatzer CE, Shriver CD, and Ellsworth RE:

PSPHL and breast cancer in African American women: causative gene or population stratification?

BMC Genetics 2014, 15:38 doi:10.1186/1471-2156-15-38

<http://www.biomedcentral.com/content/pdf/1471-2156-15-38.pdf>

Saft L, Karimi M, Ghaderi M, Matolcsy A, Mufti GJ, Kulasekararaj A, Göhring G, Giagounidis A, Selleslag D, Muus P, Sanz G, Mittelman M, Bowen D, Porwit A, Fu T, Backstrom J, Fenaux P, MacBeth KJ, and Hellström-Lindberg E:

p53 protein expression independently predicts outcome in patients with lower-risk myelodysplastic syndromes with del(5q)

Haematologica haematol.2013.098103; March 28, 2014, doi:10.3324/haematol.2013.098103

<http://www.haematologica.org/content/early/2014/03/25/haematol.2013.098103.abstract>

Saito T, Mitomi H, Suehara Y, Okubo T, Torigoe T, Takagi T, Kaneko K, Yao T:

A case of de novo secondary malignant giant-cell tumor of bone with loss of heterozygosity of p53 gene that transformed within a short-term follow-up

Pathology - Research and Practice (2011), ISSN 0344-0338, doi:10.1016/j.prp.2011.07.009

<http://www.sciencedirect.com/science/article/pii/S0344033811001701>

Sakashita H, Inoue H, Akamine S, Ishida T, Inase N, Shirao K, Mori M, Mimori K:

Identification of the NEDD4L Gene as a Prognostic Marker by Integrated Microarray Analysis of Copy Number and Gene Expression Profiling in Non-small Cell Lung Cancer

Ann Surg Oncol. 2013 Jun 28.

<http://dx.doi.org/10.1245/s10434-013-3059-6>

Sasaki M, Nitta T, Sato, Y and Nakanuma Y:

Autophagy may occur at an early stage of cholangiocarcinogenesis via biliary intraepithelial neoplasia

Human Pathology, 2014/10/29, doi: 10.1016/j.humpath.2014.09.016; 10.1016/j.humpath.2014.09.016

[http://www.humanpathol.com/article/S0046-8177\(14\)00429-8/abstract](http://www.humanpathol.com/article/S0046-8177(14)00429-8/abstract)

Sato S, Yamamoto H, Mukaisho K, Saito S, Hattori T, Yamamoto G, Sugihara H:

Continuous taurocholic Acid exposure promotes esophageal squamous cell carcinoma progression due to reduced cell loss resulting from enhanced vascular development

PLoS One. 2014 Feb 14;9(2):e88831. doi: 10.1371/journal.pone.0088831. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0088831>

Sawada G, Takahashi Y, Niida A, Shimamura T, Kurashige J, Matsumura T, Ueo H, Uchi R, Takano Y, Ueda M, Hirata H, Sakimura S, Shinden Y, Eguchi H, Sudo T, Sugimachi K, Miyano S, Doki Y, Mori M, Mimori K:

Loss of CDCP1 Expression Promotes Invasiveness and Poor Prognosis in Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2014 May 22.

<http://link.springer.com/article/10.1245/s10434-014-3740-4>

Scott, M., McCluggage, W.G., Hillan, K.J., Hall, P.A., and Russell, S.E.:

Altered patterns of transcription of the septin gene, SEPT9, in ovarian tumorigenesis

Int J Cancer 118(5): 1325-1329 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21486/full>

Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:

Proteomic signatures for histological types of lung cancer

Proteomics 5(11): 2939-2948 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>

Seki, K., Miyakoshi, S., Lee, G.H., Matsushita, H., Mutoh, Y., Nakase, K., Ida, M., and Taniguchi, H.:

Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma

Am J Surg Pathol 28(10): 1384-1388 (2004)

<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2004&issue=10000&article=00016&type=abstract>

Seto M, Ohta M, Asaoka Y, Ikenoue T, Tada M, Miyabayashi K, Mohri D, Tanaka Y, Ijichi H, Tateishi K, Kanai F, Kawabe T, Omata M:

Regulation of the hedgehog signaling by the mitogen-activated protein kinase cascade in gastric cancer

Mol Carcinog. 2009 Aug;48(8):703-12

<http://onlinelibrary.wiley.com/doi/10.1002/mc.20516/full>

Sharma P, Chinaranagari S, Patel D, Carey J, Chaudhary J:

Epigenetic inactivation of inhibitor of differentiation 4 (Id4) correlates with prostate cancer

Cancer Med, 2012, 2045-7634

<http://dx.doi.org/10.1002/cam4.16>

Shi Y, Li J, Wu YS, Qin L, Jiao FY:

BRAF Mutation Is Associated With the Unique Morphology of Traditional Serrated Adenoma of the Colorectum

Int J Surg Pathol. 2013 Aug 18.

<http://ijs.sagepub.com/content/early/2013/08/16/1066896913499628.abstract>

Shieh, D.B., Chou, W.P., Wei, Y.H., Wong, T.Y., and Jin, Y.T.:

Mitochondrial DNA 4,977-bp deletion in paired oral cancer and precancerous lesions revealed by laser microdissection and real-time quantitative PCR

Ann N Y Acad Sci 1011: 154-167 (2004)

<http://onlinelibrary.wiley.com/doi/10.1196/annals.1293.016/full>

Shieh, Y.S., Shiah, S.G., Jeng, H.H., Lee, H.S., Wu, C.W., and Chang, L.C.:

DNA methyltransferase 1 expression and promoter methylation of E-cadherin in mucoepidermoid carcinoma

Cancer 104(5): 1013-1021 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/cncr.21278/full>

Shin K, Lim A, Odegaard JI, Honeycutt JD, Kawano S, Hsieh MH, Beachy PA:

Cellular origin of bladder neoplasia and tissue dynamics of its progression to invasive carcinoma

Nat Cell Biol. 2014 Apr 20. doi: 10.1038/ncb2956.

<http://dx.doi.org/10.1038/ncb2956>

Shriver CD, Hueman MT, Ellsworth RE

Molecular signatures of lymph node status by intrinsic subtype: gene expression analysis of primary breast tumors from patients with and without metastatic lymph nodes

J Exp Clin Cancer Res. 2014 Dec 31;33(1):782.

<http://www.jeccr.com/content/33/1/782>

Siddon A, Lozovatsky L, Mohamed A, Hudnall SD:

Human herpesvirus 6 positive Reed-Sternberg cells in nodular sclerosis Hodgkin lymphoma

Br J Haematol. 2012 Jul 4. doi: 10.1111/j.1365-2141.2012.09206.x.

<http://dx.doi.org/10.1111/j.1365-2141.2012.09206.x>

Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:

Proteomics of breast carcinoma

J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)

<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>

Song JY, Eberle FC, Xi L, Raffeld M, Rahma O, Wilson WH, Dunleavy K, Pittaluga S, Jaffe ES:

Coexisting and Clonally Identical Classic Hodgkin Lymphoma and Nodular Lymphocyte Predominant Hodgkin Lymphoma

Am J Surg Pathol. 2011 May;35(5):767-72.

http://journals.lww.com/ajsp/Abstract/2011/05000/Coexisting_and_Clonally_Identical_Classic_Hodgkin.18.aspx

Sonoda A, Mukaisho KI, Nakayama T, Diem VT, Hattori T, Andoh A, Fujiyama Y, Sugihara H

Genetic lineages of undifferentiated-type gastric carcinomas analysed by unsupervised clustering of genomic DNA microarray data

BMC Med Genomics. 2013 Jul 19;6(1):25.

<http://www.biomedcentral.com/content/pdf/1755-8794-6-25.pdf>

Souda M, Umekita Y, Abeyama K, Yoshida H:

Gene expression profiling during rat mammary carcinogenesis induced by 7,12-dimethylbenz[a]anthracene

Int J Cancer. 2009 Sep 15;125(6):1285-97.

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24396/full>

Sturtz LA, Melley J, Mamula K, Shriver CD, Ellsworth RE:

Outcome disparities in African American women with triple negative breast cancer: a comparison of epidemiological and molecular factors between African American and Caucasian women with triple negative breast cancer

BMC Cancer. 2014 Feb 4;14(1):62. doi: 10.1186/1471-2407-14-62

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3916697/>

Sudo T, Iwaya T, Nishida N, Sawada G, Takahashi Y, Ishibashi M, Shibata K, Fujita H, Shirouzu K, Mori M, Mimori K:

Expression of Mesenchymal Markers Vimentin and Fibronectin: The Clinical Significance in Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2012 May 30. [Epub ahead of print]

<http://www.springerlink.com/content/b2360668h64gu7h3/>

Sugimoto T, Ohta M, Ikenoue T, Yamada A, Tada M, Fujishiro M, Ogura K, Yamaji Y, Okamoto M, Kanai F, Kawabe T, Omata M:

Macroscopic morphologic subtypes of laterally spreading colorectal tumors showing distinct molecular alterations

Int J Cancer. 2010 Oct 1;127(7):1562-9

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25180/full>

Sukata T, Uwagawa S, Ozaki K, Sumida K, Kushida M, Kakehashi A, Wanibuchi H, Miyata K, Ogata K and Fukushima S:

Characteristic Upregulation of Glucose-Regulated Protein 78 in an Early Lesion Negative for Hitherto Established Cytochemical Markers in Rat Hepatocarcinogenesis

Journal of Toxicologic Pathology 22(4): pp.281

http://www.jstage.jst.go.jp/article/tox/22/4/22_281/article

Sumino J, Uzawa N, Okada N, Miyaguchi K, Mogushi K, Takahashi KI, Sato H, Michikawa C, Nakata Y, Tanaka H, Amagasa T:

Gene expression changes in initiation and progression of oral squamous cell carcinomas revealed by laser microdissection and oligonucleotide microarray analysis

Int J Cancer. 2012 Jun 28. doi: 10.1002/ijc.27702.

<http://dx.doi.org/10.1002/ijc.27702>

Sunde, J.S., Donninger, H., Wu, K., Johnson, M.E., Pestell, R.G., Rose, G.S., Mok, S.C., Brady, J., Bonome, T., and Birrer, M.J.:

Expression Profiling Identifies Altered Expression of Genes That Contribute to the Inhibition of Transforming Growth Factor- β Signaling in Ovarian Cancer

Cancer Res 66(17): 8404-8412 (2006)

<http://cancerres.aacrjournals.org/content/66/17/8404.long>

Sugimachi K, Yokobori T, Iinuma H, Ueda M, Ueo H, Shinden Y, Eguchi H, Sudo T, Suzuki A, Maehara Y, Mori M, Mimori K:

Aberrant Expression of Plastin-3 Via Copy Number Gain Induces the Epithelial-Mesenchymal Transition in Circulating Colorectal Cancer Cells

Ann Surg Oncol. 2013 Nov 12.

<http://link.springer.com/article/10.1245%2Fs10434-013-3366-y>

Sugiura F, Inoue K, Okuno K, Sukegawa Y:

Clinical study of Peptide-cocktail vaccination with tegafur-uracil/leucovorin for advanced colorectal cancer.

Gan To Kagaku Ryoho. 2012 Nov;39(12):1760-2. (Article in Japanese)

<http://www.pieronline.jp/content/article/0385-0684/39120/1760>

Suzuki, S., Asamoto, M., Tsujimura, K., and Shirai, T.:

Specific differences in gene expression profile revealed by cDNA microarray analysis of glutathione S-transferase placental form (GST-P) immunohistochemically positive rat liver foci and surrounding tissue

Carcinogenesis 25(3): 439-443 (2004)

<http://carcin.oxfordjournals.org/content/25/3/439.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Tada M, Kanai F, Tanaka Y, Sanada M, Nannya Y, Tateishi K, Ohta M, Asaoka Y, Seto M, Imazeki F, Yoshida H, Ogawa S, Yokosuka O, Omata M:

Prognostic significance of genetic alterations detected by high-density single nucleotide polymorphism array in gastric cancer

Cancer Sci. 2010 May;101(5):1261-9

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2010.01500.x/full>

Taga M, Eguchi H, Shinohara T, Takahashi K, Ito R, Yasui W, Nakachi K, Kusunoki Y, Hamatani K:
Improved PCR amplification for molecular analysis using DNA from long-term preserved formalin-fixed, paraffin-embedded lung cancer tissue specimens

Int J Clin Exp Pathol 2013;6(1):76-79, www.ijcep.com /ISSN:1936-2625/IJCEP1209008

<http://www.ijcep.com/files/ijcep1209008.pdf>

Takadate T, Onogawa T, Fujii K, Motoi F, Mikami S, Fukuda T, Kihara M, Suzuki T, Takemura T, Minowa T, Hanagata N, Kinoshita K, Morikawa T, Shirasaki K, Rikiyama T, Katayose Y, Egawa S, Nishimura T and Unno M:

Nm23/Nucleoside Diphosphate Kinase-A as a Potent Prognostic marker in Invasive Pancreatic Ductal Carcinoma Identified by Proteomic Analysis of Laser Micro-dissected Formalin-Fixed Paraffin-Embedded Tissue

Clinical Proteomics 2012, 9:8 doi:10.1186/1559-0275-9-8

<http://www.clinicalproteomicsjournal.com/content/9/1/8/abstract>

Takadate T, Onogawa T, Fukuda T, Motoi F, Suzuki T, Fujii K, Kihara M, Mikami S, Bando Y, Maeda S, Ishida K, Minowa T, Hanagata N, Ohtsuka H, Katayose Y, Egawa S, Nishimura T, Unno M:

Novel prognostic protein markers of resectable pancreatic cancer identified by coupled shotgun and targeted proteomics using formalin-fixed paraffin-embedded tissues

Int J Cancer. 2012 Aug 23. doi: 10.1002/ijc.27797.

<http://dx.doi.org/10.1002/ijc.27797>

Takahashi Y, Sawada G, Kurashige J, Uchi R, Matsumura T, Ueo H, Takano Y, Eguchi H, Sudo T, Sugimachi K, Yamamoto H, Doki Y, Mori M, Mimori K:

Amplification of PVT-1 is involved in poor prognosis via apoptosis inhibition in colorectal cancers

Br J Cancer. 2013 Nov 5. doi: 10.1038/bjc.2013.698.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2013698a.html>

Takahashi Y, Sawada G, Sato T, Kurashige J, Mima K, Matsumura T, Uchi R, Ueo H, Ishibashi M, Takano Y, Akiyoshi S, Eguchi H, Sudo T, Sugimachi K, Tanaka JI, Kudo SE, Doki Y, Mori M, Mimori K:

Microarray analysis reveals that high mobility group A1 is involved in colorectal cancer metastasis

Oncol Rep. 2013 Jul 8. doi: 10.3892/or.2013.2602.

<http://www.spandidos-publications.com/10.3892/or.2013.2602>

Tamaki T, Iwakawa M, Ohno T, Imadome K, Nakawatari M, Sakai M, Tsujii H, Nakano T, Imai T:

Application of carbon-ion beams or gamma-rays on primary tumors does not change the expression profiles of metastatic tumors in an in vivo murine model

Int J Radiat Oncol Biol Phys 74(1):210-8 (2009)

<http://www.redjournal.org/article/S0360-3016%2809%2900091-1/abstract>

Takami T, Kaposi-Novak P, Uchida K, Gomez-Quiroz LE, Conner EA, Factor VM, Thorgeirsson SS:

Loss of hepatocyte growth factor/c-Met signaling pathway accelerates early stages of N-nitrosodiethylamine induced hepatocarcinogenesis

Cancer Res. 2007 Oct 15;67(20):9844-51.

<http://cancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=17942915>

Tan S, Sood A, Rahimi H, Wang W, Gupta N, Hicks J, Mosier S, Gocke CD, Epstein JI, Netto GJ, Liu W, Isaacs WB, De Marzo AM, Lotan T:

Rb Loss is Characteristic of Prostatic Small Cell Neuroendocrine Carcinoma

Clin Cancer Res. 2013 Dec 9.

<http://clincancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24323898>

Tancredi M, Sensi E, Cipollini G, Aretini P, Lombardi G, Di Cristofano C, Presciuttini S, Bevilacqua G, Caligo MA:

Haplotype analysis of BRCA1 gene reveals a new gene rearrangement: characterization of a 19.9 KBP deletion

Eur J Hum Genet 12(9): 775-777 (2004)

<http://www.nature.com/ejhg/journal/v12/n9/full/5201223a.html>

Tao Y, Hart J, Lichtenstein L, Joseph LJ, Ciancio MJ, Hu S, Chang EB, Bissonnette M:

Inducible heat shock protein 70 prevents multifocal flat dysplastic lesions and invasive tumors in an inflammatory model of colon cancer

Carcinogenesis 30(1):175-82 (2009)

<http://carcin.oxfordjournals.org/content/30/1/175.short>

Tasioudi KE, Saetta AA, Sakellariou S, Levidou G, Michalopoulos NV, Theodorou D, Patsouris E, Korkolopoulou P:

pERK activation in esophageal carcinomas: Clinicopathological associations

Pathol Res Pract. 2012 Jun 1. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033812001331>

Thi-Ngoc Vo D, Nakayama T, Yamamoto H, Mukaisho K, Hattori T and Sugihara H:

Progression risk assessments of individual non-invasive gastric neoplasms by genomic copy-number profile and mucin phenotype

BMC Medical Genomics 18 Feb 2015, 8:6 doi:10.1186/s12920-015-0080-6

<http://www.biomedcentral.com/1755-8794/8/6/abstract>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsang YT, Deavers MT, Sun CC, Kwan SY, Kuo E, Malpica A, Mok SS, Gershenson DM, and Wong KK:
KRAS (but not BRAF) mutations in ovarian serous borderline tumor are associated with recurrent low-grade serous carcinoma

J. Pathol., SN - 1096-9896, <http://dx.doi.org/10.1002/path.4252>, 10.1002/path.4252

<http://onlinelibrary.wiley.com/doi/10.1002/path.4252/abstract>

Tsuchiyama K, Ito H, Taga M, Naganuma S, Oshinoya Y, Nagano KI, Yokoyama O, Itoh H

Expression of MicroRNAs associated with Gleason grading system in prostate cancer: miR-182-5p is a useful marker for high grade prostate cancer

Prostate. 2012 Nov 26. doi: 10.1002/pros.22626.

<http://dx.doi.org/10.1002/pros.22626>

Tsukamoto S, Ishikawa T, Iida S, Ishiguro M, Mogushi K, Mizushima H, Uetake H, Tanaka H, Sugihara K:
Clinical Significance of Osteoprotegerin Expression in Human Colorectal Cancer

Clin Cancer Res 17(8):2444-50 (2011)

<http://clincancerres.aacrjournals.org/content/17/8/2444.short>

Uozaki H, Morita S, Kumagai A, Aso T, Soejima Y, Takahashi Y and Fukusato T:

Stromal miR-21 is more important than miR-21 of tumour cells for the progression of gastric cancer

Histopathology, SN - 1365-2559, 8 Jul 2014, doi: 10.1111/his.12491

<http://dx.doi.org/10.1111/his.12491>

Valencia T, Joseph A, Kachroo N, Darby S, Meakin S, Gnanapragasam VJ:

Role and expression of FRS2 and FRS3 in prostate cancer

BMC Cancer. 2011 Nov 11;11(1):484.

<http://www.biomedcentral.com/1471-2407/11/484>

Valente AL, Kane JL, Ellsworth DL, Shriver CD, Ellsworth RE:

Molecular response of the axillary lymph node microenvironment to metastatic colonization

J Clinical & Experimental Metastasis, April 2014; 10.1007/s10585-014-9650-9

<http://link.springer.com/article/10.1007/s10585-014-9650-9#>

van Dijk, M.C., Rombout, P.D., Mooi, W.J., van de Molengraft, F.J., van Krieken, J.H., Ruiter, D.J., and Ligtenberg, M.J.:

Allelic imbalance in the diagnosis of benign, atypical and malignant Spitz tumours

J Pathol 197(2): 170-178 (2002)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1119/full>

van Schanke, A., van Venrooij, G.M., Jongasma, M.J., Banus, H.A., Mullenders, L.H., van Kranen, H.J., and de Gruijl, F.R.:

Induction of nevi and skin tumors in Ink4a/Arf Xpa knockout mice by neonatal, intermittent, or chronic UVB exposures

Cancer Res 66(5): 2608-2615 (2006)

<http://cancerres.aacrjournals.org/content/66/5/2608.long>

Vaira V, Favarsani A, Dohi T, Montorsi M, Augello C, Gatti S, Coggi G, Altieri DC, Bosari S

miR-296 regulation of a cell polarity-cell plasticity module controls tumor progression

Oncogene. 2012 Jan 5;31(1):27-38. doi: 10.1038/onc.2011.209.

<http://dx.doi.org/10.1038/onc.2011.209>

Venesio T, Balsamo A, Scordamaglia A, Bertolaso M, Arrigoni A, Sprujevnik T, Rossini FP, Risio M:

Germline APC mutation on the beta-catenin binding site is associated with a decreased apoptotic level in colorectal adenomas

Mod Pathol. 2003 Jan;16(1):57-65.

<http://dx.doi.org/10.1097/01.MP.0000042421.83775.0E>

Visioli F, Wang Y, Alam GN, Ning Y, Rados PV, Nör JE, Polverini PJ:

Glucose-Regulated Protein 78 (Grp78) Confers Chemoresistance to Tumor Endothelial Cells under Acidic Stress

PLoS One. 2014 Jun 25;9(6):e101053. doi: 10.1371/journal.pone.0101053. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0101053#pone-0101053-g006>

Voegtly LM, Mamula K, Campbell JL, Shriver CD, Ellsworth RE:

Molecular Alterations Associated with Breast Cancer Mortality

PLoS ONE 7(10): e46814. doi:10.1371/journal.pone.0046814

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0046814>

Wada Y, Matsuura M, Sugawara M, Ushijima M, Miyata S, Nagasaki K, Noda T, Miki Y:

Development of detection method for novel fusion gene using GeneChip exon array

J Clin Bioinforma. 2014 Feb 18;4(1):3.

<http://www.jclinbioinformatics.com/content/4/1/3>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)

<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wang B, Li L, Liao Y, Li J, Yu X, Zhang Y, Xu J, Rao H, Chen S, Zhang L, Zheng L:

Mast cells expressing interleukin 17 in the muscularis propria predict a favorable prognosis in esophageal squamous cell carcinoma

Cancer Immunol Immunother. 2013 Aug 3.

<http://link.springer.com/article/10.1007%2Fs00262-013-1460-4>

Wei, M., Grushko, T.A., Dignam, J., Hagos, F., Nanda, R., Sveen, L., Xu, J., Fackenthal, J., Tretiakova, M., Das, S., and Olopade, O.I.:

BRCA1 promoter methylation in sporadic breast cancer is associated with reduced BRCA1 copy number and chromosome 17 aneusomy

Cancer Res 65(23): 10692-10699 (2005)

<http://cancerres.aacrjournals.org/content/65/23/10692.long>

Wiltling SM, Snijders PJ, Verlaat W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Wouters J, Stas M, Govaere O, Barrette K, Dudek A, Vankelecom H, Haydu LE, Thompson JF, Scolyer RA, van den Oord JJ:

A novel hypoxia-associated subset of FN1highMITFlow melanoma cells: identification, characterization, and prognostic value

Mod Pathol. 2014 Jan 3. doi: 10.1038/modpathol.2013.228.

www.nature.com/modpathol/journal/vaop/ncurrent/full/modpathol2013228a.html

Wu F, Huang D, Wang L, Xu Q, Liu F, Ye X, Meng X, Du X:

92-Gene Molecular Profiling in Identification of Cancer Origin: A Retrospective Study in Chinese Population and Performance within Different Subgroups

PLoS One. 2012;7(6):e39320.

<http://dx.plos.org/10.1371/journal.pone.0039320>

Xiao, W., Zhang, Q., Jiang, F., Pins, M., Kozlowski, J.M., and Wang, Z.:

Suppression of prostate tumor growth by U19, a novel testosterone-regulated apoptosis inducer

Cancer Res 63(15): 4698-4704 (2003)

<http://cancerres.aacrjournals.org/content/63/15/4698.long>

Xu, A.M., Zhang, S.H., Zheng, J.M., Zheng, W.Q., and Wu, M.C.:

Pathological and molecular analysis of sporadic hepatic angiomyolipoma

Hum Pathol 37(6): 735-741 (2006)

<http://www.humanpathol.com/article/S0046-8177%2806%2900076-1/abstract>

Yafune A, Kawai M, Itahashi M, Kimura M, Nakane F, Mitsumori K, Shibutani M:

Global DNA methylation screening of liver in piperonyl butoxide-treated mice in a two-stage hepatocarcinogenesis model

Toxicol Lett. 2013 Aug 19. pii: S0378-4274(13)01278-2. doi: 10.1016/j.toxlet.2013.08.006.

<http://www.sciencedirect.com/science/article/pii/S0378427413012782>

Yamamoto S, Tsuda H, Suzuki K, Takano M, Tamai S, Matsubara O:

An allelotype analysis indicating the presence of two distinct ovarian clear-cell carcinogenic pathways: endometriosis-associated pathway vs. clear-cell adenofibroma-associated pathway

Virchows Arch. 2009 Sep;455(3):261-70

<http://www.springerlink.com/content/ph8l21053g3w1p13/>

Yancovitz M, Litterman A, Yoon J, Ng E, Shapiro RL, Berman RS, Pavlick AC, Darvishian F, Christos P, Mazumdar M, Osman I, Polsky D:

Intra- and Inter-Tumor Heterogeneity of BRAF^{V600E} Mutations in Primary and Metastatic Melanoma

PLoS ONE 7(1): e29336. doi:10.1371/journal.pone.0029336 (2012)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0029336>

Yardy GW, Bicknell DC, Wilding JL, Bartlett S, Liu Y, Winney B, Turner GD, Brewster SF, Bodmer WF:

Mutations in the AXIN1 Gene in Advanced Prostate Cancer

Eur Urol 56(3):486-94 (2009)

<http://www.europeanurology.com/article/S0302-2838%2808%2900638-6>

Yonemori H, Kubota D, Taniguchi H, Tsuda H, Fujita S, Murakami Y, and Kondo T:

Laser microdissection and two-dimensional difference gel electrophoresis with alkaline isoelectric point immobilized gel reveals proteomic intra-tumor heterogeneity in colorectal cancer

EuPA Open Proteomics, online 31 August 2013, ISSN 2212-9685,

<http://dx.doi.org/10.1016/j.euprot.2013.08.002>.

Zammarchi, F., Pistello, M., Piersigilli, A., Murr, R., Di Cristofano, C., Naccarato, A.G., and Bevilacqua, G.:

MMTV-like sequences in human breast cancer: a fluorescent PCR/laser microdissection approach

J Pathol 209(4): 436-444 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1997/full>

Zen C, Zen Y, Mitry RR, Corbeil D, Karbanová J, O'Grady J, Karani J, Kane P, Heaton N, Portmann BC, Quaglia A:

Mixed phenotype hepatocellular carcinoma after transarterial chemoembolization and liver transplantation

Liver Transpl. 2011 Aug;17(8):943-54

<http://onlinelibrary.wiley.com/doi/10.1002/lt.22314/abstract>

Zen Y, Britton D, Mitra V, Brand A, Jung S, Loessner C, Ward M, Pike I, Heaton N, Quaglia A:

Protein expression profiles of chemo-resistant mixed phenotype liver tumors using laser microdissection and LC-MS/MS proteomics

EuPA Open Proteomics, Available online 16 November 2013, ISSN 2212-9685

<http://dx.doi.org/10.1016/j.euprot.2013.10.001>

Zhang L, Hu S, Korteweg C, Chen Z, Qiu Y, Su M, Gu J:

Expression of immunoglobulin G in esophageal squamous cell carcinomas and its association with tumor grade and Ki67

Hum Pathol. 2011 Aug 18; PMID: 21855109

<http://www.sciencedirect.com/science/article/pii/S0046817711002462>

Zhang M, He Y, Sun X, Li Q, Wang W, Zhao A, Di W:

A high M1/M2 ratio of tumor-associated macrophages is associated with extended survival in ovarian cancer patients

J Ovarian Res. 2014 Feb 8;7(1):19.

<http://www.ovarianresearch.com/content/7/1/19>

Zhang, Q., Rubenstein, J.N., Jang, T.L., Pins, M., Javonovic, B., Yang, X., Kim, S.J., Park, I., and Lee, C.:
Insensitivity to transforming growth factor-beta results from promoter methylation of cognate receptors in human prostate cancer cells (LNCaP)

Mol Endocrinol 19(9): 2390-2399 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2390>

Zhang W, Fan S, Zou G, Shi L, Zeng Z, Ma J, Zhou Y, Li X, Zhang X, Li X, Tan M, Xiong W, Li G:
Lactotransferrin could be a novel independent molecular prognosticator of nasopharyngeal carcinoma

Tumour Biol. 2014 Oct 7.

<http://link.springer.com/article/10.1007/s13277-014-2650-1>

Zhang W, Zeng Z, Fan S, Wang J, Yang J, Zhou Y, Li X, Huang D, Liang F, Wu M, Tang K, Cao L, Li X, Xiong W, Li G:

Evaluation of the prognostic value of TGF- β superfamily type I receptor and TGF- β type II receptor expression in nasopharyngeal carcinoma using high-throughput tissue microarrays

J Mol Histol. 2012 Mar 6. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10735-012-9392-4>

Zhang W, Zeng Z, Wei F, Chen P, Schmitt DC, Fan S, Guo X, Liang F, Shi L, Liu Z, Zhang Z, Xiang B, Zhou M, Huang D, Tang K, Li X, Xiong W, Tan M, Li G, Li X:

SPLUNC1 is associated with nasopharyngeal carcinoma prognosis and plays an important role in ATRA-induced growth inhibition and differentiation in nasopharyngeal cancer cells

FEBS J. 2014 Aug 27. doi: 10.1111/febs.13020.

<http://dx.doi.org/10.1111/febs.13020>

Zhou J, Zheng W, Cao L, Liu M, Han F, Li A:

Antiangiogenic tumor treatment: noninvasive monitoring with contrast pulse sequence imaging for contrast-enhanced grayscale ultrasound

Acad Radiol. 2010 May;17(5):646-51

<http://www.academicradiology.org/article/S1076-6332%2810%2900058-9/abstract>

Zhu J, Wang Y, Gong L, Huang G

Diagnosis of primary pulmonary T- cell/histiocyte-rich large B cell lymphoma with tissue eosinophilia via clinicopathological observation and molecular assay

Diagn Pathol. 2014 Oct 2;9(1):188.

<http://www.diagnosticpathology.org/content/pdf/s13000-014-0188-6.pdf>

Zhu P, Ning Y, Yao L, Chen M, Xu C:

The proliferation, apoptosis, invasion of endothelial-like epithelial ovarian cancer cells induced by hypoxia

J Exp Clin Cancer Res. 2010 Sep 10;29:124. doi: 10.1186/1756-9966-29-124.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC20831794/>

Zhu S, Wang Z, Zhang Z, Wang J, Li Y, Yao L, Mei Q, Zhang W:

PTPLAD2 is a tumor suppressor in esophageal squamous cell carcinogenesis

FEBS Lett. 2014 Feb 13. pii: S0014-5793(14)00101-X. doi: 10.1016/j.febslet.2014.01.058

<http://www.sciencedirect.com/science/article/pii/S001457931400101X>

Zong L1, Hattori N, Yoda Y, Yamashita S, Takeshima H, Takahashi T, Maeda M, Katai H, Nanjo S, Ando T, Seto Y, Ushijima T:

Establishment of a DNA methylation marker to evaluate cancer cell fraction in gastric cancer

Gastric Cancer. 2015 Feb 13.

<http://dx.doi.org/10.1007/s10120-015-0475-2>

Living up to Life



Zuo J, Wen M, Lei M, Peng X, Yang X, Liu Z:

MiR-210 Links Hypoxia with Cell Proliferation Regulation in Human Laryngocarcinoma Cancer

Journal of Cellular Biochemistry, 2014 Dec 18, DOI 10.1002/jcb.25059

<http://onlinelibrary.wiley.com/doi/10.1002/jcb.25059/abstract>

6. Neurosciences

Aguado, C., Colon, J., Ciruela, F., Schlaudraff, F., Cabanero, M.J., Perry, C., Watanabe, M., Liss, B., Wickman, K., and Lujan, R.:

Cell type-specific subunit composition of G protein-gated potassium channels in the cerebellum

J Neurochem 105(2): 497-511 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2007.05153.x/full>

Albino D, Brizzolara A, Moretti S, Falugi C, Mirisola V, Scaruffi P, Di Candia M, Truini M, Coco S, Bonassi S, Tonini GP:

Gene expression profiling identifies eleven DNA repair genes down-regulated during mouse neural crest cell migration

Int J Dev Biol. 2011;55(1):65-72.

<http://www.ijdb.ehu.es/web/paper.php?doi=10.1387/ijdb.092970da>

Albino D, Scaruffi P, Moretti S, Coco S, Truini M, Di Cristofano C, Cavazzana A, Stigliani S, Bonassi S, Tonini GP:

Identification of low intratumoral gene expression heterogeneity in neuroblastic tumors by genome-wide expression analysis and game theory

Cancer. 2008 Sep 15;113(6):1412-22.

<http://onlinelibrary.wiley.com/doi/10.1002/cncr.23720/abstract>

Anderson KD, Pan L, Yang XM, Hughes VC, Walls JR, Dominguez MG, Simmons MV, Burfeind P, Xue Y, Wei Y, Macdonald LE, Thurston G, Daly C, Lin HC, Economides AN, Valenzuela DM, Murphy AJ, Yancopoulos GD, Gale NW:

Angiogenic sprouting into neural tissue requires Gpr124, an orphan G protein-coupled receptor

Proc Natl Acad Sci U S A. 2011 Feb 15;108(7):2807-12

<http://www.pnas.org/content/108/7/2807.short>

Aoyama M, Kakita H, Kato S, Tomita M, Asai K:

Region-specific expression of a water channel protein, aquaporin 4, on brain astrocytes

J Neurosci Res. 2012 Aug 18. doi: 10.1002/jnr.23117.

<http://dx.doi.org/10.1002/jnr.23117>

Arcila ML, Betizeau M, Cambronne XA, Guzman E, Doerflinger N, Bouhallier F, Zhou H, Wu B, Rani N, Bassett DS, Borello U, Huissoud C, Goodman RH, Dehay C, Kosik K:

Novel Primate miRNAs Coevolved with Ancient Target Genes in Germinal Zone-Specific Expression Patterns

Neuron. 2014 Feb 25. pii: S0896-6273(14)00022-1. doi: 10.1016/j.neuron.2014.01.017.

<http://www.sciencedirect.com/science/article/pii/S0896627314000221>

Arion D, Corradi JP, Tang S, Datta D, Boothe F, He A, Cacace AM, Zaczek R, Albright CF, Tseng G, Lewis DA :

Distinctive transcriptome alterations of prefrontal pyramidal neurons in schizophrenia and schizoaffective disorder

Mol Psychiatry. 2015 Jan 6. doi: 10.1038/mp.2014.171.

<http://dx.doi.org/10.1038/mp.2014.171>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing

Proc Natl Acad Sci U S A. 2011 Aug 22

<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Baj G, Del Turco D, Schlaudraff J, Torelli L, Deller T, Tongiorgi E:

Regulation of the spatial code for BDNF mRNA isoforms in the rat hippocampus following pilocarpine-treatment: A systematic analysis using laser microdissection and quantitative real-time PCR

Hippocampus. 2013 Feb 25. doi: 10.1002/hipo.22100.

<http://onlinelibrary.wiley.com/doi/10.1002/hipo.22100/abstract>

Bandyopadhyay U, Cotney J, Nagy M, Oh S, Leng J, Mahajan M, Mane S, Fenton WA, Noonan JP, Horwich AL:

RNA-Seq Profiling of Spinal Cord Motor Neurons from a Presymptomatic SOD1 ALS Mouse

PLoS ONE 8(1): e53575. doi:10.1371/journal.pone.0053575

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0053575>

Bandyopadhyay U, Fenton WA, Horwich AL, Nagy M:

Production of RNA for transcriptomic analysis from mouse spinal cord motor neuron cell bodies by laser capture microdissection

J Vis Exp. 2014 Jan 13;(83). doi: 10.3791/51168.

<http://dx.doi.org/10.3791/51168>

Bas Orth C., Vlachos A., Del Turco D., Burbach G.J., Haas C.A., Mundel P., Feng G., Frotscher M., and Deller T.:

Lamina-specific distribution of Synaptopodin, an actin-associated molecule essential for the spine apparatus, in identified principal cell dendrites of the mouse hippocampus

J Comp Neurol 487(3): 227-239 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/cne.20539/full>

Becker D, Zahn N, Deller T, and Vlachos A:

Tumor necrosis factor alpha maintains denervation-induced homeostatic synaptic plasticity of mouse dentate granule cells

Front. Cell. Neurosci. | doi: 10.3389/fncel.2013.00257

<http://www.frontiersin.org/Journal/10.3389/fncel.2013.00257/abstract>

Bender A, Desplats P, Spencer B, Rockenstein E, Adame A, Elstner M, Laub C, Mueller S, Koob AO, Mante M, Pham E, Klopstock T, Masliah E:

TOM40 mediates mitochondrial dysfunction induced by α -synuclein accumulation in Parkinson's disease

PLoS One. 2013 Apr 23;8(4):e62277.

<http://dx.plos.org/10.1371/journal.pone.0062277>

Bender, A., Krishnan, K.J., Morris, C.M., Taylor, G.A., Reeve, A.K., Perry, R.H., Jaros, E., Hersheson, J.S., Betts, J., Klopstock, T., Taylor, R.W., and Turnbull, D.M.:

High levels of mitochondrial DNA deletions in substantia nigra neurons in aging and Parkinson disease

Nat Genet 38(5): 515-517 (2006)

<http://www.nature.com/ng/journal/v38/n5/full/ng1769.html>

Benner S, Endo T, Endo N, Kakeyama M, Tohyama C:

Early deprivation induces competitive subordination in C57BL/6 male mice

Physiol Behav. 2014 Jul 30;137C:42-52. doi: 10.1016/j.physbeh.2014.06.018.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9384\(14\)00355-2](http://linkinghub.elsevier.com/retrieve/pii/S0031-9384(14)00355-2)

Bernard A, Lubbers LS, Tanis KQ, Luo R, Podtelezchnikov AA, Finney EM, McWhorter MM, Serikawa K, Lemon T, Morgan R, Copeland C, Smith K, Cullen V, Davis-Turak J, Lee CK, Sunkin SM, Loboda AP, Levine DM, Stone DJ, Hawrylycz MJ, Roberts CJ, Jones AR, Geschwind DH, Lein ES:

Transcriptional architecture of the primate neocortex

Neuron. 2012 Mar 22;73(6):1083-99.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00225-5](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00225-5)

Betts, J., Jaros, E., Perry, R.H., Schaefer, A.M., Taylor, R.W., Abdel-All, Z., Lightowers, R.N., and Turnbull, D.M.:

Molecular neuropathology of MELAS: level of heteroplasmy in individual neurones and evidence of extensive vascular involvement

Neuropathol Appl Neurobiol 32(4): 359-373 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2006.00731.x/full>

Boehm, C., Newrzella, D., Herberger, S., Schramm, N., Eisenhardt, G., Schenk, V., Sonntag-Buck, V., and Sorgenfrei, O.:

Effects of antidepressant treatment on gene expression profile in mouse brain: cell type-specific transcription profiling using laser microdissection and microarray analysis

J Neurochem (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.03750.x/full>

Bohm, C., Newrzella, D., and Sorgenfrei, O.:

Laser microdissection in CNS research

Drug Discov Today 10(17): 1167-1174 (2005)

[http://dx.doi.org/10.1016/S1359-6446\(05\)03555-5](http://dx.doi.org/10.1016/S1359-6446(05)03555-5)

Bolis, A., Coviello, S., Bussini, S., Dina, G., Pardini, C., Previtali, S.C., Malaguti, M., Morana, P., Del Carro, U., Feltri, M.L., Quattrini, A., Wrabetz, L., and Bolino, A.:

Loss of Mtmr2 phosphatase in Schwann cells but not in motor neurons causes Charcot-Marie-Tooth type 4B1 neuropathy with myelin outfoldings

J Neurosci 25(37): 8567-8577 (2005)

<http://www.jneurosci.org/content/25/37/8567.long>

Boonstra, R., Koning, A., Mastik, M., van den Berg, A., and Poppema, S.:

Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q

Virchows Arch 443(2): 164-169 (2003)

<http://www.springerlink.com/content/b1am9dkhxtu33uch/>

Brilli E, Reitano E, Conti L, Conforti P, Gulino R, Consalez GG, Cesana E, Smith A, Rossi F, Cattaneo E:

Neural stem cells engrafted in the adult brain fuse with endogenous neurons

Stem Cells Dev. 2013 Feb 15;22(4):538-47. doi: 10.1089/scd.2012.0530.

<http://dx.doi.org/10.1089/scd.2012.0530>

Burbach, G.J., Dehn, D., Del Turco, D., and Deller, T.:

Quantification of layer-specific gene expression in the hippocampus: effective use of laser microdissection in combination with quantitative RT-PCR

J Neurosci Methods 131(1-2): 83-91 (2003)

[http://dx.doi.org/10.1016/S0165-0270\(03\)00232-2](http://dx.doi.org/10.1016/S0165-0270(03)00232-2)

Burbach, G.J., Dehn, D., Del Turco, D., Staufenbiel, M., and Deller, T.:

Laser microdissection reveals regional and cellular differences in GFAP mRNA upregulation following brain injury, axonal denervation, and amyloid plaque deposition

Glia 48(1): 76-84 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20057/full>

Burbach, G.J., Dehn, D., Nagel, B., Del Turco, D., and Deller, T.:

Laser microdissection of immunolabeled astrocytes allows quantification of astrocytic gene expression

J Neurosci Methods 138(1-2): 141-148 (2004)

<http://dx.doi.org/10.1016/j.jneumeth.2004.03.022>

Burbach, G.J., Hellweg, R., Haas, C.A., Del Turco, D., Deicke, U., Abramowski, D., Jucker, M., Staufenbiel, M., and Deller, T.:

Induction of brain-derived neurotrophic factor in plaque-associated glial cells of aged APP23 transgenic mice

J Neurosci 24(10): 2421-2430 (2004)

<http://www.jneurosci.org/content/24/10/2421.long>

Campbell GR, Reeve A, Ziabreva I, Polvikoski TM, Taylor RW, Reynolds R, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and depletion within paraspinal muscles

Neuropathol Appl Neurobiol. 2012 Jul 5. doi: 10.1111/j.1365-2990.2012.01290.x

<http://dx.doi.org/10.1111/j.1365-2990.2012.01290.x>

Campbell GR, Ziabreva I, Reeve AK, Krishnan KJ, Reynolds R, Howell O, Lassmann H, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and neurodegeneration in multiple sclerosis

Ann Neurol 69(3):481-92 (2011)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22109/full>

Cao J, Ni J, Ma W, Shiu V, Milla LA, Park S, Spletter ML, Tang S, Zhang J, Wei X, Kim SK, Scott MP:
Insight into Insulin Secretion from Transcriptome and Genetic Analysis of Insulin-Producing Cells of *Drosophila*

Genetics. 2014 Feb 20.

<http://www.genetics.org/content/early/2014/02/18/genetics.113.160663.full.pdf+html>

Cebrián C, Zucca FA, Mauri P, Steinbeck JA, Studer L, Scherzer CR, Kanter E, Budhu S, Mandelbaum J, Vonsattel JP, Zecca L, Loike JD, Sulzer D:

MHC-I expression renders catecholaminergic neurons susceptible to T-cell-mediated degeneration

Nat Commun. 2014 Apr 16;5:3633. doi: 10.1038/ncomms4633.

<http://dx.doi.org/10.1038/ncomms4633>

Chandler DJ, Gao WJ, Waterhouse BD:

Heterogeneous organization of the locus coeruleus projections to prefrontal and motor cortices

Proc Natl Acad Sci U S A. 2014 Apr 21.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24753596>

Chen H, Dzitoyeva S, Manev H:

5-Lipoxygenase in mouse cerebellar Purkinje cells

Neuroscience. 2010 Dec 1;171(2):383-9

<http://dx.doi.org/10.1016/j.neuroscience.2010.09.019>

Choi, J.Y., Beaman-Hall, C.M., and Vallano, M.L.:

Granule neurons in cerebellum express distinct splice variants of the inositol trisphosphate receptor that are modulated by calcium

Am J Physiol Cell Physiol 287(4): C971-980 (2004)

<http://ajpcell.physiology.org/content/287/4/C971.long>

Coco, S., Defferrari, R., Scaruffi, P., Cavazzana, A., Di Cristofano, C., Longo, L., Mazzocco, K., Perri, P., Gambini, C., Moretti, S., Bonassi, S., and Tonini, G.P.:

Genome analysis and gene expression profiling of neuroblastoma and ganglioneuroblastoma reveal differences between neuroblastic and Schwannian stromal cells

J Pathol 207(3): 346-357 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1843/full>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Cuadrado E, Rosell A, Penalba A, Slevin M, Alvarez-Sabín J, Ortega-Aznar A, Montaner J:

Vascular MMP-9/TIMP-2 and neuronal MMP-10 up-regulation in human brain after stroke: a combined laser microdissection and protein array study

J Proteome Res. 2009 Jun;8(6):3191-7. doi: 10.1021/pr801012x.

<http://dx.doi.org/10.1021/pr801012x>

Datson NA, Meijer L, Steenbergen PJ, Morsink MC, van der Laan S, Meijer OC, and de Kloet ER:

Expression profiling in laser-microdissected hippocampal subregions in rat brain reveals large subregion-specific differences in expression

Eur J Neurosci 20(10): 2541-2554 (2004)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1460-9568.2004.03738.x/full>

Datta D, Arion D and Lewis DA:

Developmental Expression Patterns of GABAA Receptor Subunits in Layer 3 and 5 Pyramidal Cells of Monkey Prefrontal Cortex

Cereb. Cortex (2014) doi: 10.1093/cercor/bhu040; March 7, 2014

<http://cercor.oxfordjournals.org/content/early/2014/03/06/cercor.bhu040.abstract>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion

Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Del Turco D, Schlaudraff J, Bonin M, Deller T:

Upregulation of APP, ADAM10 and ADAM17 in the Denervated Mouse Dentate Gyrus

PLoS ONE 9(1): e84962. doi:10.1371/journal.pone.0084962

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0084962>

Dornieden S, Müller-Schiffmann A, Sticht H, Jiang N, Cinar Y, Wördehoff M, Korth C, Funke SA, Willbold D:

Characterization of a single-chain variable fragment recognizing a linear epitope of A β : a biotechnical tool for studies on Alzheimer's disease?

PLoS One. 2013;8(3):e59820. doi: 10.1371/journal.pone.0059820.

<http://dx.plos.org/10.1371/journal.pone.0059820>

Dragicevic E, Poetschke C, Duda J, Schlaudraff F, Lammel S, Schiemann J, Fauler M, Hetzel A, Watanabe M, Lujan R, Malenka RC, Striessnig J, Liss B:
Cav1.3 channels control D2-autoreceptor responses via NCS-1 in substantia nigra dopamine neurons

Brain. 2014 Jun 16. pii: awu131.

<http://brain.oxfordjournals.org/content/early/2014/06/16/brain.awu131.full>

Drexel M, Puhakka N, Kirchmair E, Hörtnagl H, Pitkänen A, Sperk G:
Expression of GABA receptor subunits in the hippocampus and thalamus after experimental traumatic brain injury

Neuropharmacology. 2014 Sep 16. pii: S0028-3908(14)00306-2. doi: 10.1016/j.neuropharm.2014.08.023.

<http://www.sciencedirect.com/science/article/pii/S0028390814003062>

Dzitoyeva S, Chen H, Manev H:

Effect of aging on 5-hydroxymethylcytosine in brain mitochondria

Neurobiol Aging. 2012 Mar 22. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0197-4580\(12\)00151-0](http://linkinghub.elsevier.com/retrieve/pii/S0197-4580(12)00151-0)

Elstner M, Morris CM, Heim K, Bender A, Mehta D, Jaros E, Klopstock T, Meitinger T, Turnbull DM, Prokisch H:

Expression analysis of dopaminergic neurons in Parkinson's disease and aging links transcriptional dysregulation of energy metabolism to cell death

Acta Neuropathol. 2011 Jul;122(1):75-86

<http://www.springerlink.com/content/e2w286484498651g/>

Elstner M, Morris CM, Heim K, Lichtner P, Bender A, Mehta D, Schulte C, Sharma M, Hudson G, Goldwurm S, Giovanetti A, Zeviani M, Burn DJ, McKeith IG, Perry RH, Jaros E, Krüger R, Wichmann HE, Schreiber S, Campbell H, Wilson JF, Wright AF, Dunlop M, Pistis G, Toniolo D, Chinnery PF, Gasser T, Klopstock T, Meitinger T, Prokisch H, Turnbull DM:

Single-cell expression profiling of dopaminergic neurons combined with association analysis identifies pyridoxal kinase as Parkinson's disease gene

Ann Neurol 66(6):792-8 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.21780/full>

Elstner M, Muller SK, Leidolt L, Laub C, Krieg L, Schlaudraff F, Liss B, Morris C, Turnbull DM, Masliah E, Prokisch H, Klopstock T, Bender A:

Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions

Mol Brain. 2011 Dec 21;4(1):43.

<http://www.molecularbrain.com/content/4/1/43/abstract>

Feldkirchner S, Schessl J, Müller S, Schoser B, Hanisch FG:

Patient-specific protein aggregates in myofibrillar myopathies: laser microdissection and differential proteomics for identification of plaque components

Proteomics. 2012 Dec;12(23-24):3598-609. doi: 10.1002/pmic.201100559.

<http://dx.doi.org/10.1002/pmic.201100559>

Figuroa JJ, Peter Bosch E, Dyck PJ, Singer W, Vrana JA, Theis JD, Dogan A, Klein CJ:

Amyloid-like IgM deposition neuropathy: a distinct clinico-pathologic and proteomic profile disorder

J Peripher Nerv Syst. 2012 Jun;17(2):182-90. doi: 10.1111/j.1529-8027.2012.00406.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1529-8027.2012.00406.x/abstract>

Ford, C.P. and Williams, J.T.:

Mesoprefrontal dopamine neurons distinguish themselves

Neuron 57(5): 631-632 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001815>

Frank, S., Burbach, G.J., Bonin, M., Walter, M., Streit, W., Bechmann, I., and Deller, T.:

TREM2 is upregulated in amyloid plaque-associated microglia in aged APP23 transgenic mice

Glia (2008)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20710/full>

Frank S, Copanaki E, Burbach GJ, Müller UC, Deller T:

Differential regulation of toll-like receptor mRNAs in amyloid plaque-associated brain tissue of aged APP23 transgenic mice

Neurosci Lett. 453(1):41-4 (2009)

<http://dx.doi.org/10.1016/j.neulet.2009.01.075>

Fuchs A, Kutterer S, Mühlhling T, Duda J, Schütz B, Liss B, Keller BU, Roeper J:

Selective mitochondrial Ca²⁺ uptake deficit in disease endstage vulnerable motoneurons of the SOD1G93A mouse model of amyotrophic lateral sclerosis

J Physiol. 2013 Feb 11. [Epub ahead of print]

<http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2012.247981/abstract>

Fujimura RK, Reiner T, Ma F, Phillips V, de las Pozas A, Dickson DW, Roos BA, Howard GA, Perez-Stable C:

Changes in the Expression of Genes Associated with Intraneuronal Amyloid- β and Tau in Alzheimer's Disease

J Alzheimers Dis. 2010;19(1):97-109

<http://iospress.metapress.com/content/851u86918j027n36/>

Fujimura M, Usuki F:

Low in situ expression of antioxidative enzymes in rat cerebellar granular cells susceptible to methylmercury

Arch Toxicol. 2013 Jul 6.

<http://dx.doi.org/10.1007/s00204-013-1089-2>

Fukazawa, Y., Saitoh, Y., Ozawa, F., Ohta, Y., Mizuno, K., and Inokuchi, K.:

Hippocampal LTP is accompanied by enhanced F-actin content within the dendritic spine that is essential for late LTP maintenance in vivo

Neuron 38(3): 447-460 (2003)

<http://www.cell.com/neuron/retrieve/pii/S089662730300206X>

Gąska M, Kuśmider M, Solich J, Faron-Górecka A, Krawczyk MJ, Kułakowski K, Dziedzicka-Wasylewska M:

Analysis of region-specific changes in gene expression upon treatment with citalopram and desipramine reveals temporal dynamics in response to antidepressant drugs at the transcriptome level

Psychopharmacology (Berl). 2012 May 1. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00213-012-2714-0>

Gill BC, Balog BM, Dissaranan C, Jiang HH, Steward JB, Lin DL, Damaser MS

Neurotrophin therapy improves recovery of the neuromuscular continence mechanism following simulated birth injury in rats

NeuroUrol Urodyn. 2012 May 11. doi: 10.1002/nau.22264

<http://dx.doi.org/10.1002/nau.22264>

Glaschke A, Weiland J, Del Turco D, Steiner M, Peichl L, Glösmann M:
Thyroid Hormone Controls Cone Opsin Expression in the Retina of Adult Rodents
J Neurosci. 31(13):4844-51. (2011)
<http://www.jneurosci.org/content/31/13/4844.long>

Grundemann, J., Schlaudraff, F., Haeckel, O., and Liss, B.:
Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease
Nucleic Acids Res 36(7): e38 (2008)
<http://nar.oxfordjournals.org/content/36/7/e38.long>

Gründemann J, Schlaudraff F, Liss B:
UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains
Methods Mol Biol. 2011;755:363-74
<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Hasselblatt, M., Bohm, C., Tatenhorst, L., Dinh, V., Newrzella, D., Keyvani, K., Jeibmann, A., Buerger, H., Rickert, C.H., and Paulus, W.:
Identification of novel diagnostic markers for choroid plexus tumors: a microarray-based approach
Am J Surg Pathol 30(1): 66-74 (2006)
<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2006&issue=01000&article=00010&type=abstract>

Haulcomb MM, Mesnard NA, Batka RJ, Alexander TD, Sanders VM, Jones KJ:
Axotomy-induced target disconnection promotes an additional death mechanism involved in motoneuron degeneration in ALS transgenic mice
J Comp Neurol. 2014 Jan 15. doi: 10.1002/cne.23538.
<http://onlinelibrary.wiley.com/doi/10.1002/cne.23538/abstract>

Hawrylycz MJ, Lein ES, Guillozet-Bongaarts AL, Shen EH, Ng L, Miller JA, van de Lagemaat LN, Smith KA, Ebbert A, Riley ZL, Abajian C, Beckmann CF, Bernard A, Bertagnoli D, Boe AF, Cartagena PM, Chakravarty MM, Chapin M, Chong J, Dalley RA, Daly BD, Dang C, Datta S, Dee N, Dolbeare TA, Faber V, Feng D, Fowler DR, Goldy J, Gregor BW, Haradon Z, Haynor DR, Hohmann JG, Horvath S, Howard RE, Jeromin A, Jochim JM, Kinnunen M, Lau C, Lazarz ET, Lee C, Lemon TA, Li L, Li Y, Morris JA, Overly CC, Parker PD, Parry SE, Reding M, Royall JJ, Schulkin J, Sequeira PA, Slaughterbeck CR, Smith SC, Sodt AJ, Sunkin SM, Swanson BE, Vawter MP, Williams D, Wornoutka P, Zielke HR, Geschwind DH, Hof PR, Smith SM, Koch C, Grant SG, Jones AR:
An anatomically comprehensive atlas of the adult human brain transcriptome
Nature. 2012 Sep 20;489(7416):391-9. doi: 10.1038/nature11405.
<http://www.nature.com/nature/journal/v489/n7416/full/nature11405.html>

Hawrylycz M, Ng L, Feng D, Sunkin S, Szafer A, Dang C:
The Allen Brain Atlas
Springer Handbook of Bio-/Neuroinformatics, 2014, pp 1111-1126
http://link.springer.com/chapter/10.1007/978-3-642-30574-0_62#

Heine S, Michalakakis S, Kallenborn-Gerhardt W, Lu R, Lim HY, Weiland J, Del Turco D, Deller T, Tegeder I, Biel M, Geisslinger G, Schmidtko A:
CNGA3: A Target of Spinal Nitric Oxide/cGMP Signaling and Modulator of Inflammatory Pain Hypersensitivity
J Neurosci. 2011 Aug 3;31(31):11184-92
<http://www.jneurosci.org/content/31/31/11184.long>

Henriques A, Kastner S, Chatzikonstantinou E, Pitzer C, Plaas C, Kirsch F, Wafzig O, Carola K, Spoelgen R, Gonzalez_de_aguilas J, Gretz N and Schneider A:

Gene expression changes in spinal motoneurons of the SOD1G93A transgenic model for ALS after treatment with G-CSF

Front. Cell. Neurosci. 8:464. (2014) doi:10.3389/fncel.2014.00464

<http://journal.frontiersin.org/Journal/10.3389/fncel.2014.00464/abstract>

Henriques A, Kastner S, Wafzig O, Gonzalez De Aguilas JL, Schneider A :

Analytical sequence to study G-CSF effect on the transcriptome of isolated spinal motor neurons from SOD1 G93A mice, an animal model for amyotrophic lateral sclerosis

Genomics Data 28 Feb 2015, doi:10.1016/j.gdata.2015.02.003

<http://www.sciencedirect.com/science/article/pii/S2213596015000161>

Hideyama T, Teramoto S, Hachiga K, Yamashita T, Kwak S:

Co-Occurrence of TDP-43 Mislocalization with Reduced Activity of an RNA Editing Enzyme, ADAR2, in Aged Mouse Motor Neurons

PLoS One. 2012;7(8):e43469.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043469>

Hommel, J.D., Sears, R.M., Georgescu, D., Simmons, D.L., and DiLeone, R.J.:

Local gene knockdown in the brain using viral-mediated RNA interference

Nat Med 9(12): 1539-1544 (2003)

<http://www.nature.com/nm/journal/v9/n12/full/nm964.html>

Huusko N, Pitkänen A:

Parvalbumin Immunoreactivity and Expression of GABA_A Receptor Subunits in the Thalamus after Experimental TBI

Neuroscience, 4 March 2014

<http://dx.doi.org/10.1016/j.neuroscience.2014.02.026>

Ichikawa T, Arai M, Miyashita M, Arai M, Obata N, Nohara I, Ohshima K, Niizato K, Okazaki Y, Doi N, Itokawa M:

Maternal inheritance and heteroplasmy of mtDNA mutations

Molecular Genetics and Metabolism, Available online 8 October 2011, ISSN 1096-7192,

10.1016/j.ymgme.2011.09.034.

<http://www.sciencedirect.com/science/article/pii/S1096719211003453>

Ikeshima-Kataoka H, Abe Y, Abe T, Yasui M:

Immunological function of aquaporin-4 in stab-wounded mouse brain in concert with a pro-inflammatory cytokine inducer, osteopontin

Mol Cell Neurosci. 2013 Feb 18. pii: S1044-7431(13)00020-1. doi: 10.1016/j.mcn.2013.02.002.

[http://linkinghub.elsevier.com/retrieve/pii/S1044-7431\(13\)00020-1](http://linkinghub.elsevier.com/retrieve/pii/S1044-7431(13)00020-1)

Jaillard C, Mouret A, Niepon ML, Clérin E, Yang Y, Lee-Rivera I, Ait-Ali N, Millet-Puel G, Cronin T, Sedmak T, Raffelsberger W, Kinzel B, Trembleau A, Poch O, Bennett J, Wolfrum U, Lledo PM, Sahel JA, Léveillard T:

Nxn12 splicing results in dual functions in neuronal cell survival and maintenance of cell integrity

Hum Mol Genet. 2012 Feb 15. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/02/15/hmg.dds050.abstract>

Kadkhodaei B, Alvarsson A, Schintu N, Ramsköld D, Volakakis N, Joodmardi E, Yoshitake T, Kehr J, Decressac M, Björklund A, Sandberg R, Svenningsson P, Perlmann T :
Transcription factor Nurr1 maintains fiber integrity and nuclear-encoded mitochondrial gene expression in dopamine neurons

Proc Natl Acad Sci U S A. 2013 Jan 22.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23341612>

Kallenborn-Gerhardt W, Lu R, Lorenz J, Gao W, Weiland J, Del Turco D, Deller T, Laube B, Betz H, Geisslinger G, Schmidtko A:

Prolonged zymosan-induced inflammatory pain hypersensitivity in mice lacking glycine receptor alpha2

Behav Brain Res. 2012 Jan 1;226(1):106-11.

[http://linkinghub.elsevier.com/retrieve/pii/S0166-4328\(11\)00658-9](http://linkinghub.elsevier.com/retrieve/pii/S0166-4328(11)00658-9)

Kanaan, A., Farahani, R., Douglas, R.M., Lamanna, J.C., and Haddad, G.G.:

Effect of chronic continuous or intermittent hypoxia and reoxygenation on cerebral capillary density and myelination

Am J Physiol Regul Integr Comp Physiol 290(4): R1105-1114 (2006)

<http://ajpregu.physiology.org/content/290/4/R1105.long>

Katsel P, Byne W, Roussos P, Tan W, Siever L, Haroutunian V:

Astrocyte and Glutamate Markers in the Superficial, Deep, and White Matter Layers of the Anterior Cingulate Gyrus in Schizophrenia

Neuropsychopharmacology. 2011 May;36(6):1171-7

<http://www.nature.com/npp/journal/v36/n6/full/npp2010252a.html>

Katz IK, Lamprecht R:

Fear conditioning leads to alteration in specific genes' expression in cortical and thalamic neurons that project to the lateral amygdala

J Neurochem. 2014 Oct 28. doi: 10.1111/jnc.12983.

<http://dx.doi.org/10.1111/jnc.12983>

Kelai, S., Maussion, G., Noble, F., Boni, C., Ramoz, N., Moalic, J.M., Peuchmaur, M., Gorwood, P., and Simonneau, M.:

Nrxn3 upregulation in the globus pallidus of mice developing cocaine addiction

Neuroreport 19(7): 751-755 (2008)

<http://journals.lww.com/neuroreport/pages/articleviewer.aspx?year=2008&issue=05070&article=00009&type=abstract>

Kennard JT, Guévremont D, Mason-Parker SE, Abraham WC, Williams JM:

Redistribution of Ionotropic Glutamate Receptors Detected by Laser Microdissection of the Rat Dentate Gyrus 48 h following LTP Induction *In Vivo*

PLoS One. 2014 Mar 25;9(3):e92972. doi: 10.1371/journal.pone.0092972. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0092972#pone-0092972-g005>

Kim W, Lee Y, McKenna ND, Yi M, Simunovic F, Wang Y, Kong B, Rooney RJ, Seo H, Stephens R, Sonntag KC:

miR-126 contributes to Parkinson disease by dysregulating IGF-1/PI3K signaling

Neurobiology of Aging, 0197-4580

<http://www.neurobiologyofaging.org/article/S0197-4580%2814%2900038-4/abstract>

Khodosevich K, Alfonso J, Monyer H:

Dynamic changes in the transcriptional profile of subventricular zone-derived postnatally born neuroblasts

Mech Dev. 2012 Dec 4. pii: S0925-4773(12)00114-1. doi: 10.1016/j.mod.2012.11.003.

<http://www.sciencedirect.com/science/article/pii/S0925477312001141>

Kley RA, Maerkens A, Olive M, Claeys KG, Hanisch F, van der Ven PFM, Fuerst DO, Mueller T, Marcus K, and Vorgerd M :

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9 , Page 874, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900418-X/abstract>

Körber C, Dondzillo A, Eisenhardt G, Herrmannsdörfer F, Wafzig O, Kuner T:

Gene expression profile during functional maturation of a central mammalian synapse

Eur J Neurosci. 2014 Jul 3. doi: 10.1111/ejn.12661.

<http://dx.doi.org/10.1111/ejn.12661>

Koob AO, Bruns L, Prassler C, Masliah E, Klopstock T, Bender A:

Protein analysis through Western blot of cells excised individually from human brain and muscle tissue

Anal Biochem. 2012 Mar 5. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0003269712001431>

Kosloski LM, Kosmacek EA, Olson KE, Mosley RL, and Gendelman HE:

GM-CSF induces neuroprotective and anti-inflammatory responses in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine intoxicated mice

Journal of Neuroimmunology, 29 Oct 2013, ISSN 0165-5728

<http://dx.doi.org/10.1016/j.jneuroim.2013.10.009>

Kozlenkov A, Roussos P, Timashpolsky A, Barbu M, Rudchenko S, Bibikova M, Klotzle B, Byne W, Lyddon R, Di Narzo AF, Hurd YL, Koonin EV, Dracheva S :

Differences in DNA methylation between human neuronal and glial cells are concentrated in enhancers and non-CpG sites

Nucleic Acids Res. 2013 Sep 20.

<http://nar.oxfordjournals.org/content/early/2013/09/19/nar.gkt838.abstract>

Krabbe S, Duda J, Schiemann J, Poetschke C, Schneider G, Kandel ER, Liss B, Roeper J, Simpson EH:
Increased dopamine D2 receptor activity in the striatum alters the firing pattern of dopamine neurons in the ventral tegmental area

Proc Natl Acad Sci U S A. 2015 Feb 9. pii: 201500450.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=25675529>

Kruse LC, Walter NA, Buck KJ:

Mpdz Expression In The Caudolateral Substantia Nigra Pars Reticulata Is Crucially Involved In Alcohol Withdrawal

Genes Brain Behav. 2014 Aug 11. doi: 10.1111/gbb.12171.

<http://dx.doi.org/10.1111/gbb.12171>

Lammel, S., Hetzel, A., Hackel, O., Jones, I., Liss, B., and Roeper, J.:

Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system

Neuron 57(5): 760-773 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001074>

Landmann EM, Schellong K, Melchior K, Rodekamp E, Ziska T, Harder T, Plagemann A:
Short-term regulation of the hypothalamic melanocortinergetic system under fasting and defined glucose-refeeding conditions in rats: A lasercapture microdissection (LMD)-based study

Neurosci Lett. 2012 Apr 25;515(1):87-91.

[http://linkinghub.elsevier.com/retrieve/pii/S0304-3940\(12\)00374-6](http://linkinghub.elsevier.com/retrieve/pii/S0304-3940(12)00374-6)

Lax NZ, Whittaker RG, Hepplewhite PD, Reeve AK, Blakely EL, Jaros E, Ince PG, Taylor RW, Fawcett PR, Turnbull DM:

Sensory neuronopathy in patients harbouring recessive polymerase γ mutations

Brain. 2011 Dec 20., doi:10.1093/brain/awr326

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=22189570>

Lee AWS, Hengstler H, Schwald K, Berriel-Diaz M, Loreth D, Kirsch M, Kretz O, Haas CA, de Angelis MH, Herzig S, Brümmendorf T, Klingenspor M, Rathjen FG, Rozman J, Nicholson G, Cox RD, Schäfer MKE:

Functional Inactivation of the Genome-Wide Association Study Obesity Gene Neuronal Growth Regulator 1 in Mice Causes a Body Mass Phenotype

PLoS ONE 7(7): e41537. doi:10.1371/journal.pone.0041537

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0041537>

Lee S, Toda T, Kiyama H, Yamashita T:

Weakened rate-dependent depression of Hoffmann's reflex and increased motoneuron hyperactivity after motor cortical infarction in mice

Cell Death Dis. 2014 Jan 16;5:e1007. doi: 10.1038/cddis.2013.544.

<http://www.nature.com/cddis/journal/v5/n1/pdf/cddis2013544a.pdf>

Lepagnol-Bestel AM, Maussion G, Boda B, Cardona A, Iwayama Y, Delezoide AL, Moalic JM, Muller D, Dean B, Yoshikawa T, Gorwood P, Buxbaum JD, Ramoz N, Simonneau M:

SLC25A12 expression is associated with neurite outgrowth and is upregulated in the prefrontal cortex of autistic subjects

Mol Psychiatry. 2008 Apr;13(4):385-97

<http://www.nature.com/mp/journal/v13/n4/full/4002120a.html>

Liebrman JA:

A framework for systematic promoter motif discovery and expression profiling from high dimensional brain transcriptome data

Thesis, 2013

http://academiccommons.columbia.edu/download/fedora_content/download/ac:166684/CONTENT/FINAL_A_framework_for_systematic_promoter_motif_discovery_and_expression_profiling_from_high_dimensional_brain_transcriptome_data.pdf

Liebe CH:

Klinische, histopathologische und genetische Charakterisierung der Myofibrillären Myopathien

PhD thesis (German language)

<http://darwin.bth.rwth-aachen.de/opus3/volltexte/2015/5290/pdf/5290.pdf>

Lin AC, Tan CL, Lin CL, Strohlic L, Huang YS, Richter JD, Holt CE:

Cytoplasmic polyadenylation and cytoplasmic polyadenylation element-dependent mRNA regulation are involved in Xenopus retinal axon development

Neural Dev. 2009 Mar 2;4:8. doi: 10.1186/1749-8104-4-8.

<http://www.neuraldevelopment.com/content/4/8>

Lin LC, Lewis DA, Sibille E:

A human-mouse conserved sex bias in amygdala gene expression related to circadian clock and energy metabolism

Mol Brain. 2011 May 4;4(1):18

<http://www.molecularbrain.com/content/4/1/18/abstract>

Lin LC, Sibille E:

Somatostatin, neuronal vulnerability and behavioral emotionality

Mol Psychiatry. 2015 Jan 20. doi: 10.1038/mp.2014.184.

<http://www.nature.com/mp/journal/vaop/ncurrent/full/mp2014184a.html>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:

K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons

Nat Neurosci 8(12): 1742-1751 (2005)

<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

Liu XS, Chopp M, Wang XL, Zhang L, Hozeska-Solgot A, Tang T, Kassis H, Zhang RL, Chen C, Xu J, Zhang ZG:

MicroRNA-17/92 cluster mediates the proliferation and survival of neural progenitor cells after stroke

J Biol Chem. 2013 Mar 19.

<http://www.jbc.org/content/early/2013/03/19/jbc.M112.449025.full.pdf+html>

Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:
MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway

PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>

Lobsiger CS, Boillée S, Cleveland DW:

Toxicity from different SOD1 mutants dysregulates the complement system and the neuronal regenerative response in ALS motor neurons

Proc Natl Acad Sci U S A. 2007 May 1;104(18):7319-26.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=17463094>

Lofqvist C, Willett KL, Aspegren O, Smith AC, Aderman CM, Connor KM, Chen J, Hellstrom A, Smith LE:
Quantification and localization of the IGF/insulin system expression in retinal blood vessels and neurons during oxygen-induced retinopathy in mice

Invest Ophthalmol Vis Sci 50(4):1831-7 (2009)

<http://www.iovs.org/content/50/4/1831.short>

Lotz, M., Gutle, D., Walther, S., Menard, S., Bogdan, C., and Hornef, M.W.:

Postnatal acquisition of endotoxin tolerance in intestinal epithelial cells

J Exp Med 203(4): 973-984 (2006)

<http://jem.rupress.org/content/203/4/973.long>

Lucchini V:

Il difetto ossidativo mitocondriale e le alterazioni del DNA mitocondriale in topi transgenici modello animale della Atassia Spinocerebellare di tipo 1

Tesi di Dottorato, PhD thesis

http://air.unimi.it/bitstream/2434/169922/4/phd_unimi_R08149.pdf

Luquin N, Sierra S, Rico AJ, Gómez-Bautista V, Roda E, Conte-Perales L, Franco R, McCormick P, Labandeira-García JL, Lanciego JL:

Unmasking adenosine 2A receptors (A(2A)Rs) in monkey basal ganglia output neurons using cholera toxin subunit B (CTB)

Neurobiol Dis. 2012 May 31;47(3):347-357

<http://www.sciencedirect.com/science/article/pii/S0969996112001921>

Maerkens A, Kley RA, Schreiner A, Theis V, Mueller T, Vorgerd M, Marcus K:

Differential proteomic analysis of protein aggregates in desminopathy

Neuromuscular Disorders, Volume 22, Issue 9, Page 821, October 2012

<http://www.nmd-journal.com/article/S0960-8966%2812%2900249-0/abstract>

Matsunaga E, Nambu S, Iriki A, Okanoya K:

Expression pattern of cadherins in the naked mole rat (*Heterocephalus glaber*) suggests innate cortical diversification of the cerebrum

J Comp Neurol. 2011 Jun 15;519(9):1736-47

<http://onlinelibrary.wiley.com/doi/10.1002/cne.22598/full>

Majak K, Dabrowski M, Pitkänen A:

Epileptogenesis alters gene expression pattern in rats subjected to amygdala-dependent emotional learning

Neuroscience. 2009 Mar 17;159(2):468-82

<http://dx.doi.org/10.1016/j.neuroscience.2008.12.060>

Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:

Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord

Brain Res 1249:61-7 (2009)

<http://dx.doi.org/10.1016/j.brainres.2008.10.028>

Matsuda K, Brown CR, Foley B, Goeken R, Whitted S, Dang Q, Wu F, Plishka R, White AB, Hirsch VM:
Laser Capture Microdissection Assessment of Virus Compartmentalization in the CNS of Macaques Infected with Neurovirulent SIV

J Virol. 2013 May 29

<http://jvi.asm.org/cgi/pmidlookup?view=long&pmid=23720733>

Meltendorf C, Burbach GJ, Ohrloff C, Ghebremedhin E, Deller T:

Intrastromal Keratotomy with Femtosecond Laser Avoids Profibrotic TGF-beta 1 Induction

Invest Ophthalmol Vis Sci. 50(8): 3688-95 (2009)

<http://www.iovs.org/content/50/8/3688.long>

Mesci P, Zaïdi S, Lobsiger CS, Millecamps S, Escartin C, Seilhean D, Sato H, Mallat M, Boillée S:

System xC⁻ is a mediator of microglial function and its deletion slows symptoms in amyotrophic lateral sclerosis mice

Brain. 2014 Nov 10. pii: awu312.

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=25384799>

Mesko MF, Salber D, Pozebon D, Dressler VL, Becker JS:

Evaluation of metal distributions in small samples of mouse brain lesions (hematoma) by inductively coupled plasma mass spectrometry after sampling by laser microdissection (LMD)

Int J of Mass Spec, Volume 307, Issues 1–3, 1 October 2011, Pages 137–141

<http://www.sciencedirect.com/science/article/pii/S138738061100159X>

Miller JA, Ding SL, Sunkin SM, Smith KA, Ng L, Szafer A, Ebbert A, Riley ZL, Royall JJ, Aiona K, Arnold JM, Bennet C, Bertagnolli D, Brouner K, Butler S, Caldejon S, Carey A, Cuhaciyen C, Dalley RA, Dee N, Dolbeare TA, Facer BA, Feng D, Fliss TP, Gee G, Goldy J, Gourley L, Gregor BW, Gu G, Howard RE, Jochim JM, Kuan CL, Lau C, Lee CK, Lee F, Lemon TA, Lesnar P, McMurray B, Mastan N, Mosqueda N, Naluai-Cecchini T, Ngo NK, Nyhus J, Oldre A, Olson E, Parente J, Parker PD, Parry SE, Stevens A, Pletikos M, Reding M, Roll K, Sandman D, Sarreal M, Shapouri S, Shapovalova NV, Shen EH, Sjoquist N, Slaughterbeck CR, Smith M, Sodt AJ, Williams D, Zöllei L, Fischl B, Gerstein MB, Geschwind DH, Glass IA, Hawrylycz MJ, Hevner RF, Huang H, Jones AR, Knowles JA, Levitt P, Phillips JW, Sestan N, Wohnoutka P, Dang C, Bernard A, Hohmann JG, Lein ES:

Transcriptional landscape of the prenatal human brain

Nature. 2014 Apr 2. doi: 10.1038/nature13185.

<http://dx.doi.org/10.1038/nature13185>

Miller JA, Nathanson J, Franjic D, Shim S, Dalley RA, Shapouri S, Smith KA, Sunkin SM, Bernard A, Bennett JL, Lee CK, Hawrylycz MJ, Jones AR, Amaral DG, Sestan N, Gage FH, Lein ES:

Conserved molecular signatures of neurogenesis in the hippocampal subgranular zone of rodents and primates

Development. 2013 Oct 23.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=24154525>

Mishra PK, Teale JM:

Transcriptome analysis of the ependymal barrier during murine neurocysticercosis

J Neuroinflammation. 2012 Jun 25;9(1):141

<http://www.jneuroinflammation.com/content/9/1/141/abstract>

Mitrasinovic, O.M., Grattan, A., Robinson, C.C., Lapustea, N.B., Poon, C., Ryan, H., Phong, C., and Murphy, G.M., Jr.:

Microglia overexpressing the macrophage colony-stimulating factor receptor are neuroprotective in a microglial-hippocampal organotypic coculture system

J Neurosci 25(17): 4442-4451 (2005)

<http://www.jneurosci.org/content/25/17/4442.long>

Miyashita T, Wintzer M, Kurotani T, Konishi T, Ichinohe N, Rockland KS:

Neurotrophin-3 Is Involved in the Formation of Apical Dendritic Bundles in Cortical Layer 2 of the Rat

Cereb Cortex 20(1):229-40 (2010)

<http://cercor.oxfordjournals.org/content/20/1/229.short>

Molnár Z, Belgard TG:

Transcriptional profiling of layers of the primate cerebral cortex

Neuron. 2012 Mar 22;73(6):1053-5.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00230-9](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00230-9)

Moreno B, Jukes JP, Vergara-Irigaray N, Errea O, Villoslada P, Perry VH, Newman TA:

Systemic inflammation induces axon injury during brain inflammation

Ann Neurol., DOI: 10.1002/ana.22550

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22550/abstract>

Mühling T, Duda J, Weishaupt J, Ludolph AC and Liss B:

Elevated mRNA-levels of distinct mitochondrial and plasma membrane Ca²⁺ transporters in individual hypoglossal motor neurons of endstage SOD1 transgenic mice.

Front. Cell. Neurosci., 8:353. doi:10.3389/fncel.2014.00353

<http://journal.frontiersin.org/Journal/10.3389/fncel.2014.00353/abstract>

Müller SK, Bender A, Laub C, Högen T, Schlaudraff F, Liss B, Klopstock T, Elstner M:
Lewy body pathology is associated with mitochondrial DNA damage in Parkinson's disease
Neurobiol Aging. 2013 Apr 6. pii: S0197-4580(13)00116-4. doi: 10.1016/j.neurobiolaging.2013.03.016.
<http://www.sciencedirect.com/science/article/pii/S0197458013001164>

Murphy JL, Ratnaike TE, Shang E, Falkous G, Blakely EL, Alston CL, Taivassalo T, Haller RG, Taylor RW, Turnbull DM:
Cytochrome c oxidase-intermediate fibres: Importance in understanding the pathogenesis and treatment of mitochondrial myopathy
Neuromuscul Disord. 2012 May 28. [Epub ahead of print]
<http://www.sciencedirect.com/science/article/pii/S0960896612001204>

Mutsuga, N. and Gainer, H.:
Molecular analysis of the magnocellular neuroendocrine phenotype: from the micropunch to laser microdissection
Neurochem Res 31(2): 189-199 (2006)
<http://www.springerlink.com/content/h585v38344277w47/>

Mutsuga, N., Shahar, T., Verbalis, J.G., Brownstein, M.J., Xiang, C.C., Bonner, R.F., and Gainer, H.:
Selective gene expression in magnocellular neurons in rat supraoptic nucleus
J Neurosci 24(32): 7174-7185 (2004)
<http://www.jneurosci.org/content/24/32/7174.long>

Mutsuga, N., Shahar, T., Verbalis, J.G., Xiang, C.C., Brownstein, M.J., and Gainer, H.:
Regulation of gene expression in magnocellular neurons in rat supraoptic nucleus during sustained hypoosmolality
Endocrinology 146(3): 1254-1267 (2005)
<http://endo.endojournals.org/cgi/content/full/146/3/1254>

Okaty BW, Sugino K, Nelson SB:
Cell Type-Specific Transcriptomics in the Brain
J Neurosci. 2011 May 11;31(19):6939-43
<http://www.jneurosci.org/content/31/19/6939.citation>

Olmstead DN, Mesnard-Hoaglin NA, Batka RJ, Haulcomb MM, Miller WM, Jones KJ:
Facial nerve axotomy in mice: a model to study motoneuron response to injury
J Vis Exp. 2015 Feb 23;(96). doi: 10.3791/52382
<http://www.jove.com/video/52382/facial-nerve-axotomy-mice-model-to-study-motoneuron-response-to>

Oshima, H., Oshima, M., Inaba, K., and Taketo, M.M.:
Hyperplastic gastric tumors induced by activated macrophages in COX-2/mPGES-1 transgenic mice
Embo J 23(7): 1669-1678 (2004)
<http://www.nature.com/emboj/journal/v23/n7/full/7600170a.html>

Ostrem BE, Lui JH, Gertz CC, Kriegstein AR:
Control of outer radial glial stem cell mitosis in the human brain
Cell Rep. 2014 Aug 7;8(3):656-64. doi: 10.1016/j.celrep.2014.06.058.
<http://www.sciencedirect.com/science/article/pii/S2211124714005609>

Paciello O, Oliva G, Gradoni L, Manna L, Manzillo VF, Wojcik S, Trapani F, Papparella S:
Canine inflammatory myopathy associated with Leishmania Infantum infection
Neuromuscul Disord. 2009 Feb;19(2):124-30
<http://www.nmd-journal.com/article/S0960-8966%2808%2900677-9/abstract>

Pagenstecher A, Stahl S, Sure U, Felbor U:

A two-hit mechanism causes cerebral cavernous malformations: complete inactivation of CCM1, CCM2 or CCM3 in affected endothelial cells

Hum Mol Genet 18(5):911-8 (2009)

<http://hmg.oxfordjournals.org/content/18/5/911.short>

Perier C, Bender A, García-Arumí E, Melià MJ, Bové J, Laub C, Klopstock T, Elstner M, Mounsey RB, Teismann P, Prolla T, Andreu AL, Vila M:

Accumulation of mitochondrial DNA deletions within dopaminergic neurons triggers neuroprotective mechanisms

Brain. 2013 Aug;136(Pt 8):2369-78. doi: 10.1093/brain/awt196.

<http://brain.oxfordjournals.org/cgi/lookup?view=long&pmid=23884809>

Phillipps HR, Ladyman SR, and Grattan DR:

Maintained expression of genes associated with metabolism in the ventromedial hypothalamic nucleus

despite development of leptin resistance during pregnancy in the rat

Physiological Reports ISSN 2051-817X

<http://onlinelibrary.wiley.com/doi/10.1002/phy2.162/pdf>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

Neuronal type-specific gene expression profiling and laser-capture microdissection

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Ploski, J.E., Newton, S.S., and Duman, R.S.:

Electroconvulsive seizure-induced gene expression profile of the hippocampus dentate gyrus granule cell layer

J Neurochem 99(4): 1122-1132 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.04156.x/full>

Pluchino S, Muzio L, Imitola J, Deleidi M, Alfaro-Cervello C, Salani G, Porcheri C, Brambilla E, Cavasinni F, Bergamaschi A, Garcia-Verdugo JM, Comi G, Khoury SJ, Martino G

Persistent inflammation alters the function of the endogenous brain stem cell compartment

Brain. 2008 Oct;131(Pt 10):2564-78

<http://brain.oxfordjournals.org/cgi/lookup?view=long&pmid=18757884>

Raasch J, Zeller N, van Loo G, Merkler D, Mildner A, Erny D, Knobloch KP, Bethea JR, Waisman A, Knust M, Del Turco D, Deller T, Blank T, Priller J, Brück W, Pasparakis M, Prinz M:

I κ B kinase 2 determines oligodendrocyte loss by non-cell-autonomous activation of NF- κ B in the central nervous system

Brain 134(Pt 4): 1184-98 (Epub 2011)

<http://brain.oxfordjournals.org/content/134/4/1184.long>

Ramirez, A., Heimbach, A., Grundemann, J., Stiller, B., Hampshire, D., Cid, L.P., Goebel, I., Mubaidin, A.F., Wriekat, A.L., Roeper, J., Al-Din, A., Hillmer, A.M., Karsak, M., Liss, B., Woods, C.G., Behrens, M.I., and Kubisch, C.:

Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Reeve AK, Krishnan KJ, Elson JL, Morris CM, Bender A, Lightowlers RN, Turnbull DM:

Nature of mitochondrial DNA deletions in substantia nigra neurons

Am J Hum Genet. 2008 Jan;82(1):228-35.

<http://www.cell.com/AJHG/retrieve/pii/S0002929707000249>

Reilly SC, Cossins AR, Quinn JP, Sneddon LU:

Discovering genes: the use of microarrays and laser capture microdissection in pain research

Brain Res Brain Res Rev. 2004 Oct;46(2):225-33

[http://linkinghub.elsevier.com/retrieve/pii/S0165-0173\(04\)00097-9](http://linkinghub.elsevier.com/retrieve/pii/S0165-0173(04)00097-9)

Ridder K, Keller S, Dams M, Rupp AK, Schlaudraff J, Turco DD, Starmann J, Macas J, Karpova D, Devraj K, Depboylu C, Landfried B, Arnold B, Plate KH, Höglinger G, Sülthmann H, Altevogt P, Momma S:

Extracellular Vesicle-Mediated Transfer of Genetic Information between the Hematopoietic System and the Brain in Response to Inflammation

PLoS Biol. 2014 Jun 3;12(6):e1001874. doi: 10.1371/journal.pbio.1001874. eCollection 2014.

<http://www.plosbiology.org/article/info%3Adoi%2F10.1371%2Fjournal.pbio.1001874#pbio-1001874-g008>

Rolyan H, Scheffold A, Heinrich A, Begus-Nahrman Y, Langkopf BH, Hölter SM, Vogt-Weisenhorn DM, Liss B, Wurst W, Lie DC, Thal DR, Biber K, Rudolph KL:

Telomere shortening reduces Alzheimer's disease amyloid pathology in mice

Brain. 2011 Jul;134(Pt 7):2044-56. doi: 10.1093/brain/awr133.

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=21672962>

Root DH, Mejias-Aponte CA, Qi J, Morales M:

Role of glutamatergic projections from ventral tegmental area to lateral habenula in aversive conditioning

J Neurosci. 2014 Oct 15;34(42):13906-10. doi: 10.1523/JNEUROSCI.2029-14.2014.

<http://www.jneurosci.org/cgi/pmidlookup?view=long&pmid=25319687>

Rygiel KA, Miller J, Grady JP, Rocha MC, Taylor RW, Turnbull DM:

Mitochondrial and inflammatory changes in sporadic Inclusion Body Myositis

Neuropathol Appl Neurobiol. 2014 Apr 18. doi: 10.1111/nan.12149.

<http://onlinelibrary.wiley.com/doi/10.1111/nan.12149/pdf>

Sanna, P.P., King, A.R., van der Stap, L.D., and Repunte-Canonigo, V.:

Gene profiling of laser-microdissected brain regions and sub-regions

Brain Res Brain Res Protoc 15(2): 66-74 (2005)

<http://dx.doi.org/10.1016/j.brainresprot.2005.04.002>

Sanna PP, Repunte-Canonigo V, Guidotti A:

Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Satoh A, Brace CS, Ben-Josef G, West T, Wozniak DF, Holtzman DM, Herzog ED, Imai S:

SIRT1 promotes the central adaptive response to diet restriction through activation of the dorsomedial and lateral nuclei of the hypothalamus

J Neurosci. 2010 Jul 28;30(30):10220-32.

<http://www.jneurosci.org/content/30/30/10220.short>

Satoh A, Brace CS, Rensing N, Imai S:

Deficiency of Prdm13, a dorsomedial hypothalamus-enriched gene, mimics age-associated changes in sleep quality and adiposity

Aging Cell. 2014 Dec 25. doi: 10.1111/accel.12299.

<http://onlinelibrary.wiley.com/doi/10.1111/accel.12299/pdf>

Schafer, R., Dehn, D., Burbach, G.J., and Deller, T.:

Differential regulation of chondroitin sulfate proteoglycan mRNAs in the denervated rat fascia dentata after unilateral entorhinal cortex lesion

Neurosci Lett 439(1): 61-65 (2008)

<http://dx.doi.org/10.1016/j.neulet.2008.04.098>

Schiemann J, Schlaudraff F, Klose V, Bingmer M, Seino S, Magill PJ, Zaghloul KA, Schneider G, Liss B, Roeper J:

K-ATP channels in dopamine substantia nigra neurons control bursting and novelty-induced exploration

Nat Neurosci. 2012 Aug 19. doi: 10.1038/nn.3185

http://www.uni-ulm.de/fileadmin/website_uni_ulm/med.inst.010/bliss-pdf/Schiemann_NatNeurosci_2012.pdf

Schlaudraff F:

Quantitative Genexpressionsanalysen humaner dopaminerger Neurone nach Lasermikrodissektion aus post-mortem Mittelhirngewebe von Morbus Parkinson Patienten und Kontrollen

Dissertation, 2010 (German language)

http://vts.uni-ulm.de/query/longview.meta.asp?document_id=7359

Schlaudraff F, Gründemann J, Fauler M, Dragecivic E, Hardy J, and Liss B:

Orchestrated increase of dopamine and PARK mRNAs but not miR-133b in dopamine neurons in Parkinson's disease

Neurobiology of Aging, 22 March 2014, <http://dx.doi.org/10.1016/j.neurobiolaging.2014.03.016>

<http://www.sciencedirect.com/science/article/pii/S019745801400270X>

Schneider, A., Kruger, C., Steigleder, T., Weber, D., Pitzer, C., Laage, R., Aronowski, J., Maurer, M.H., Gassler, N., Mier, W., Hasselblatt, M., Kollmar, R., Schwab, S., Sommer, C., Bach, A., Kuhn, H.G., and Schabitz, W.R.:

The hematopoietic factor G-CSF is a neuronal ligand that counteracts programmed cell death and drives neurogenesis

J Clin Invest 115(8): 2083-2098 (2005)

<http://www.jci.org/articles/view/23559>

Schneider A, Rogalewski A, Wafzig O, Kirsch F, Gretz N, Krüger C, Diederich K, Pitzer C, Laage R, Plaas C, Vogt G, Minnerup J, Schäbitz WR:

Forced arm use is superior to voluntary training for motor recovery and brain plasticity after cortical ischemia in rats

Exp Transl Stroke Med. 2014 Feb 14;6(1):3.

<http://www.etsmjournal.com/content/pdf/2040-7378-6-3.pdf>

Schnorbusch K, Lembrechts R, Pintelon I, Timmermans JP, Brouns I, Adriaensen D:

GABAergic signaling in the pulmonary neuroepithelial body microenvironment: functional imaging in GAD67-GFP mice

Histochem Cell Biol. 2013 Apr 9.

<http://dx.doi.org/10.1007/s00418-013-1093-x>

Schwarzacher, S.W., Vuksic, M., Haas, C.A., Burbach, G.J., Sloviter, R.S., and Deller, T.:

Neuronal hyperactivity induces astrocytic expression of neurocan in the adult rat hippocampus
Glia 53(7): 704-714 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20329/full>

See K, Yadav P, Giegerich M, Cheong PS, Graf M, Vyas H, Lee SG, Mathavan S, Fischer U, Sendtner M, Winkler C:

SMN-deficiency alters Nrnx2 expression and splicing in zebrafish and mouse models of Spinal Muscular Atrophy

Hum Mol Genet. 2013 Nov 11.

<http://hmg.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24218366>

Shen LH, Li Y, Chopp M:

Astrocytic endogenous glial cell derived neurotrophic factor production is enhanced by bone marrow stromal cell transplantation in the ischemic boundary zone after stroke in adult rats

Glia. 2010 Jul;58(9):1074-81. doi: 10.1002/glia.20988.

<http://dx.doi.org/10.1002/glia.20988>

Shen LH, Li Y, Gao Q, Savant-Bhonsale S, Chopp M:

Down-regulation of neurocan expression in reactive astrocytes promotes axonal regeneration and facilitates the neurorestorative effects of bone marrow stromal cells in the ischemic rat brain

Glia. 2008 Dec;56(16):1747-54. doi: 10.1002/glia.20722.

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20722/abstract>

Shiga A, Ishihara T, Miyashita A, Kuwabara M, Kato T, Watanabe N, Yamahira A, Kondo C, Yokoseki A, Takahashi M, Kuwano R, Kakita A, Nishizawa M, Takahashi H, Onodera O:

Alteration of POLDIP3 Splicing Associated with Loss of Function of TDP-43 in Tissues Affected with ALS

PLoS ONE 7(8): e43120. doi:10.1371/journal.pone.0043120

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0043120>

Simunovic, F., Yi, M., Wang, Y., Macey, L., Brown, L.T., Krichevsky, A.M., Andersen, S.L., Stephens, R.M., Benes, F.M., Sonntag, K.C.

Gene expression profiling of substantia nigra dopamine neurons: further insights into Parkinson's disease pathology

Brain 132 (7): 1795-1809 (2008)

<http://brain.oxfordjournals.org/content/132/7/1795.long>

Solga AC, Pong WW, Walker J, Wylie T, Magrini V, Apicelli AJ, Griffith M, Griffith OL, Kohsaka S, Wu GF, Brody DL, Mardis ER, Gutmann DH:

RNA-Sequencing Reveals Oligodendrocyte and Neuronal Transcripts in Microglia Relevant to Central Nervous System Disease

Glia. 2014 Sep 24. doi: 10.1002/glia.22754.

<http://dx.doi.org/10.1002/glia.22754>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Subramanian N, Wetzel A, Dombert B, Yadav P, Havlicek S, Jablonka S, Nassar MA, Blum R, Sendtner M:

Role of Nav1.9 in activity-dependent axon growth in motoneurons

Hum Mol Genet. 2012 Jun 8. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/05/28/hmg.dds195.abstract>

Taruno A, Vingtdoux V, Ohmoto M, Ma Z, Dvoryanchikov G, Li A, Adrien L, Zhao H, Leung S, Abernethy M, Koppel J, Davies P, Civan MM, Chaudhari N, Matsumoto I, Hellekant G, Tordoff MG, Marambaud P, Foskett JK:

CALHM1 ion channel mediates purinergic neurotransmission of sweet, bitter and umami tastes

Nature. 2013 Mar 14;495(7440):223-6. doi: 10.1038/nature11906. Epub 2013 Mar 6.

<http://www.nature.com/nature/journal/v495/n7440/full/nature11906.html>

Tateno, M., Sadakata, H., Tanaka, M., Itohara, S., Shin, R.M., Miura, M., Masuda, M., Aosaki, T., Urushitani, M., Misawa, H., and Takahashi, R.:

Calcium-permeable AMPA receptors promote misfolding of mutant SOD1 protein and development of amyotrophic lateral sclerosis in a transgenic mouse model

Hum Mol Genet 13(19): 2183-2196 (2004)

<http://hmg.oxfordjournals.org/content/13/19/2183.long>

Thompson CL, Wisor JP, Lee CK, Pathak SD, Gerashchenko D, Smith KA, Fischer SR, Kuan CL, Sunkin SM, Ng LL, Lau C, Hawrylycz M, Jones AR, Kilduff TS, Lein ES :

Molecular and anatomical signatures of sleep deprivation in the mouse brain

Front Neurosci. 2010 Oct 21;4:165. doi: 10.3389/fnins.2010.00165.

<http://www.frontiersin.org/Neurogenomics/10.3389/fnins.2010.00165/abstract>

Tinkum KL, White LS, Marpegan L, Herzog E, Piwnica-Worms D, Piwnica-Worms H:

Forkhead Box O1 (FOXO1), but not p53, Contributes to Robust Induction of p21 Expression in Fasted Mice

J Biol Chem. 2013 Aug 5.

<http://www.jbc.org/cgi/pmidlookup?view=long&pmid=23918930>

Valdés P, Mercado G, Vidal RL, Molina C, Parsons G, Court FA, Martinez A, Galleguillos D, Armentano D, Schneider BL, Hetz C:

Control of dopaminergic neuron survival by the unfolded protein response transcription factor XBP1

Proc Natl Acad Sci U S A. 2014 Apr 21.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=24753614>

Vasilache, AM:

Talking to the Brain at the Blood-Brain Barrier through Inflammation-Induced Prostaglandin E₂

Doctoral thesis (English)

<http://diva-portal.org/smash/record.jsf?pid=diva2%3A789634&dswid=-5453>

Vlachos A, Ikenberg B, Lenz M, Becker D, Reifenberg K, Bas-Orth C, Deller T:

Synaptopodin regulates denervation-induced homeostatic synaptic plasticity

Proc Natl Acad Sci U S A. 2013 Apr 29.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23630268>

Vodička M, Ergang P, Mikulecká A, Řeháková L, Klusoňová P, Makal J, Soták M, Musílková J, Zach P, Pácha J:

Regulation of 11 β -Hydroxysteroid Dehydrogenase Type 1 and 7 α -Hydroxylase CYP7B1 during Social Stress

PLoS ONE 9(2): e89421. doi: 10.1371/journal.pone.0089421

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0089421#pone-0089421-g008>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wainwright DA, Xin J, Mesnard NA, Beahrs TR, Politis CM, Sanders VM, Jones KJ:

Exacerbation of facial motoneuron loss after facial nerve axotomy in CCR3-deficient mice

ASN Neuro 1(5):e00024 (2009)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2826103/>

Wainwright DA, Xin J, Mesnard NA, Sanders VM, Jones KJ:

Toll-like receptor 2 and facial motoneuron survival after facial nerve axotomy

Neurosci Lett. 2010 Feb 26;471(1):10-4

<http://dx.doi.org/10.1016/j.neulet.2009.12.076>

Wang L, Sharma K, Grisotti G, Roos RP:

The effect of mutant SOD1 dismutase activity on non-cell autonomous degeneration in familial amyotrophic lateral sclerosis

Neurobiol Dis 35(2):234-40 (2009)

<http://dx.doi.org/10.1016/j.nbd.2009.05.002>

Wienecke J, Westerdahl AC, Hultborn H, Kiehn O, Ryge J:

Global gene expression analysis of rodent motor neurons following spinal cord injury associates molecular mechanisms with development of postinjury spasticity

J Neurophysiol 103(2): 761-78 (2009)

<http://jn.physiology.org/content/103/2/761.short>

Willsey AJ, Sanders SJ, Li M, Dong S, Tebbenkamp AT, Muhle RA, Reilly SK, Lin L, Fertuzinhos S, Miller JA, Murtha MT, Bichsel C, Niu W, Cotney J, Ercan-Sencicek AG, Gockley J, Gupta AR, Han W, He X, Hoffman EJ, Klei L, Lei J, Liu W, Liu L, Lu C, Xu X, Zhu Y, Mane SM, Lein ES, Wei L, Noonan JP, Roeder K, Devlin B, Sestan N, State MW:

Coexpression networks implicate human midfetal deep cortical projection neurons in the pathogenesis of autism

Cell. 2013 Nov 21;155(5):997-1007. doi: 10.1016/j.cell.2013.10.020.

http://medicine.yale.edu/lab/sestan/resources/635_173748_willseyC13complete.pdf

Xin J, Wainwright DA, Mesnard NA, Serpe CJ, Sanders VM, Jones KJ:

IL-10 within the CNS is necessary for CD4+ T cells to mediate neuroprotection

Brain Behav Immun. 2010 Aug 17. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.bbi.2010.08.004>

Yoshioka W, Endo N, Kurashige A, Hajjima A, Endo T, Shibata T, Nishiyama R, Takeyama M, Tohyama C:

Fluorescence laser microdissection reveals a distinct pattern of gene activation in the mouse hippocampal region

Sci Rep. 2012;2:783. doi: 10.1038/srep00783.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC23136640/>

Living up to Life



Zeng H, Shen EH, Hohmann JG, Oh SW, Bernard A, Royall JJ, Glattfelder KJ, Sunkin SM, Morris JA, Guillozet-Bongaarts AL, Smith KA, Ebbert AJ, Swanson B, Kuan L, Page DT, Overly CC, Lein ES, Hawrylycz MJ, Hof PR, Hyde TM, Kleinman JE, Jones AR:

Large-scale cellular-resolution gene profiling in human neocortex reveals species-specific molecular signatures

Cell. 2012 Apr 13;149(2):483-96. doi: 10.1016/j.cell.2012.02.052.

[http://linkinghub.elsevier.com/retrieve/pii/S0092-8674\(12\)00348-0](http://linkinghub.elsevier.com/retrieve/pii/S0092-8674(12)00348-0)

Zhang L, Wahlin K, Li Y, Masuda T, Yang Z, Zack DJ, Esumi N:

RIT2, a neuron-specific small guanosine triphosphatase, is expressed in retinal neuronal cells and its promoter is modulated by the POU4 transcription factors

Mol Vis. 2013 Jun 17;19:1371-86. Print 2013.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23805044/>

7. Clinical Applications

Ahmed FE:

Laser Microdissection: Application to Carcinogenesis

Cancer Genomics and Proteomics May-August 2006 vol. 3 no. 3-4 217-225

<http://cgp.iarjournals.org/content/3/3-4/217.short>

Ai J, Pascal LE, O'Malley KJ, Dar JA, Isharwal S, Qiao Z, Ren B, Rigatti LH, Dhir R, Xiao W, Nelson JB, Wang Z:

Concomitant loss of EAF2/U19 and Pten synergistically promotes prostate carcinogenesis in the mouse model

Oncogene. 2013 May 27. doi: 10.1038/onc.2013.190.

<http://dx.doi.org/10.1038/onc.2013.190>

Amatori S, Ballarini M, Favarsani A, Belloni E, Fusar F, Bosari S, Pelicci PG, Minucci S, Fanelli M:
PAT-ChIP coupled with laser microdissection allows the study of chromatin in selected cell populations from paraffin-embedded patient samples

Epigenetics Chromatin. 2014 Aug 5;7:18. doi: 10.1186/1756-8935-7-18. eCollection 2014.

<http://www.epigeneticsandchromatin.com/content/7/1/18>

Ardighieri L, Zeppernick F, Hannibal CG, Vang R, Cope L, Junge J, Kjaer SK, Kurman RJ, Shih IM:
Mutational Analysis of BRAF and KRAS in Ovarian Atypical Proliferative Serous (Borderline) Tumors and Associated Peritoneal Implants

J. Pathol., 1096-9896, 10.1002/path.4293, 2013

<http://dx.doi.org/10.1002/path.4293>

Augello C, Gianelli U, Savi F, Moro A, Bonoldi E, Gambacorta M, Vaira V, Baldini L, Bosari S:

MicroRNA as potential biomarker in HCV-associated diffuse large B-cell lymphoma

J Clin Pathol. 2014 Jun 9. pii: jclinpath-2014-202352. doi: 10.1136/jclinpath-2014-202352.

<http://jcp.bmj.com/cgi/pmidlookup?view=long&pmid=24914240>

Avan A, Caretti V, Funel N, Galvani E, Maftouh M, Honeywell RJ, Lagerweij T, Van Tellinghen O, Campani D, Fuchs D, Verheul HM, Schuurhuis GJ, Boggi U, Peters GJ, Wurdinger T, Giovannetti E:

Crizotinib inhibits metabolic inactivation of gemcitabine in c-Met-driven pancreatic carcinoma

Cancer Res. 2013 Oct 1.

<http://cancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24085787>

Bagan JV, Mata-Roig M, Cortio-Gimeno J, Murillo-Cortes J, Hens-Aumente E, Poveda-Roda R, Bagan L:
Epidermal growth factor receptor copy number in potentially malignant oral disorders and oral squamous cell carcinoma: a short communication and preliminary study

J Oral Pathol Med. 2012 Mar 14. doi: 10.1111/j.1600-0714.2012.01137.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0714.2012.01137.x/abstract>

Bao H, Hu S, Zhang C, Shi S, Qin W, Zeng C, Liu Z:

Inhibition of miRNA-21 prevents fibrogenic activation in podocytes and tubular cells in IgA nephropathy

Biochem Biophys Res Commun. 2014 Jan 24. pii: S0006-291X(14)00089-8.

<http://www.sciencedirect.com/science/article/pii/S0006291X14000898>

Barrow TM, Barault L, Ellsworth RE, Harris HR, Binder AM, Valente AL, Shriver CD, Michels KB:
Aberrant methylation of imprinted genes is associated with negative hormone receptor status in invasive breast cancer

Int J Cancer. 2015 Jan 5. doi: 10.1002/ijc.29419.

<http://dx.doi.org/10.1002/ijc.29419>

Björner S, Fitzpatrick PA, Li Y, Allred C, Howell A, Ringberg A, Olsson H, Miller CJ, Axelson H, Landberg G:

Epithelial and Stromal MicroRNA Signatures of Columnar Cell Hyperplasia Linking Let-7c to Precancerous and Cancerous Breast Cancer Cell Proliferation

PLoS One. 2014 Aug 14;9(8):e105099. doi: 10.1371/journal.pone.0105099.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0105099>

Caponi S, Funel N, Frampton AE, Mosca F, Santaripa L, Van der Velde AG, Jiao LR, De Lio N, Falcone A, Kazemier G, Mejer GA, Verheul HM, Vasile E, Peters GJ, Boggi U, Giovannetti E:

The good, the bad and the ugly: a tale of miR-101, miR-21 and miR-155 in pancreatic intraductal papillary mucinous neoplasms

Ann Oncol. 2012 Nov 8.

<http://annonc.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23139258>

Catenacci DV, Liao WL, Thyparambil S, Henderson L, Xu P, Zhao L, Rambo B, Hart J, Xiao SY, Bengali K, Uzzell J, Darfler M, Krizman DB, Cecchi F, Bottaro DP, Karrison T, Veenstra TD, Hembrough T, Burrows J:

Absolute Quantitation of Met Using Mass Spectrometry for Clinical Application: Assay Precision, Stability, and Correlation with MET Gene Amplification in FFPE Tumor Tissue

PLoS One. 2014 Jul 1;9(7):e100586. doi: 10.1371/journal.pone.0100586. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0100586#pone-0100586-g001>

Chiappetta C, Proietti I, Soccodato V, Puggioni C, Zaralli R, Pacini L, Porta N, Skroza N, Petrozza V, Potenza C, Rocca CD, Di Cristofano C:

BRAF and NRAS Mutations are Heterogeneous and Not Mutually Exclusive in Nodular Melanoma

Applied Immunohistochemistry & Molecular Morphology, doi: 10.1097/PAI.0000000000000071

http://journals.lww.com/appliedimmunohist/Abstract/publishahead/BRAF_and_NRAS_Mutations_are_Heterogeneous_and_Not.99403.aspx

Confavreux CB, Girard N, Pialat J-P, Bringuier P-P, Shisheboran MD, Rousseau J-C, Isaac S, Thivolet-Bejui F, Clezardin P, and Brevet M:

Mutational profiling of bone metastases from lung adenocarcinoma: results of a prospective study (POUMOS-TEC)

BoneKEy Reports 3, Article number: 580 (2014) | doi:10.1038/bonekey.2014.75

<http://www.nature.com/bonekeyreports/2014/141001/bonekey201475/pdf/bonekey201475.pdf>

Cotoi CG, Khorsandi SE, Pleșea IE, Quaglia A:

Whole-genome DASL gene expression profiling of hepatocellular carcinoma sub-populations isolated by laser microdissection on formalin-fixed and paraffin-embedded liver tissue samples

Rom J Morphol Embryol. 2012;53(4):893-902.

<http://www.rjme.ro/RJME/resources/files/530412893902.pdf>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

Dasari S, Theis JD, Vrana JA, Zenka RM, Zimmermann MT, Kocher JP, Highsmith Jr WE, Kurtin PJ, Dogan A:

Clinical proteome informatics workbench detects pathogenic mutations in hereditary amyloidoses

J Proteome Res. 2014 Mar 20.

<http://dx.doi.org/10.1021/pr4011475>

de la Cuesta F, Mourino-Alvarez L, Baldan-Martin M, Moreno-Luna R, Barderas MG:

Contribution of proteomics to the management of vascular disorders

Translational Proteomics, 2014, Oct 28, DOI: 10.1016/j.trprot.2014.10.002

<http://www.sciencedirect.com/science/article/pii/S2212963414000114>

Deyarmin B, Kane JL, Valente AL, van Laar R, Gallagher C, Shriver CD, Ellsworth RE:

Effect of ASCO/CAP Guidelines for Determining ER Status on Molecular Subtype

Ann Surg Oncol. 2012 Aug 9. [Epub ahead of print]

<http://dx.doi.org/10.1245/s10434-012-2588-8>

Djidja MC, Chang J, Hadjiprocopis A, Schmich F, Sinclair J, Mršnik M, Schoof EM, Barker HE, Linding R, Jorgensen C, Erler JT:

Identification of hypoxia-regulated proteins using MALDI-Mass Spectrometry Imaging combined with quantitative proteomics

J Proteome Res. 2014 Apr 7

<http://dx.doi.org/10.1021/pr401056c>

Dogan, A:

Classification of Amyloidosis by Mass Spectrometry-Based Proteomics

Current Clinical Pathology, 2012, Part 3, 261-272, DOI: 10.1007/978-1-60761-389-3_21

<http://www.springerlink.com/content/r61x186030018128/>

D'Souza A, Theis J, Quint P, Kyle R, Gertz M, Zeldenrust S, Vrana J, Dogan A, Dispenzieri A:

Exploring the amyloid proteome in immunoglobulin-derived lymph node amyloidosis using laser microdissection/tandem mass spectrometry

Am J Hematol. 2013 Apr 20. doi: 10.1002/ajh.23456.

<http://dx.doi.org/10.1002/ajh.23456>

D'Souza A, Theis J, Vrana J, and Dogan A:

Drug-Induced Amyloidosis: A Proteomic Insight Into 52 Cases

Blood, October 21, 2013 vol. 122 no. 21 1871

<http://bloodjournal.hematologylibrary.org/content/122/21/1871.short>

D'Souza A, Theis JD, Vrana JA, Dogan A:

Pharmaceutical amyloidosis associated with subcutaneous insulin and enfuvirtide administration

Amyloid. 2014 Jan 22.

<http://informahealthcare.com/doi/abs/10.3109/13506129.2013.876984>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Errea A, González Maciel D, Hiriart Y, Hozbor D, Rumbo M:

Intranasal administration of TLR agonists induces a discriminated local innate response along murine respiratory tract

Immunol Lett. 2015 Jan 28. pii: S0165-2478(15)00005-X. doi: 10.1016/j.imlet.2015.01.004.

[http://linkinghub.elsevier.com/retrieve/pii/S0165-2478\(15\)00005-X](http://linkinghub.elsevier.com/retrieve/pii/S0165-2478(15)00005-X)

Eslami A, Miyaguchi K, Mogushi K, Watanabe H, Okada N, Shibuya H, Mizushima H, Miura M, Tanaka H:
PARVB overexpression increases cell migration capability and defines high risk for endophytic growth and metastasis in tongue squamous cell carcinoma

Br J Cancer. 2014 Nov 25. doi: 10.1038/bjc.2014.590.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2014590a.html>

Evans GE, Martínez-Conejero JA, Phillipson GT, Simón C, McNoe LA, Sykes PH, Horcajadas JA, Lam EY, Print CG, Sin IL, Evans JJ:

Gene and protein expression signature of endometrial glandular and stromal compartments during the window of implantation

Fertil Steril. 2012 Jun;97(6):1365-73.e1-2. doi: 10.1016/j.fertnstert.2012.03.007.

[http://linkinghub.elsevier.com/retrieve/pii/S0015-0282\(12\)00321-4](http://linkinghub.elsevier.com/retrieve/pii/S0015-0282(12)00321-4)

Evans GE, Phillipson GT, Sin IL, Frampton CM, Kirker JA, Bigby SM, Evans JJ:

Gene expression confirms a potentially receptive endometrium identified by histology in fertile women

Hum Reprod. 2012 Sep;27(9):2747-55. doi: 10.1093/humrep/des233.

<http://humrep.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=22740499>

Fedrigo M, Poli F, Esposito G, Feltrin G, Toscano G, d'Agostino C, Schiavon B, Gerosa G, Amadori A, Valente M, Thiene G, Angelini A:

HLA-DRB1 Typing by Micro-Bead Array Assay Identifies the Origin of Early Lymphoproliferative Disorder in a Heart Transplant Recipient

Am J Transplant. 2013 Jan 17. doi: 10.1111/ajt.12063.

<http://dx.doi.org/10.1111/ajt.12063>

Feldkirchner S, Schessl J, Müller S, Schoser B, Hanisch FG:

Patient-specific protein aggregates in myofibrillar myopathies: laser microdissection and differential proteomics for identification of plaque components

Proteomics. 2012 Dec;12(23-24):3598-609. doi: 10.1002/pmic.201100559.

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.201100559/abstract>

Feldkirchner S, Walter MC, Müller S, Kubny C, Krause S, Kress W, Hanisch FG, Schoser B, Schessl J:
Proteomic characterization of aggregate components in an intrafamilial variable FHL1-associated myopathy

Neuromuscul Disord. 2013 May;23(5):418-26. doi: 10.1016/j.nmd.2013.02.006.

[http://linkinghub.elsevier.com/retrieve/pii/S0960-8966\(13\)00062-X](http://linkinghub.elsevier.com/retrieve/pii/S0960-8966(13)00062-X)

Figueroa JJ, Peter Bosch E, Dyck PJ, Singer W, Vrana JA, Theis JD, Dogan A, Klein CJ:

Amyloid-like IgM deposition neuropathy: a distinct clinico-pathologic and proteomic profile disorder

J Peripher Nerv Syst. 2012 Jun;17(2):182-90. doi: 10.1111/j.1529-8027.2012.00406.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1529-8027.2012.00406.x/abstract>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Funel N, Maftouh M, Faviana P, Avan A, Pollina LE, Caponi S, Milella M, Cantore M, Pacetti P, Mambrini A, Vasile E, Reni M, Boggi U, Campani D, Giovannetti E:

EZH2 Expression and Polymorphisms in Advanced Pancreatic Cancer

JOP. Journal of the Pancreas, Vol 14, No 5S (2013)

<http://dx.doi.org/10.6092%2F1590-8577%2F1776>

García-Berrocoso T, Giralt D, Llombart V, Bustamante A, Penalba A, Flores A, Ribó M, Molina CA, Rosell A, Montaner J:

Chemokines after human ischemic stroke: from neurovascular unit to blood using protein arrays

Translational Proteomics, 2014 12 Mar, <http://dx.doi.org/10.1016/j.trprot.2014.03.001>

<http://www.sciencedirect.com/science/article/pii/S2212963414000035>

Gilbertson JA, Theis JD, Vrana JA, Lachmann H, Wechalekar A, Whelan C, Hawkins PN, Dogan A, Gillmore JD:

A comparison of immunohistochemistry and mass spectrometry for determining the amyloid fibril protein from formalin-fixed biopsy tissue

J Clin Pathol. 2015 Jan 30. pii: jclinpath-2014-202722. doi: 10.1136/jclinpath-2014-202722.

<http://jcp.bmj.com/cgi/pmidlookup?view=long&pmid=25637636>

Gilling CE, Mittal AK, Chaturvedi NK, Iqbal J, Aoun P, Bierman PJ, Bociek RG, Weisenburger DD, Joshi SS:

Lymph node-induced immune tolerance in chronic lymphocytic leukaemia: a role for caveolin-1

Br J Haematol. 2012 May 10. doi: 10.1111/j.1365-2141.2012.09148.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2141.2012.09148.x/abstract>

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopollo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovannetti E, van der Velde A, Funel N, Vasile E, Perrone V, Leon LG, De Lio N, Avan A, Caponi S, Pollina LE, Gallá V, Sudo H, Falcone A, Campani D, Boggi U, Peters GJ:

High-Throughput MicroRNA (miRNAs) Arrays Unravel the Prognostic Role of MiR-211 in Pancreatic Cancer

PLoS One. 2012;7(11):e49145. doi: 10.1371/journal.pone.0049145. Epub 2012 Nov 14.

<http://dx.plos.org/10.1371/journal.pone.0049145>

Giovannetti E, Wang Q, Avan A, Funel N, Lagerweij T, Lee JH, Caretti V, van der Velde A, Boggi U, Wang Y, Vasile E, Peters GJ, Wurdinger T, Giaccone G:

Role of CYB5A in Pancreatic Cancer Prognosis and Autophagy Modulation

J Natl Cancer Inst. 2013 Dec 3.

<http://jnci.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24301457>

Gu-Qing Z, Ai-Lan C, Hong Y, Mao-Yu L, Guo-Qing L, Jian-Ling L, Li L:

Quantitative Proteomic Study for Various Stage Tissues of Human Bronchial Epithelial Carcinogenesis by Laser Capture Microdissection

Prog. Biochem. Biophys. 2013; 40 (6)

http://www.pibb.ac.cn/pibben/ch/reader/view_abstract.aspx?file_no=20120474&flag=2

Hawkins MG, Winder DM, Ball SL, Vaughan K, Sonnex C, Stanley MA, Sterling JC, Goon PK:

Detection of specific HPV subtypes responsible for the pathogenesis of condylomata acuminata

Virology. 2013 May 1;10(1):137.

<http://www.virologyj.com/content/10/1/137>

Hembrough T, Thyparambil S, Liao WL, Darfler MM, Abdo J, Bengali KM, Taylor P, Tong J, Lara-Guerra H, Waddell TK, Moran MF, Tsao MS, Krizman DB, Burrows J.:

Selected Reaction Monitoring (SRM) Analysis of Epidermal Growth Factor Receptor (EGFR) in Formalin Fixed Tumor Tissue

Clin Proteomics. 2012 May 3;9(1):5. doi: 10.1186/1559-0275-9-5.

<http://www.clinicalproteomicsjournal.com/content/9/1/5>

Hopfgarten J, Stenwall PA, Wiberg A, Anagandula M, Ingvast S, Rosenling T, Korsgren O, Skog O:

Gene expression analysis of human islets in a subject at onset of type 1 diabetes

Acta Diabetol. 2013 Apr 27.

<http://link.springer.com/article/10.1007/s00592-013-0479-5>

Hou S, Zhao L, Shen Q, Yu J, Ng C, Kong X, Wu D, Song M, Shi X, Xu X, OuYang WH, He R, Zhao XZ, Lee T, Brunicardi FC, Garcia MA, Ribas A, Lo RS, Tseng HR:

Polymer nanofiber-embedded microchips for detection, isolation, and molecular analysis of single circulating melanoma cells

Angew Chem Int Ed Engl. 2013 Mar 18;52(12):3379-83. doi: 10.1002/anie.201208452.

<http://dx.doi.org/10.1002/anie.201208452>

Hunt JL, Finkelstein SD:

Microdissection techniques for molecular testing in surgical pathology

Arch Pathol Lab Med. 2004 Dec;128(12):1372-8

[http://www.archivesofpathology.org/doi/full/10.1043/1543-2165\(2004\)128%3C1372:MTFMTI%3E2.0.CO;2](http://www.archivesofpathology.org/doi/full/10.1043/1543-2165(2004)128%3C1372:MTFMTI%3E2.0.CO;2)

Iacobellis G, Di Gioia C, Petramala L, Chiappetta C, Serra V, Zinamosca L, Marinelli C, Ciardi A, De Toma G, and Letizia C:

Brown Fat Expresses Adiponectin in Humans

International Journal of Endocrinology, vol. 2013, Article ID 126751, 6 pages, 2013.

<http://www.hindawi.com/journals/ije/2013/126751/cta/>

Itakura M, Terashima Y, Shingyoji M, Yokoi S, Ohira M, Kageyama H, Matui Y, Yoshida Y, Ashinuma H, Moriya Y, Tamura H, Harigaya K, Matsushima K, Iizasa T, Nakagawara A, Kimura H:

High CC chemokine receptor 7 expression improves postoperative prognosis of lung adenocarcinoma patients

Br J Cancer. 2013 Aug 6. doi: 10.1038/bjc.2013.440.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2013440a.html>

Janssen MJ, Salomon J, Te Morsche RH, Drenth JP:

Loss of Heterozygosity Is Present in SEC63 Germline Carriers with Polycystic Liver Disease

PLoS One. 2012;7(11):e50324. doi: 10.1371/journal.pone.0050324.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0050324>

Kachroo N, Valencia T, Warren AY, Gnanapragasam VJ:

Evidence for downregulation of the negative regulator SPRED2 in clinical prostate cancer

Br J Cancer. 2012 Nov 20. doi: 10.1038/bjc.2012.507.

<http://dx.doi.org/10.1038/bjc.2012.507>

Kakimoto Y, Ito S, Abiru H, Kotani H, Ozeki M, Tamaki K, Tsuruyama T:

Sorbin and SH3 domain-containing protein 2 is released from infarcted heart in the very early phase: proteomic analysis of cardiac tissues from patients.

J Am Heart Assoc. 2013 Dec 16;2(6):e000565. doi: 10.1161/JAHA.113.000565.

<http://jaha.ahajournals.org/cgi/pmidlookup?view=long&pmid=24342996>

Khalighi MA, Wallace WD, and Palma-Diaz MF:

Amyloid nephropathy

Clin Kidney J (2014) 7: 1–10; doi: 10.1093/ckj/sfu021

<http://ckj.oxfordjournals.org/content/early/2014/03/12/ckj.sfu021.abstract>

Kikuchi A, Ishikawa T, Mogushi K, Ishiguro M, Iida S, Mizushima H, Uetake H, Tanaka H, Sugihara K:
Identification of NUCKS1 as a colorectal cancer prognostic marker through integrated expression and copy number analysis

Int J Cancer. 2012 Oct 15. doi: 10.1002/ijc.27911.

<http://dx.doi.org/10.1002/ijc.27911>

Kim SK, Jung WH, Koo JS:

Differential expression of enzymes associated with serine/glycine metabolism in different breast cancer subtypes

PLoS One. 2014 Jun 30;9(6):e101004. doi: 10.1371/journal.pone.0101004. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0101004>

Kimura Y, Kubo S, Koda H, Shigemoto K, Sawabe M, Kitamura K:

RNA analysis of inner ear cells from formalin fixed paraffin embedded (FFPE) archival human temporal bone section using laser microdissection. -A technical report

Hear Res. 2013 May 6. pii: S0378-5955(13)00101-9. doi: 10.1016/j.heares.2013.04.008.

<http://www.sciencedirect.com/science/article/pii/S0378595513001019>

Koperek O, Kornauth C, Capper D, Berghoff AS, Asari R, Niederle B, von Deimling A, Birner P, Preusser M:

Immunohistochemical detection of the BRAF V600E-mutated protein in papillary thyroid carcinoma

Am J Surg Pathol. 2012 Jun;36(6):844-50. doi: 10.1097/PAS.0b013e318246b527.

<http://meta.wkhealth.com/pt/pt-core/template-journal/lwwgateway/media/landingpage.htm?issn=0147-5185&volume=36&issue=6&spage=844>

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Kortüm B, Campregher C, Lang M, Khare V, Pinter M, Evstatiev R, Schmid G, Mittlböck M, Scharl T, Kucherlapati MH, Edelmann W, Gasche C:

Mesalazine and thymoquinone attenuate intestinal tumour development in Msh2loxP/loxP Villin-Cre mice

Gut. 2014 Nov 26. pii: gutjnl-2014-307663. doi: 10.1136/gutjnl-2014-307663.

<http://gut.bmj.com/cgi/lookup?view=long&pmid=25429050>

Kurashina R, Kikuchi K, Iwaki J, Yoshitake H, Takeshita T, Takizawa T:

Placenta-specific miRNA (miR-512-3p) targets PPP3R1 encoding the calcineurin B regulatory subunit in BeWo cells

J Obstet Gynaecol Res. 2013 Nov 18. doi: 10.1111/jog.12217.

<http://onlinelibrary.wiley.com/doi/10.1111/jog.12217/abstract>

Ladanyi, A., Sipos, F., Szoke, D., Galamb, O., Molnar, B., and Tulassay, Z.:

Laser microdissection in translational and clinical research

Cytometry A 69(9): 947-960 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/cyto.a.20322/full>

Leone, F., Cavalloni, G., Pignochino, Y., Sarotto, I., Ferraris, R., Piacibello, W., Venesio, T., Capussotti, L., Risio, M., and Aglietta, M.:

Somatic mutations of epidermal growth factor receptor in bile duct and gallbladder carcinoma

Clin Cancer Res 12(6): 1680-1685 (2006)

<http://clincancerres.aacrjournals.org/content/12/6/1680.long>

Leung N, Nasr SH, Sethi S:

How I diagnose amyloidosis.

Blood. 2012 Sep 4.

<http://bloodjournal.hematologylibrary.org/content/early/2012/09/04/blood-2012-03-413682.abstract>

Li B:

Clinical Genomic Analysis and Diagnosis --Genomic Analysis Ex Vivo, in Vitro and in Silico

SAP, p-ISSN: 2163-1433, e-ISSN: 2163-1441, 2012; 2(4): 37-44, doi: 10.5923/j.cmd.20120204.04

<http://article.sapub.org/10.5923.j.cmd.20120204.04.html>

Li G, Zhang Z, Jin T, Liang H, Tu Y, Gong L, Chen Z, Gao G:

High frequency of the X-chromosome inactivation in young female patients with high-grade glioma

Diagn Pathol. 2013 Jun 19;8(1):101.

<http://www.diagnosticpathology.org/content/8/1/101>

Lin CS, Wang LS, Chou TY, Hsu WH, Lin HC, Lee SY, Lee MH, Chang SC, Wei YH :

Cigarette Smoking and hOGG1 Ser326Cys Polymorphism are Associated with 8-OHdG Accumulation on Mitochondrial DNA in Thoracic Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2012 Sep 1.

<http://dx.doi.org/10.1245/s10434-012-2576-z>

Liewluck T, Winder TL, Dimberg EL, Crum BA, Heppelmann CJ, Wang Y, Bergen HR 3rd, Milone M:

ANO5-muscular dystrophy: clinical, pathological and molecular findings

Eur J Neurol. 2013 May 12. doi: 10.1111/ene.12191.

<http://onlinelibrary.wiley.com/doi/10.1111/ene.12191/abstract>

Liu PF, Cao YW, Jiang HP, Wang YH, Yang XC, Wang XS, Niu HT:

Heterogeneity research in muscle-invasive bladder cancer based on differential protein expression analysis

Med Oncol. 2014 Sep;31(9):21. doi: 10.1007/s12032-014-0021-9.

<http://link.springer.com/article/10.1007/s12032-014-0021-9>

Llosa NJ, Cruise M, Tam A, Wick EC, Hechenbleikner EM, Taube JM, Blosser L, Fan H, Wang H, Lubber B, Zhang M, Papadopoulos N, Kinzler KW, Vogelstein B, Sears CL, Anders RA, Pardoll DM, Housseau F:

The vigorous immune microenvironment of microsatellite instable colon cancer is balanced by multiple counter-inhibitory checkpoints

Cancer Discov. 2014 Oct 30. pii: CD-14-0863.

<http://cancerdiscovery.aacrjournals.org/cgi/pmidlookup?view=long&pmid=25358689>

Locatelli-Sanchez M, Couraud S, Arpin D, Riou R, Bringuier PP, Souquet PJ :

Routine EGFR Molecular Analysis in Non-Small-Cell Lung Cancer Patients is Feasible: Exons 18-21 Sequencing Results of 753 Patients and Subsequent Clinical Outcomes

Lung. 2013 Jun 9.

<http://dx.doi.org/10.1007/s00408-013-9482-4>

Longley MJ, Clark S, Yu Wai Man C, Hudson G, Durham SE, Taylor RW, Nightingale S, Turnbull DM, Copeland WC, Chinnery PF:

Mutant POLG2 disrupts DNA polymerase gamma subunits and causes progressive external ophthalmoplegia

Am J Hum Genet. 2006 Jun;78(6):1026-34.

[http://linkinghub.elsevier.com/retrieve/pii/S0002-9297\(07\)63923-8](http://linkinghub.elsevier.com/retrieve/pii/S0002-9297(07)63923-8)

Matsunoki A, Kawakami K, Kotake M, Kaneko M, Kitamura H, Ooi A, Watanabe G, Minamoto T:

LINE-1 methylation shows little intra-patient heterogeneity in primary and synchronous metastatic colorectal cancer

BMC Cancer. 2012 Dec 5;12(1):574.

<http://www.biomedcentral.com/content/pdf/1471-2407-12-574.pdf>

Mazzarella G, Marano A, Stillitano I, Rotondi Aufiero V, Preziuso M, Bevilacqua RM, Iaquinto G, Giardullo N, Iacomino G:

Poster 27: Cytokine profile in celiac disease: a laser capture microdissection approach

<http://www.aiclaudio.it/attivita-e-notizie/archivio/allegati/POSTER%2027%20-%20Mazzarella.pdf>

Mollee P, Renaut P, Gottlieb D, Goodman H:

How to diagnose amyloidosis

Intern Med J. 2013 Sep 12. doi: 10.1111/imj.12288.

<http://dx.doi.org/10.1111/imj.12288>

Mucanj V, Lee SS, Skuli N, Giannoukos DN, Qiu B, Eisinger-Mathason TS, Nakazawa MS, Shay JE, Gopal PP, Venneti S, Lal P, Minn AJ, Simon MC, Mathew LK:

MicroRNA-124 expression counteracts pro-survival stress responses in glioblastoma

Oncogene. 2014 Jun 23. doi: 10.1038/onc.2014.168.

<http://dx.doi.org/10.1038/onc.2014.168>

Murakami I, Matsushita M, Iwasaki T, Kuwamoto S, Kato M, Horie Y, Hayashi K, Imamura T, Morimoto A, Imashuku S, Gogusev J, Jaubert F, Takata K, Oka T, Yoshino T:

Merkel cell polyomavirus DNA sequences in peripheral blood and tissues from patients with Langerhans cell histiocytosis

Hum Pathol. 2014 Jan;45(1):119-26. doi: 10.1016/j.humpath.2013.05.028.

<http://www.humanpathol.com/article/S0046-8177%2813%2900367-5/abstract>

Nagata M, Nuckolls GH, Wang X, Shum L, Seki Y, Kawase T, Takahashi K, Nonaka K, Takahashi I, Noman AA, Suzuki K, Slavkin HC:

The primary site of the acrocephalic feature in Apert Syndrome is a dwarf cranial base with accelerated chondrocytic differentiation due to aberrant activation of the FGFR2 signaling

Bone. 2011 Apr 1;48(4):847-56.

<http://www.thebonejournal.com/article/S8756-3282%2810%2902045-4/abstract>

Nasr SH, Said SM, Valeri AM, Sethi S, Fidler ME, Cornell LD, Gertz MA, Dispenzieri A, Buadi FK, Vrana JA, Theis JD, Dogan A, Leung N:

The diagnosis and characteristics of renal heavy-chain and heavy/light-chain amyloidosis and their comparison with renal light-chain amyloidosis

Kidney Int. 2013 Jan 9. doi: 10.1038/ki.2012.414.

<http://dx.doi.org/10.1038/ki.2012.414>

Nave AH, Mižiková I, Niess G, Steenbock H, Reichenberger F, Talavera ML, Veit F, Herold S, Mayer K, Vadász I, Weissmann N, Seeger W, Brinckmann J, Morty RE:

Lysyl Oxidases Play a Causal Role in Vascular Remodeling in Clinical and Experimental Pulmonary Arterial Hypertension

Arterioscler Thromb Vasc Biol. 2014 May 15. pii: ATVBAHA.114.303534.

<http://atvb.ahajournals.org/cgi/pmidlookup?view=long&pmid=24833797>

Nishida Y, Aida K, Kihara M, Kobayashi T:

Antibody-validated proteins in inflamed islets of fulminant type 1 diabetes profiled by laser-capture microdissection followed by mass spectrometry

PLoS One. 2014 Oct 16;9(10):e107664. doi: 10.1371/journal.pone.0107664. eCollection 2014.

<http://dx.plos.org/10.1371/journal.pone.0107664>

Nishimura T, Kato H, Ikeda N, Kihara M, Nomura M, Kato Y and Marko-Varga G:

Cancer Phenotype Diagnosis and Drug Efficacy within Japanese Health Care

International Journal of Proteomics, Volume 2012 (2012), Article ID 921901

<http://www.hindawi.com/journals/ijpro/2012/921901/>

Ohara R, Michikami H, Nakamura Y, Sakata A, Sakashita S, Satomi K, Shiba-Ishii A, Kano J, Yoshikawa H, Noguchi M:

Moesin overexpression is a unique biomarker of adenomyosis

Pathol Int. 2014 Mar;64(3):115-22. doi: 10.1111/pin.12148.

<http://onlinelibrary.wiley.com/doi/10.1111/pin.12148/abstract>

O'Malley KJ, Eisermann K, Pascal LE, Parwani AV, Majima T, Graham L, Hrebinko K, Acquafondata M, Stewart NA, Nelson JB, Yoshimura N, Wang Z:

Proteomic analysis of patient tissue reveals PSA protein in the stroma of benign prostatic hyperplasia

Prostate. 2014 Apr 7. doi: 10.1002/pros.22807.

<http://dx.doi.org/10.1002/pros.22807>

Ono N, Kusunoki T, Miwa M, Hirotsu M, Shiozawa A, and Ikeda K:

Reduction in Superoxide Dismutase Expression in the Epithelial Mucosa of Eosinophilic Chronic Rhinosinusitis with Nasal Polyps

Int Arch Allergy Immunol 2013;162:75-82 (DOI: 10.1159/000353122)

<http://www.karger.com/Article/FullText/353122>

Pan S, Brentnall TA, Kelly K, Chen R:

Tissue proteomics in pancreatic cancer study: discovery, emerging technologies and challenges

Proteomics. 2012 Nov 2. doi: 10.1002/pmic.201200319.

<http://dx.doi.org/10.1002/pmic.201200319>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Patnaik S, Mallick R, Kannisto E, Sharma R, Bshara W, Yendamuri S, Dhillon SS:

MiR-205 and MiR-375 MicroRNA Assays to Distinguish Squamous Cell Carcinoma from Adenocarcinoma in Lung Cancer Biopsies

J Thorac Oncol. 2015 Mar;10(3):446-53. doi: 10.1097/JTO.0000000000000423.

<http://meta.wkhealth.com/pt/pt-core/template-journal/lwwgateway/media/landingpage.htm?issn=1556-0864&volume=10&issue=3&spage=446>

Perilli L, Pizzini S, Bisognin A, Mandruzzato S, Biasiolo M, Faccioli A, Rossi E, Esposito G, Rugge M, Pilati P, Mocellin S, Nitti D, Bortoluzzi S, and Zanovello P:

Human miRNome profiling in colorectal cancer and liver metastasis development

Genomics Data (2014) GDATA-00060

<http://www.sciencedirect.com/science/article/pii/S2213596014000506>

Perros F, Montani D, Dorfmüller P, Durand-Gasselín I, Tcherakian C, Le Pavec J, Mazmanian M, Fadel E, Mussot S, Mercier O, Hervé P, Emilie D, Eddahibi S, Simonneau G, Souza R, Humbert M:

Platelet-derived growth factor expression and function in idiopathic pulmonary arterial hypertension

Am J Respir Crit Care Med. 2008 Jul 1;178(1):81-8.

<http://ajrccm.atsjournals.org/cgi/pmidlookup?view=long&pmid=18420966>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:

Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient

Hum Pathol 32(12): 1410-1413 (2001)

<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Reddy LA, Mikesh L, Moskaluk CA, Harvey J, Sherman N, Zigino P, Mauch C, Fox JW:

Host response to human breast in situ ductal carcinoma (IDC) as observed by changes in the stromal proteome

J Proteome Res. 2014 Sep 22

<http://dx.doi.org/10.1021/pr500620x>

Roessler S, Lin G, Forgues M, Budhu A, Hoover S, Simpson RM, Wu X, He P, Qin LX, Tang ZY, Ye QH, Wang XW:

Integrative Genomic and Transcriptomic Characterization of Matched Primary and Metastatic Liver and Colorectal Carcinoma

Int J Biol Sci 2015; 11(1):88-98. doi:10.7150/ijbs.10583

<http://www.ijbs.com/v11p0088.htm>

Rosatelli MC and Saba L:

Prenatal Diagnosis of β -Thalassemias and Hemoglobinopathies

MJHID 1(1): Mediterr J Hematol Infect Dis ISSN 2035-3006 (2009)

<http://www.mjhid.org/article/view/5079/html>

Ruan W, Sassoon A, An F, Simko JP, Liu B:

Identification of clinically significant tumor antigens by selecting phage antibody library on tumor cells in situ using laser capture microdissection

Mol Cell Proteomics. 2006 Dec;5(12):2364-73.

<http://www.mcponline.org/cgi/pmidlookup?view=long&pmid=16982673>

Saft L, Karimi M, Ghaderi M, Matolcsy A, Mufti GJ, Kulasekararaj A, Göhring G, Giagounidis A, Selleslag D, Muus P, Sanz G, Mittelman M, Bowen D, Porwit A, Fu T, Backstrom J, Fenaux P, MacBeth KJ, and Hellström-Lindberg E:

p53 protein expression independently predicts outcome in patients with lower-risk myelodysplastic syndromes with del(5q)

Haematologica haematol.2013.098103; March 28, 2014, doi:10.3324/haematol.2013.098103

<http://www.haematologica.org/content/early/2014/03/25/haematol.2013.098103.abstract>

Saha A, Chopra Y, Theis JD, Vrana JA, Sethi S:

AA Amyloidosis Associated With Systemic-Onset Juvenile Idiopathic Arthritis

American Journal of Kidney Diseases - 13 May 2013 (10.1053/j.ajkd.2013.02.377)

<http://www.ajkd.org/article/S0272-6386%2813%2900675-6/abstract>

Said SM, Sethi S, Valeri AM, Chang A, Nast CC, Krahl L, Molloy P, Barry M, Fidler ME, Cornell LD, Leung N, Vrana JA, Theis JD, Dogan A, Nasr SH:

Characterization and outcomes of renal leukocyte chemotactic factor 2-associated amyloidosis

Kidney Int. 2014 Jan 22. doi: 10.1038/ki.2013.558.

<http://dx.doi.org/10.1038/ki.2013.558>

Said SM, Sethi S, Valeri AM, Leung N, Cornell LD, Fidler ME, Herrera Hernandez L, Vrana JA, Theis JD, Quint PS, Dogan A, Nasr SH:

Renal Amyloidosis: Origin and Clinicopathologic Correlations of 474 Recent Cases

Clin J Am Soc Nephrol. 2013 May 23. *CJN*.10491012

<http://cjasn.asnjournals.org/cgi/pmidlookup?view=long&pmid=23704299>

Sakashita H, Inoue H, Akamine S, Ishida T, Inase N, Shirao K, Mori M, Mimori K:

Identification of the NEDD4L Gene as a Prognostic Marker by Integrated Microarray Analysis of Copy Number and Gene Expression Profiling in Non-small Cell Lung Cancer

Ann Surg Oncol. 2013 Jun 28.

<http://dx.doi.org/10.1245/s10434-013-3059-6>

Serhatli M, Baysal K, Acilan C, Tuncer E, Bekpinar S, Baykal AT:

Proteomic Study of the Microdissected Aortic Media in Human Thoracic Aortic Aneurysms

J Proteome Res. 2014 Sep 29

<http://dx.doi.org/10.1021/pr5006586>

Sethi S, Fervenza FC:

Membranoproliferative glomerulonephritis--a new look at an old entity

N Engl J Med. 2012 Mar 22;366(12):1119-31

<http://www.nejm.org/doi/full/10.1056/NEJMra1108178>

Sethi S, Fervenza FC, Zhang Y, Zand L, Vrana JA, Nasr SH, Theis JD, Dogan A, Smith RJ:

C3 glomerulonephritis: clinicopathological findings, complement abnormalities, glomerular proteomic profile, treatment, and follow-up

Kidney Int. 2012 Jun 6. doi: 10.1038/ki.2012.212.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2012212a.html>

Sethi S, Theis JD, Vrana JA, Fervenza FC, Sethi A, Qian Q, Quint P, Leung N, Dogan A, Nasr SH:

Laser Microdissection and Proteomic Analysis of Amyloidosis, Cryoglobulinemic GN, Fibrillary GN, and Immunotactoid Glomerulopathy

Clin J Am Soc Nephrol. 2013 Feb 14. [Epub ahead of print]

<http://cjasn.asnjournals.org/content/early/2013/02/13/CJN.07030712.abstract>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:

Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.

<http://dx.doi.org/10.1038/ki.2012.108>

Shao R, Shi J, Liu H, Shi X, Du X, Klocker H, Lee C, Zhu Y, Zhang J:

Epithelial-to-mesenchymal transition and estrogen receptor α mediated epithelial dedifferentiation mark the development of benign prostatic hyperplasia

Prostate. 2014 Apr 22. doi: 10.1002/pros.22814.

<http://dx.doi.org/10.1002/pros.22814>

Sharma P, Chinaranagari S, Patel D, Carey J, Chaudhary J:

Epigenetic inactivation of inhibitor of differentiation 4 (Id4) correlates with prostate cancer

Cancer Med, 2012, 2045-7634

<http://dx.doi.org/10.1002/cam4.16>

Shi Y, Li J, Wu YS, Qin L, Jiao FY:

BRAF Mutation Is Associated With the Unique Morphology of Traditional Serrated Adenoma of the Colorectum

Int J Surg Pathol. 2013 Aug 18.

<http://ijs.sagepub.com/content/early/2013/08/16/1066896913499628.abstract>

Shinojima N, Nakamura H, Tasaki M, Kamenon K, Anai S, Iyama KI, Ando Y, Seto H, Kuratsu JI:

A patient with medulloblastoma in its early developmental stage

J Neurosurg Pediatr. 2014 Oct 10:1-6.

<http://thejns.org/doi/abs/10.3171/2014.8.PEDS13590>

Shiotani A, Kusunoki H, Ishii M, Imamura H, Manabe N, Kamada T, Hata J, Merchant JL, Haruma K:

Pilot study of Biomarkers for predicting effectiveness of ramosetron in diarrhea-predominant irritable bowel syndrome: expression of S100A10 and polymorphisms of TPH1

Neurogastroenterol Motil. 2014 Nov 27. doi: 10.1111/nmo.12473.

<http://dx.doi.org/10.1111/nmo.12473>

Shiotani A, Kusunoki H, Kimura Y, Ishii M, Imamura H, Tarumi KI, Manabe N, Kamada T, Hata J, Haruma K:

S100A Expression and Interleukin-10 Polymorphisms Are Associated with Ulcerative Colitis and Diarrhea Predominant Irritable Bowel Syndrome

Dig Dis Sci. 2013 Apr 18.

<http://dx.doi.org/10.1007/s10620-013-2677-y>

Siddon A, Lozovatsky L, Mohamed A, Hudnall SD:

Human herpesvirus 6 positive Reed-Sternberg cells in nodular sclerosis Hodgkin lymphoma

Br J Haematol. 2012 Jul 4. doi: 10.1111/j.1365-2141.2012.09206.x.

<http://dx.doi.org/10.1111/j.1365-2141.2012.09206.x>

Sonoda A, Mukaisho KI, Nakayama T, Diem VT, Hattori T, Andoh A, Fujiyama Y, Sugihara H

Genetic lineages of undifferentiated-type gastric carcinomas analysed by unsupervised clustering of genomic DNA microarray data

BMC Med Genomics. 2013 Jul 19;6(1):25.

<http://www.biomedcentral.com/content/pdf/1755-8794-6-25.pdf>

Sturtz LA, Deyarmin B, van Laar R, Yarina W, Shriver CD, Ellsworth RE:

Gene expression differences in adipose tissue associated with breast tumorigenesis

Adipocyte 2014; Volume 3; Issue 2

https://www.landesbioscience.com/article/28250/full_text#/load/info/all

Sturtz LA, Melley J, Mamula K, Shriver CD, Ellsworth RE:

Outcome disparities in African American women with triple negative breast cancer: a comparison of epidemiological and molecular factors between African American and Caucasian women with triple negative breast cancer

BMC Cancer. 2014 Feb 4;14(1):62. doi: 10.1186/1471-2407-14-62

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3916697/>

Suárez-Calvet X, Gallardo E, Nogales-Gadea G, Querol L, Navas M, Diaz-Manera J, Rojas-Garcia R, Illa I:

Altered RIG-I/DDX58-mediated innate immunity in dermatomyositis

J Pathol. 2014 Mar 6. doi: 10.1002/path.4346.

<http://onlinelibrary.wiley.com/doi/10.1002/path.4346/abstract>

Sudo T, Iwaya T, Nishida N, Sawada G, Takahashi Y, Ishibashi M, Shibata K, Fujita H, Shirouzu K, Mori M, Mimori K:

Expression of Mesenchymal Markers Vimentin and Fibronectin: The Clinical Significance in Esophageal Squamous Cell Carcinoma

Ann Surg Oncol. 2012 May 30. [Epub ahead of print]

<http://www.springerlink.com/content/b2360668h64gu7h3/>

Sugimachi K, Yokobori T, Inuma H, Ueda M, Ueo H, Shinden Y, Eguchi H, Sudo T, Suzuki A, Maehara Y, Mori M, Mimori K:

Aberrant Expression of Plastin-3 Via Copy Number Gain Induces the Epithelial-Mesenchymal Transition in Circulating Colorectal Cancer Cells

Ann Surg Oncol. 2013 Nov 12.

<http://link.springer.com/article/10.1245%2Fs10434-013-3366-y>

Sugiura F, Inoue K, Okuno K, Sukegawa Y:

Clinical study of Peptide-cocktail vaccination with tegafur-uracil/leucovorin for advanced colorectal cancer.

Gan To Kagaku Ryoho. 2012 Nov;39(12):1760-2. (Article in Japanese)

<http://www.pieronline.jp/content/article/0385-0684/39120/1760>

Sumino J, Uzawa N, Okada N, Miyaguchi K, Mogushi K, Takahashi KI, Sato H, Michikawa C, Nakata Y, Tanaka H, Amagasa T:

Gene expression changes in initiation and progression of oral squamous cell carcinomas revealed by laser microdissection and oligonucleotide microarray analysis

Int J Cancer. 2012 Jun 28. doi: 10.1002/ijc.27702.

<http://dx.doi.org/10.1002/ijc.27702>

Taga M, Eguchi H, Shinohara T, Takahashi K, Ito R, Yasui W, Nakachi K, Kusunoki Y, Hamatani K:

Improved PCR amplification for molecular analysis using DNA from long-term preserved formalin-fixed, paraffin-embedded lung cancer tissue specimens

Int J Clin Exp Pathol 2013;6(1):76-79, www.ijcep.com /ISSN:1936-2625/IJCEP1209008

<http://www.ijcep.com/files/ijcep1209008.pdf>

Takadate T, Onogawa T, Fujii K, Motoi F, Mikami S, Fukuda T, Kihara M, Suzuki T, Takemura T, Minowa T, Hanagata N, Kinoshita K, Morikawa T, Shirasaki K, Rikiyama T, Katayose Y, Egawa S, Nishimura T and Unno M:

Nm23/Nucleoside Diphosphate Kinase-A as a Potent Prognostic marker in Invasive Pancreatic Ductal Carcinoma Identified by Proteomic Analysis of Laser Micro-dissected Formalin-Fixed Paraffin-Embedded Tissue

Clinical Proteomics 2012, 9:8 doi:10.1186/1559-0275-9-8

<http://www.clinicalproteomicsjournal.com/content/9/1/8/abstract>

Takadate T, Onogawa T, Fukuda T, Motoi F, Suzuki T, Fujii K, Kihara M, Mikami S, Bando Y, Maeda S, Ishida K, Minowa T, Hanagata N, Ohtsuka H, Katayose Y, Egawa S, Nishimura T, Unno M:

Novel prognostic protein markers of resectable pancreatic cancer identified by coupled shotgun and targeted proteomics using formalin-fixed paraffin-embedded tissues

Int J Cancer. 2012 Aug 23. doi: 10.1002/ijc.27797.

<http://dx.doi.org/10.1002/ijc.27797>

Takahashi Y, Sawada G, Kurashige J, Uchi R, Matsumura T, Ueo H, Takano Y, Eguchi H, Sudo T, Sugimachi K, Yamamoto H, Doki Y, Mori M, Mimori K:

Amplification of PVT-1 is involved in poor prognosis via apoptosis inhibition in colorectal cancers
Br J Cancer. 2013 Nov 5. doi: 10.1038/bjc.2013.698.

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2013698a.html>

Tan S, Sood A, Rahimi H, Wang W, Gupta N, Hicks J, Mosier S, Gocke CD, Epstein JI, Netto GJ, Liu W, Isaacs WB, De Marzo AM, Lotan T:

Rb Loss is Characteristic of Prostatic Small Cell Neuroendocrine Carcinoma

Clin Cancer Res. 2013 Dec 9.

<http://clincancerres.aacrjournals.org/cgi/pmidlookup?view=long&pmid=24323898>

Tasioudi KE, Saetta AA, Sakellariou S, Levidou G, Michalopoulos NV, Theodorou D, Patsouris E, Korkolopoulou P:

pERK activation in esophageal carcinomas: Clinicopathological associations

Pathol Res Pract. 2012 Jun 1.

<http://www.sciencedirect.com/science/article/pii/S0344033812001331>

Taube JM, Anders RA, Young GD, Xu H, Sharma R, McMiller TL, Chen S, Klein AP, Pardoll DM, Topalian SL, Chen L:

Colocalization of inflammatory response with B7-h1 expression in human melanocytic lesions supports an adaptive resistance mechanism of immune escape

Sci Transl Med. 2012 Mar 28;4(127):127ra37. doi: 10.1126/scitranslmed.3003689.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3568523/>

Teixeira VH, Nadarajan P, Graham TA, Pipinikas CP, Brown JM, Falzon M, Nye E, Poulosom R, Lawrence D, Wright NA, McDonald S, Giangreco A, Simons BD, Janes SM:

Stochastic homeostasis in human airway epithelium is achieved by neutral competition of basal cell progenitors

Elife. 2013 Oct 22;2:e00966. doi: 10.7554/eLife.00966.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3804062/>

Theis JD, Dasari S, Vrana JA, Kurtin PJ, Dogan A:

Shotgun-proteomics-based clinical testing for diagnosis and classification of amyloidosis

J. Mass Spectrom., Volume 48, Issue 10, 1096-9888

<http://dx.doi.org/10.1002/jms.3264>

Thi-Ngoc Vo D, Nakayama T, Yamamoto H, Mukaisho K, Hattori T and Sugihara H:

Progression risk assessments of individual non-invasive gastric neoplasms by genomic copy-number profile and mucin phenotype

BMC Medical Genomics 18 Feb 2015, 8:6 doi:10.1186/s12920-015-0080-6

<http://www.biomedcentral.com/1755-8794/8/6/abstract>

Tokiwa N, Nakamura S, Satoh K, and Yoshii T:

Isolation method from mixture of blood stain by ABO blood typing and DNA testing

法科学技術, 19(1), 1—8(2014) (article in Japanese)

https://www.jstage.jst.go.jp/article/jafst/19/1/19_1/article-char/ja/

Tuomisto, T.T., Korkeala, A., Rutanen, J., Viita, H., Brasen, J.H., Riekkinen, M.S., Rissanen, T.T., Karkola, K., Kiraly, Z., Kolble, K., and Yla-Herttuala, S.:

Gene expression in macrophage-rich inflammatory cell infiltrates in human atherosclerotic lesions as studied by laser microdissection and DNA array: overexpression of HMG-CoA reductase, colony stimulating factor receptors, CD11A/CD18 integrins, and interleukin receptors

Arterioscler Thromb Vasc Biol 23(12): 2235-2240 (2003)

<http://atvb.ahajournals.org/cgi/content/full/23/12/2235>

Uozaki H, Morita S, Kumagai A, Aso T, Soejima Y, Takahashi Y and Fukusato T:
Stromal miR-21 is more important than miR-21 of tumour cells for the progression of gastric cancer

Histopathology, SN - 1365-2559, 8 Jul 2014, doi: 10.1111/his.12491
<http://dx.doi.org/10.1111/his.12491>

Valente AL, Kane JL, Ellsworth DL, Shriver CD, Ellsworth RE:
Molecular response of the axillary lymph node microenvironment to metastatic colonization

J Clinical & Experimental Metastasis, April 2014; 10.1007/s10585-014-9650-9
<http://link.springer.com/article/10.1007/s10585-014-9650-9#>

Valleix S, Gillmore JD, Bridoux F, Mangione PP, Dogan A, Nedelec B, Boimard M, Touchard G, Goujon JM, Lacombe C, Lozeron P, Adams D, Lacroix C, Maisonobe T, Planté-Bordeneuve V, Vrana JA, Theis JD, Giorgetti S, Porcari R, Ricagno S, Bolognesi M, Stoppini M, Delpech M, Pepys MB, Hawkins PN, Bellotti V:

Hereditary systemic amyloidosis due to Asp76Asn variant β 2-microglobulin

N Engl J Med. 2012 Jun 14;366(24):2276-83
<http://www.nejm.org/doi/full/10.1056/NEJMoa1201356>

van Wijk XM, Vallen MJ, van de Westerlo EM, Oosterhof A, Hao W, Versteeg EM, Raben J, Wismans RG, Smetsers TF, Dijkman HB, Schalkwijk J, van Kuppevelt TH:

Extraction and structural analysis of glycosaminoglycans from formalin-fixed, paraffin-embedded tissues

Glycobiology. 2012 Aug 2. [Epub ahead of print]
<http://glycob.oxfordjournals.org/content/early/2012/08/02/glycob.cws119.abstract>

Vincenti DC and Murray GI

The proteomics of formalin-fixed wax-embedded tissue

Clinical Biochemistry, epub 9 Oct 2012, ISSN 0009-9120, 10.1016/j.clinbiochem.2012.10.002.
<http://www.sciencedirect.com/science/article/pii/S0009912012005577?v=s5>

Voegtly LM, Mamula K, Campbell JL, Shriver CD, Ellsworth RE:

Molecular Alterations Associated with Breast Cancer Mortality

PLoS ONE 7(10): e46814. doi:10.1371/journal.pone.0046814
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0046814>

Vrana JA, Gamez JD, Madden BJ, Theis JD, Bergen HR 3rd, Dogan A:

Classification of amyloidosis by laser microdissection and mass spectrometry-based proteomic analysis in clinical biopsy specimens

Blood 114(24): 4957-9 (2009)
<http://bloodjournal.hematologylibrary.org/content/114/24/4957.short>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)
<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wang B, Li L, Liao Y, Li J, Yu X, Zhang Y, Xu J, Rao H, Chen S, Zhang L, Zheng L:

Mast cells expressing interleukin 17 in the muscularis propria predict a favorable prognosis in esophageal squamous cell carcinoma

Cancer Immunol Immunother. 2013 Aug 3.
<http://link.springer.com/article/10.1007%2Fs00262-013-1460-4>

Wang C, Zhan P, Wang L, Zeng R, Shen Y, Lv G, Li D, Deng S, Liu W:
The Application of Laser Microdissection in Molecular Detection and Identification of *Aspergillus fumigatus* from Murine Model of Acute Invasive Pulmonary Aspergillosis
Mycopathologia. 2014 Jun 29.

<http://link.springer.com/article/10.1007/s11046-014-9777-x>

Wu F, Huang D, Wang L, Xu Q, Liu F, Ye X, Meng X, Du X:
92-Genes Molecular Profiling in Identification of Cancer Origin: A Retrospective Study in Chinese Population and Performance within Different Subgroups
PLoS One. 2012;7(6):e39320.

<http://dx.plos.org/10.1371/journal.pone.0039320>

Yang H, Xu C, Tang Y, Wan C, Liu W, Wang L:

The significance of multiplex PCR/heteroduplex analysis-based TCR- γ gene rearrangement combined with laser-capture microdissection in the diagnosis of early mycosis fungoides

J Cutan Pathol. 2012 Mar;39(3):337-46. doi: 10.1111/j.1600-0560.2011.01842.x

<http://dx.doi.org/10.1111/j.1600-0560.2011.01842.x>

Yick CY, Zwinderman AH, Kunst PW, Grünberg K, Mauad T, Chowdhury S, Bel EH, Baas F, Lutter R, Sterk PJ:

Gene expression profiling of laser microdissected airway smooth muscle tissue in asthma and atopy

Allergy. 2014 May 30. doi: 10.1111/all.12452.

<http://dx.doi.org/10.1111/all.12452>

Zangari M, Berno T, Zhan F, Tricot G and Fink L:

Cardiovascular Complications in Patients with AL Amyloidosis

Amyloidosis - An Insight to Disease of Systems and Novel Therapies, ISBN: 978-953-307-795-6, DOI: 10.5772/19461

[http://cdn.intechopen.com/pdfs/23847/InTech-](http://cdn.intechopen.com/pdfs/23847/InTech-Cardiovascular_complications_in_patients_with_al_amyloidosis.pdf)

[Cardiovascular_complications_in_patients_with_al_amyloidosis.pdf](http://cdn.intechopen.com/pdfs/23847/InTech-Cardiovascular_complications_in_patients_with_al_amyloidosis.pdf)

Zen Y, Britton D, Mitra V, Brand A, Jung S, Loessner C, Ward M, Pike I, Heaton N, Quaglia A:
Protein expression profiles of chemo-resistant mixed phenotype liver tumors using laser microdissection and LC-MS/MS proteomics

EuPA Open Proteomics, Available online 16 November 2013, ISSN 2212-9685

<http://dx.doi.org/10.1016/j.euprot.2013.10.001>

Zeng GQ, Yi H, Zhang PF, Li XH, Hu R, Li MY, Li C, Qu JQ, Deng X, and Xiao ZQ:

The Function and Significance of SELENBP1 Downregulation in Human Bronchial Epithelial Carcinogenic Process

PLoS ONE 8(8): e71865. doi:10.1371/journal.pone.0071865

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071865>

Zhang W, Fan S, Zou G, Shi L, Zeng Z, Ma J, Zhou Y, Li X, Zhang X, Li X, Tan M, Xiong W, Li G:
Lactotransferrin could be a novel independent molecular prognosticator of nasopharyngeal carcinoma

Tumour Biol. 2014 Oct 7.

<http://link.springer.com/article/10.1007/s13277-014-2650-1>

Zhao L, Yang H, Xuan Y, Zhao J, Ren N, Zhou S, Zhao X:

Increased expression of fibroblast growth factor receptor 1 in endometriosis and its correlation with endometriosis-related dysmenorrhea and recurrence

European Journal of Obstetrics and Gynecology and Reproductive Biology

[http://www.ejog.org/article/S0301-2115\(14\)00596-X/abstract](http://www.ejog.org/article/S0301-2115(14)00596-X/abstract)

Zhou Y, Zhao L, Marks JD:

Selection and characterization of cell binding and internalizing phage antibodies

Arch Biochem Biophys. 2012 May 22.

<http://www.sciencedirect.com/science/article/pii/S0003986112001981>

Zhu J, Wang Y, Gong L, Huang G

Diagnosis of primary pulmonary T- cell/histiocyte-rich large B cell lymphoma with tissue eosinophilia via clinicopathological observation and molecular assay

Diagn Pathol. 2014 Oct 2;9(1):188.

<http://www.diagnosticpathology.org/content/pdf/s13000-014-0188-6.pdf>

Zong L1, Hattori N, Yoda Y, Yamashita S, Takeshima H, Takahashi T, Maeda M, Katai H, Nanjo S, Ando T, Seto Y, Ushijima T:

Establishment of a DNA methylation marker to evaluate cancer cell fraction in gastric cancer

Gastric Cancer. 2015 Feb 13.

<http://dx.doi.org/10.1007/s10120-015-0475-2>

Zuo J, Wen M, Lei M, Peng X, Yang X, Liu Z:

MiR-210 Links Hypoxia with Cell Proliferation Regulation in Human Laryngocarcinoma Cancer

Journal of Cellular Biochemistry, 2014 Dec 18, DOI 10.1002/jcb.25059

<http://onlinelibrary.wiley.com/doi/10.1002/jcb.25059/abstract>

8. Developmental Research, Epigenetics & Aging

Afshar, K., Willard, F.S., Colombo, K., Johnston, C.A., McCudden, C.R., Siderovski, D.P., and Gonczy, P.:
RIC-8 is required for GPR-1/2-dependent Galpha function during asymmetric division of C. elegans embryos

Cell 119(2): 219-230 (2004)

<http://www.cell.com/retrieve/pii/S0092867404008992>

Afshar, K., Willard, F.S., Colombo, K., Siderovski, D.P., and Gonczy, P.:

Cortical localization of the Galpha protein GPA-16 requires RIC-8 function during C. elegans asymmetric cell division

Development 132(20): 4449-4459 (2005)

<http://dev.biologists.org/content/132/20/4449.long>

Aguilar-Mahecha, A., Hales, B.F., and Robaire, B.:

Effects of acute and chronic cyclophosphamide treatment on meiotic progression and the induction of DNA double-strand breaks in rat spermatocytes

Biol Reprod 72(6): 1297-1304 (2005)

<http://www.biolreprod.org/content/72/6/1297.long>

Albino D, Brizzolara A, Moretti S, Falugi C, Mirisola V, Scaruffi P, Di Candia M, Truini M, Coco S, Bonassi S, Tonini GP:

Gene expression profiling identifies eleven DNA repair genes down-regulated during mouse neural crest cell migration

Int J Dev Biol. 2011;55(1):65-72.

<http://www.ijdb.ehu.es/web/paper.php?doi=10.1387/ijdb.092970da>

Amatori S, Ballarini M, Favarsani A, Belloni E, Fusar F, Bosari S, Pelicci PG, Minucci S, Fanelli M:
PAT-ChIP coupled with laser microdissection allows the study of chromatin in selected cell populations from paraffin-embedded patient samples

Epigenetics Chromatin. 2014 Aug 5;7:18. doi: 10.1186/1756-8935-7-18. eCollection 2014.

<http://www.epigeneticsandchromatin.com/content/7//18>

Ame, J.C., Spenlehauer, C., and de Murcia, G.:

The PARP superfamily

Bioessays 26(8): 882-893 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/bies.20085/abstract>

Asai N, Ohkawara B, Ito M, Masuda A, Ishiguro N, Ohno K:

LRP4 induces extracellular matrix productions and facilitates chondrocyte differentiation

Biochem Biophys Res Commun. 2014 Aug 1. pii: S0006-291X(14)01375-8. doi: 10.1016/j.bbrc.2014.07.125.

<http://www.sciencedirect.com/science/article/pii/S0006291X14013758>

Baba T, McLeod DS, Edwards MM, Merges C, Sen T, Sinha D, Luttly GA:

VEGF 165 b in the developing vasculatures of the fetal human eye

Dev Dyn. 2012 Mar;241(3):595-607. doi: 10.1002/dvdy.23743.

<http://onlinelibrary.wiley.com/doi/10.1002/dvdy.23743/abstract>

Barault L, Ellsworth RE, Harris HR, Valente AL, Shriver CD, and Michels KB:

Leukocyte DNA as Surrogate for the Evaluation of Imprinted Loci Methylation in Mammary Tissue DNA

PLoS ONE 8(2): e55896. doi:10.1371/journal.pone.0055896

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0055896>

Barrow TM, Barault L, Ellsworth RE, Harris HR, Binder AM, Valente AL, Shriver CD, Michels KB:

Aberrant methylation of imprinted genes is associated with negative hormone receptor status in invasive breast cancer

Int J Cancer. 2015 Jan 5. doi: 10.1002/ijc.29419.

<http://dx.doi.org/10.1002/ijc.29419>

Bieber, A.M., Marcon, L., Hales, B.F., and Robaire, B.:

Effects of chemotherapeutic agents for testicular cancer on the male rat reproductive system, spermatozoa, and fertility

J Androl 27(2): 189-200 (2006)

<http://www.andrologyjournal.org/cgi/content/full/27/2/189>

Brilli E, Reitano E, Conti L, Conforti P, Gulino R, Consalez GG, Cesana E, Smith A, Rossi F, Cattaneo E:

Neural stem cells engrafted in the adult brain fuse with endogenous neurons

Stem Cells Dev. 2013 Feb 15;22(4):538-47. doi: 10.1089/scd.2012.0530.

<http://dx.doi.org/10.1089/scd.2012.0530>

Capuco AV, Choudhary RK, Daniels KM, Li RW and Evock-Clover CM:

Bovine mammary stem cells: cell biology meets production agriculture

Animal 2011, page 1 of 12, doi:10.1017/S1751731111002369

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8467697>

Caruso M, Distefano G, La Malfa S, Gentile A, Merelo P, Tadeo FR, Talon M

Identification of candidate genes involved in the self incompatibility response in clementine

Acta Hort, 2012

http://www.actahort.org/members/showpdf?booknrarnr=967_14

Cruz-Guilloty F, Saeed AM, Echegaray JJ, Duffort S, Ballmick A, Tan Y, Betancourt M, Viteri E, Ramkellawan GC, Ewald E, Feuer W, Huang DQ, Wen R, Hong L, Wang H, Laird JM, Sene A, Apte RS, Salomon RG, Hollyfield JG, and Perez VL:

Infiltration of Proinflammatory M1 Macrophages into the Outer Retina Precedes Damage in a Mouse Model of Age-Related Macular Degeneration

Int J of Inflammation, vol. 2013, Article ID 503725, 12 pages, 2013. doi:10.1155/2013/503725

<http://www.hindawi.com/journals/iji/2013/503725/cta/>

Deeb KK, Luo W, Karpf AR, Omilian AR, Bshara W, Tian L, Tangrea MA, Morrison CD, Johnson CS, Trump DL:

Differential vitamin D 24-hydroxylase/CYP24A1 gene promoter methylation in endothelium from benign and malignant human prostate

Epigenetics. 2011 Aug;6(8):994-1000. doi: 10.4161/epi.6.8.16536.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/21725204/>

Demonbreun AR, Lapidos KA, Heretis K, Levin S, Dale R, Pytel P, Svensson EC, McNally EM:

Myoferlin regulation by NFAT in muscle injury, regeneration and repair

J Cell Sci. 2010 Jul 15;123(Pt 14):2413-22

<http://jcs.biologists.org/content/123/14/2413.short>

Dzitoyeva S, Chen H, Manev H:

Effect of aging on 5-hydroxymethylcytosine in brain mitochondria

Neurobiol Aging. 2012 Mar 22. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0197-4580\(12\)00151-0](http://linkinghub.elsevier.com/retrieve/pii/S0197-4580(12)00151-0)

Elliott GC, Gurtu R, McCollum C, Newman WG, Wang T:

Foramen Ovale Closure Is a Process of Endothelial-to-Mesenchymal Transition Leading to Fibrosis

PLoS One. 2014 Sep 12;9(9):e107175. doi: 10.1371/journal.pone.0107175. eCollection 2014.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0107175>

Engelham S, Mdaki K, Jewell K, Austin R, Lehner AN, and Langley-Evans SC:

Mitochondrial Respiration Is Decreased in Rat Kidney Following Fetal Exposure to a Maternal Low-Protein Diet

Journal of Nutrition and Metabolism Volume 2012 (2012), Article ID 989037, 10 pages,

doi:10.1155/2012/989037

<http://www.hindawi.com/journals/jnume/2012/989037/>

Esakky P, Hansen DA, Drury AM, Moley KH:

Molecular Analysis of Cell Type-Specific Gene Expression Profile During Mouse Spermatogenesis by Laser Microdissection and qRT-PCR

Reprod Sci. 2012 Aug 30.

<http://rsx.sagepub.com/cgi/pmidlookup?view=long&pmid=22941942>

Evans GE, Martínez-Conejero JA, Phillipson GT, Simón C, McNoe LA, Sykes PH, Horcajadas JA, Lam EY, Print CG, Sin IL, Evans JJ:

Gene and protein expression signature of endometrial glandular and stromal compartments during the window of implantation

Fertil Steril. 2012 Jun;97(6):1365-73.e1-2. doi: 10.1016/j.fertnstert.2012.03.007.

[http://linkinghub.elsevier.com/retrieve/pii/S0015-0282\(12\)00321-4](http://linkinghub.elsevier.com/retrieve/pii/S0015-0282(12)00321-4)

Franco A, Jouaux A, Mathieu M, Sourdain P, Lelong C, Kellner K, Heude Berthelin C:

Proliferating cell nuclear antigen in gonad and associated storage tissue of the Pacific oyster *Crassostrea gigas*: seasonal immunodetection and expression in laser microdissected tissues

Cell Tissue Res 340(1):201-10 (2010)

<http://www.springerlink.com/content/f623163643701145/>

Fujimoto H, Woo GH, Inoue K, Igarashi K, Kanno J, Hirose M, Nishikawa A, and Shibutani M:

Increased cellular distribution of vimentin and Ret in the cingulum induced by developmental hypothyroidism in rat offspring maternally exposed to anti-thyroid agents

Reproductive Toxicology, Available online 6 April 2012, ISSN 0890-6238, 10.1016/j.reprotox.2012.03.005.

<http://www.sciencedirect.com/science/article/pii/S0890623812000482>

Fujita K, Taya Y, Shimazu Y, Aoba T, Soeno Y :

Molecular signaling at the fusion stage of the mouse mandibular arch: involvement of insulin-like growth factor family

Int J Dev Biol. 2013 Apr 12.

<http://www.ijdb.ehu.es/web/paper/120110ys/molecular-signaling-at-the-fusion-stage-of-the-mouse-mandibular-arch-involvement-of-insulin-like-growth-factor-family>

Galiger C, Kostin S, Golec A, Ahlbrecht K, Becker S, Gherghiceanu M, Popescu LM, Morty RE, Seeger W, Voswinckel R:

Phenotypical and ultrastructural features of Oct4-positive cells in the adult mouse lung

J Cell Mol Med. 2014 Jun 3. doi: 10.1111/jcmm.12295.

<http://onlinelibrary.wiley.com/doi/10.1111/jcmm.12295/pdf>

- Gambetta GA, Fei J, Rost TL, Knipfer T, Matthews MA, Shackel KA, Walker MA, McElrone AJ:
Water uptake along the length of grapevine fine roots: developmental anatomy, tissue specific aquaporin expression, and pathways of water transport
Plant Physiol. 2013 Sep 18.
<http://www.plantphysiol.org/content/early/2013/09/18/pp.113.221283.long>
- Garcia CM, Huang J, Madakashira BP, Liu Y, Rajagopal R, Dattilo L, Robinson ML, Beebe DC:
The function of FGF signaling in the lens placode
Dev Biol 351(1):176-85 (2011)
<http://dx.doi.org/10.1016/j.ydbio.2011.01.001>
- Greaves LC, Elson JL, Nooteboom M, Grady JP, Taylor GA, Taylor RW, Mathers JC, Kirkwood TB, Turnbull DM:
Comparison of mitochondrial mutation spectra in ageing human colonic epithelium and disease: absence of evidence for purifying selection in somatic mitochondrial DNA point mutations
PLoS Genet. 2012 Nov;8(11):e1003082. doi: 10.1371/journal.pgen.1003082. Epub 2012 Nov 15.
<http://dx.plos.org/10.1371/journal.pgen.1003082>
- Gupta D, Harvey SA, Kaminski N, Swamynathan S:
Mouse conjunctival forniceal gene expression during postnatal development and its regulation by Kruppel-like factor 4
Invest Ophthalmol Vis Sci. 2011 Mar 11. [Epub ahead of print]
<http://www.iovs.org/content/early/2011/03/11/iovs.10-7068.abstract>
- Hagelkruys A, Lagger S, Kraemer J, Leopoldi A, Artaker M, Pusch O, Zezula J, Weissmann S, Xie Y, Schöfer C, Schleder M, Brosch G, Matthias P, Selfridge J, Lassmann H, Knoblich JA, Seiser C:
A single allele of Hdac2 but not Hdac1 is sufficient for normal mouse brain development in the absence of its paralog
Development. 2014 Feb;141(3):604-16. doi: 10.1242/dev.100487.
<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=24449838>
- Handschiek K, Beuerlein K, Jurida L, Bartkuhn M, Müller H, Soelch J, Weber A, Dittrich-Breiholz O, Schneider H, Scharfe M, Jarek M, Stellzig J, Schmitz ML, Kracht M:
Cyclin-Dependent Kinase 6 Is a Chromatin-Bound Cofactor for NF-κB-Dependent Gene Expression
Mol Cell. 2013 Dec 31. pii: S1097-2765(13)00870-8. doi: 10.1016/j.molcel.2013.12.002.
<https://www.cell.com/molecular-cell/abstract/S1097-2765%2813%2900870-8>
- Haraguchi H, Saito-Fujita T, Hirota Y, Egashira M, Matsumoto L, Matsuo M, Hiraoka T, Koga K, Yamauchi N, Fukayama M, Bartos A, Cha J, Dey SK, Fujii T, Osuga Y:
MicroRNA-200a locally attenuates progesterone signaling in the cervix preventing embryo implantation
Mol Endocrinol. 2014 May 21:me20141097.
<http://press.endocrine.org/doi/pdf/10.1210/me.2014-1097>
- Hood BL, Liu B, Alkhas A, Shoji Y, Challa R, Wang G, Ferguson S, Oliver J, Mitchell D, Bateman NW, Zahn CM, Hamilton CA, Payson M, Lessey B, Fazleabas AT, Maxwell GL, Conrads TP, Risinger JI:
Proteomics of the Human Endometrial Glandular Epithelium and Stroma from the Proliferative and Secretory Phases of the Menstrual Cycle
Biol Reprod. 2015 Feb 18. pii: biolreprod.114.127217.
<http://www.biolreprod.org/cgi/pmidlookup?view=long&pmid=25695723>

Huang SH, Gong TW, Gong SG:

Isolation of epithelial cells in the developing primary lip and palate

J Craniofac Surg. 2011 Sep;22(5):1847-51

http://journals.lww.com/jcraniofacialsurgery/Abstract/2011/09000/Isolation_of_Epithelial_Cells_in_the_Developing.67.aspx

Huang J, Rajagopal R, Liu Y, Dattilo LK, Shaham O, Ashery-Padan R, Beebe DC:

The mechanism of lens placode formation: A case of matrix-mediated morphogenesis

Dev Biol. 2011 Apr 21. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.ydbio.2011.04.008>

Inoue, K., Sakurada, Y., Murakami, M., Shirota, M., and Shirota, K.:

Detection of gene expression of vascular endothelial growth factor and flk-1 in the renal glomeruli of the normal rat kidney using the laser microdissection system

Virchows Arch 442(2): 159-162 (2003)

<http://www.springerlink.com/content/dck2mpaq6a7a8qeu/>

Jiang HH, Gill BC, Dissaranan C, Zutshi M, Balog BM, Lin D, Damaser MS :

Effects of acute selective pudendal nerve electrical stimulation after simulated childbirth injury

Am J Physiol Renal Physiol. 2012 Nov 14.

<http://ajprenal.physiology.org/cgi/pmidlookup?view=reprint&pmid=23152293>

Kitagawa D, Flückiger I, Polanowska J, Keller D, Reboul J, Gönczy P :

PP2A Phosphatase Acts upon SAS-5 to Ensure Centriole Formation in C. elegans Embryos

Dev Cell. 2011 Apr 19;20(4):550-62.

[http://linkinghub.elsevier.com/retrieve/pii/S1534-5807\(11\)00074-8](http://linkinghub.elsevier.com/retrieve/pii/S1534-5807(11)00074-8)

Ko JA, Mizuno Y, Yanai R, Chikama T, Sonoda KH:

Expression of semaphorin 3A and its receptors during mouse corneal development

Biochem Biophys Res Commun 403(3-4):305-9 (2010)

<http://dx.doi.org/10.1016/j.bbrc.2010.11.022>

Kurashina R, Kikuchi K, Iwaki J, Yoshitake H, Takeshita T, Takizawa T:

Placenta-specific miRNA (miR-512-3p) targets PPP3R1 encoding the calcineurin B regulatory subunit in BeWo cells

J Obstet Gynaecol Res. 2013 Nov 18. doi: 10.1111/jog.12217.

<http://onlinelibrary.wiley.com/doi/10.1111/jog.12217/abstract>

Lash GE, Innes BA, Drury JA, Robson SC, Quenby S, Bulmer JN:

Localization of angiogenic growth factors and their receptors in the human endometrium throughout the menstrual cycle and in recurrent miscarriage

Hum Reprod. 2011 Nov 10. [Epub ahead of print]

<http://humrep.oxfordjournals.org/content/early/2011/11/09/humrep.der376.long>

Lee B, Villarreal-Ponce A, Fallahi M, Ovadia J, Sun P, Yu QC, Ito S, Sinha S, Nie Q, Dai X:

Transcriptional mechanisms link epithelial plasticity to adhesion and differentiation of epidermal progenitor cells

Dev Cell. 2014 Apr 14;29(1):47-58. doi: 10.1016/j.devcel.2014.03.005.

[http://linkinghub.elsevier.com/retrieve/pii/S1534-5807\(14\)00157-9](http://linkinghub.elsevier.com/retrieve/pii/S1534-5807(14)00157-9)

Lembrechts R, Brouns I, Schnorbusch K, Pintelon I, Kemp PJ, Timmermans JP, Riccardi D, Adriaensen D:

Functional expression of the multimodal extracellular calcium-sensing receptor in pulmonary neuroendocrine cells

J Cell Sci. 2013 Jul 25.

<http://jcs.biologists.org/cgi/pmidlookup?view=long&pmid=23886943>

Li Q, Li M, Ma L, Li W, Wu X, Richards J, Fu G, Xu W, Bythwood T, Li X, Wang J, Song Q:

A method to evaluate genome-wide methylation in archival formalin-fixed, paraffin-embedded ovarian epithelial cells

PLoS One. 2014 Aug 18;9(8):e104481. doi: 10.1371/journal.pone.0104481. eCollection 2014.

<http://dx.plos.org/10.1371/journal.pone.0104481>

Li S, Park H, Trempus CS, Gordon D, Liu Y, Cotsarelis G, Morris RJ:

A keratin 15 containing stem cell population from the hair follicle contributes to squamous papilloma development in the mouse

Mol Carcinogenesis, 2012, DOI: 10.1002/mc.21896

<http://onlinelibrary.wiley.com/doi/10.1002/mc.21896/abstract>

Li YF, Xu XB, Chen XH, Wei G, He B, Wang JD:

The nuclear factor- κ B pathway is involved in matrix metalloproteinase-9 expression in RU486-induced endometrium breakdown in mice

Hum Reprod. 2012 May 15.

<http://humrep.oxfordjournals.org/content/early/2012/05/14/humrep.des110.abstract>

Lin AC, Tan CL, Lin CL, Stochlic L, Huang YS, Richter JD, Holt CE:

Cytoplasmic polyadenylation and cytoplasmic polyadenylation element-dependent mRNA regulation are involved in *Xenopus* retinal axon development

Neural Dev. 2009 Mar 2;4:8. doi: 10.1186/1749-8104-4-8.

<http://www.neuraldevelopment.com/content/4/8>

Liu XS, Chopp M, Wang XL, Zhang L, Hozeska-Solgot A, Tang T, Kassis H, Zhang RL, Chen C, Xu J, Zhang ZG:

MicroRNA-17/92 cluster mediates the proliferation and survival of neural progenitor cells after stroke

J Biol Chem. 2013 Mar 19.

<http://www.jbc.org/content/early/2013/03/19/jbc.M112.449025.full.pdf+html>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Merbs SL, Khan MA, Hackler L Jr, Oliver VF, Wan J, Qian J, Zack DJ:

Cell-specific DNA methylation patterns of retina-specific genes

PLoS One. 2012;7(3):e32602. doi: 10.1371/journal.pone.0032602.

<http://dx.plos.org/10.1371/journal.pone.0032602>

Metwaly H, Maruyama S, Yamazaki M, Tsuneki M, Abé T, Jen KY, Cheng J, Saku T

Parenchymal-stromal switching for extracellular matrix production on invasion of oral squamous cell carcinoma

Hum Pathol. 2012 May 9.

[http://linkinghub.elsevier.com/retrieve/pii/S0046-8177\(12\)00063-9](http://linkinghub.elsevier.com/retrieve/pii/S0046-8177(12)00063-9)

Mikšík I, Ergang P, Pácha J:

Proteomic analysis of chicken eggshell cuticle membrane layer

Anal Bioanal Chem. 2014 Oct 11

<http://link.springer.com/article/10.1007/s00216-014-8213-x>

Miller JA, Nathanson J, Franjic D, Shim S, Dalley RA, Shapouri S, Smith KA, Sunkin SM, Bernard A, Bennett JL, Lee CK, Hawrylycz MJ, Jones AR, Amaral DG, Sestan N, Gage FH, Lein ES:

Conserved molecular signatures of neurogenesis in the hippocampal subgranular zone of rodents and primates

Development. 2013 Oct 23.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=24154525>

Minegishi Y, Sakai Y, Yahara Y, Akiyama H, Yoshikawa H, Hosokawa K, Tsumaki N:

Cyp26b1 Within the Growth Plate Regulates Bone Growth in Juvenile Mice

Biochem Biophys Res Commun. 2014 Oct 8. pii: S0006-291X(14)01787-2. doi:

10.1016/j.bbrc.2014.10.001.

<http://www.sciencedirect.com/science/article/pii/S0006291X14017872>

Müller SK, Bender A, Laub C, Högen T, Schlaudraff F, Liss B, Klopstock T, Elstner M:

Lewy body pathology is associated with mitochondrial DNA damage in Parkinson's disease

Neurobiol Aging. 2013 Apr 6. pii: S0197-4580(13)00116-4. doi: 10.1016/j.neurobiolaging.2013.03.016.

<http://www.sciencedirect.com/science/article/pii/S0197458013001164>

Nawshad, A. and Hay, E.D.:

TGFbeta3 signaling activates transcription of the LEF1 gene to induce epithelial mesenchymal transformation during mouse palate development

J Cell Biol 163(6): 1291-1301 (2003)

<http://jcb.rupress.org/content/163/6/1291.long>

Nagata M, Nuckolls GH, Wang X, Shum L, Seki Y, Kawase T, Takahashi K, Nonaka K, Takahashi I, Noman AA, Suzuki K, Slavkin HC:

The primary site of the acrocephalic feature in Apert Syndrome is a dwarf cranial base with accelerated chondrocytic differentiation due to aberrant activation of the FGFR2 signaling

Bone. 2011 Apr 1;48(4):847-56.

<http://www.thebonejournal.com/article/S8756-3282%2810%2902045-4/abstract>

Nakatsu MN, Hughes CC:

An optimized three-dimensional in vitro model for the analysis of angiogenesis

Methods Enzymol. 2008;443:65-82.

<http://www.sciencedirect.com/science/article/pii/S0076687908020041>

Nawshad, A., LaGamba, D., Olsen, B.R., and Hay, E.D.:

Laser capture microdissection (LCM) for analysis of gene expression in specific tissues during embryonic epithelial-mesenchymal transformation

Dev Dyn 230(3): 529-534 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/dvdy.20064/full>

Noelke J, Wistuba J, Damm OS, Fietz D, Gerber J, Gaehle M, Brehm R:

A Sertoli cell-specific connexin43 knockout leads to altered interstitial connexin expression and increased Leydig cell numbers

Cell Tissue Res. 2015 Feb 19

<http://dx.doi.org/10.1007/s00441-015-2126-7>

Noatynska A, Panbianco C, Gotta M.:

SPAT-1/Bora acts with Polo-like kinase 1 to regulate PAR polarity and cell cycle progression

Development. 2010 Oct;137(19):3315-25.

<http://dev.biologists.org/content/137/19/3315.long>

Nasonkin IO, Merbs SL, Lazo K, Oliver VF, Brooks M, Patel K, Enke RA, Nellissery J, Jamrich M, Le YZ, Bharti K, Fariss RN, Rachel RA, Zack DJ, Rodriguez-Boulan EJ, Swaroop A:

Conditional knockdown of DNA methyltransferase 1 reveals a key role of retinal pigment epithelium integrity in photoreceptor outer segment morphogenesis

Development. 2013 Mar;140(6):1330-41. doi: 10.1242/dev.086603.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=23406904>

Olsen Hult LT, Kleiveland CR, Fosnes K, Jacobsen M, Lea T:

EP Receptor Expression in Human Intestinal Epithelium and Localization Relative to the Stem Cell Zone of the Crypts

PLoS ONE 6(10): e26816. doi:10.1371/journal.pone.0026816 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0026816>

Phillipps HR, Ladyman SR, and Grattan DR:

Maintained expression of genes associated with metabolism in the ventromedial hypothalamic nucleus

despite development of leptin resistance during pregnancy in the rat

Physiological Reports ISSN 2051-817X

<http://onlinelibrary.wiley.com/doi/10.1002/phy2.162/pdf>

Riche S, Zouak M, Argoul F, Arneodo A, Pecreaux J, Delattre M:

Evolutionary comparisons reveal a positional switch for spindle pole oscillations in Caenorhabditis embryos

J Cell Biol. 2013 May 20.

<http://jcb.rupress.org/cgi/pmidlookup?view=long&pmid=23690175>

Rosenwald, A., Wright, G., Leroy, K., Yu, X., Gaulard, P., Gascoyne, R.D., Chan, W.C., Zhao, T., Haioun, C., Greiner, T.C., Weisenburger, D.D., Lynch, J.C., Vose, J., Armitage, J.O., Smeland, E.B., Kvaloy, S., Holte, H., Delabie, J., Campo, E., Montserrat, E., Lopez-Guillermo, A., Ott, G., Muller-Hermelink, H.K., Connors, J.M., Braziel, R., Grogan, T.M., Fisher, R.I., Miller, T.P., LeBlanc, M., Chiorazzi, M., Zhao, H., Yang, L., Powell, J., Wilson, W.H., Jaffe, E.S., Simon, R., Klausner, R.D., and Staudt, L.M.:

Molecular diagnosis of primary mediastinal B cell lymphoma identifies a clinically favorable subgroup of diffuse large B cell lymphoma related to Hodgkin lymphoma

J Exp Med 198(6): 851-862 (2003)

<http://jem.rupress.org/content/198/6/851.long>

Saint-Geniez M, Jiang A, Abend S, Liu L, Sweigard H, Connor KM, Arany Z:

PGC-1 α Regulates Normal and Pathological Angiogenesis in the Retina

The American Journal of Pathology - 09 November 2012 (10.1016/j.ajpath.2012.09.003)

<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2812%2900714-6/fulltext>

Sato, Y., Higuchi, T., Yoshioka, S., Tatsumi, K., Fujiwara, H., and Fujii, S.:

Trophoblasts acquire a chemokine receptor, CCR1, as they differentiate towards invasive phenotype

Development 130(22): 5519-5532 (2003)

<http://dev.biologists.org/content/130/22/5519.long>

Satoh A, Brace CS, Rensing N, Imai S:

Deficiency of Prdm13, a dorsomedial hypothalamus-enriched gene, mimics age-associated changes in sleep quality and adiposity

Aging Cell. 2014 Dec 25. doi: 10.1111/accel.12299.

<http://onlinelibrary.wiley.com/doi/10.1111/accel.12299/pdf>

Schillebeeckx M, Schrade A, Löbs AK, Pihlajoki M, Wilson DB, Mitra RD:

Laser capture microdissection-reduced representation bisulfite sequencing (LCM-RRBS) maps changes in DNA methylation associated with gonadectomy-induced adrenocortical neoplasia in the mouse

Nucleic Acids Res. 2013 Apr 15.

<http://nar.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23589626>

Schwartz AG, Long F, Thomopoulos S:

Enthesis fibrocartilage cells originate from a population of Hedgehog-responsive cells modulated by the loading environment

Development. 2015 Jan 1;142(1):196-206. doi: 10.1242/dev.112714.

<http://dev.biologists.org/cgi/pmidlookup?view=long&pmid=25516975>

Sene A, Khan AA, Cox D, Nakamura RE, Santeford A, Kim BM, Sidhu R, Onken MD, Harbour JW, Hagbi-Levi S, Chowdhury I, Edwards PA, Baldan A, Parks JS, Ory DS, Apte RS:

Impaired cholesterol efflux in senescent macrophages promotes age-related macular degeneration

Cell Metab. 2013 Apr 2;17(4):549-61. doi: 10.1016/j.cmet.2013.03.009

[http://linkinghub.elsevier.com/retrieve/pii/S1550-4131\(13\)00113-7](http://linkinghub.elsevier.com/retrieve/pii/S1550-4131(13)00113-7)

Shin JO, Nakagawa E, Kim EJ, Cho KW, Lee JM, Cho SW, Jung HS

miR-200b regulates cell migration via Zeb family during mouse palate development

Histochem Cell Biol. 2012 Jan 20. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00418-012-0915-6>

Sinha D, Klise A, Sergeev Y, Hose S, Bhutto IA, Hackler L Jr, Malpic-Llanos T, Samtani S, Grebe R, Goldberg MF, Hejtmancik JF, Nath A, Zack DJ, Fariss RN, McLeod DS, Sundin O, Broman KW, Luty GA, Zigler JS Jr:

betaA3/A1-crystallin in astroglial cells regulates retinal vascular remodeling during development

Mol Cell Neurosci. 2008 Jan;37(1):85-95.

[http://linkinghub.elsevier.com/retrieve/pii/S1044-7431\(07\)00201-1](http://linkinghub.elsevier.com/retrieve/pii/S1044-7431(07)00201-1)

Spilker AC, Rabilotta A, Zbinden C, Labbé JC, Gotta M:

MAP kinase signaling antagonizes PAR-1 function during polarization of the early *Caenorhabditis elegans* embryo

Genetics. 2009 Nov;183(3):965-77

<http://www.genetics.org/content/183/3/965.long>

Stahl A, Joyal JS, Chen J, Sapieha P, Juan AM, Hatton CJ, Pei DT, Hurst CG, Seaward MR, Krahn NM, Dennison RJ, Greene ER, Boscolo E, Panigrahy D, Smith LE:

SOCS3 is an endogenous inhibitor of pathologic angiogenesis

Blood. 2012 Jul 12.

<http://bloodjournal.hematologylibrary.org/cgi/pmidlookup?view=long&pmid=22791286>

Stanke, M., Duong, C.V., Pape, M., Geissen, M., Burbach, G., Deller, T., Gascan, H., Otto, C., Parlato, R., Schutz, G., and Rohrer, H.:

Target-dependent specification of the neurotransmitter phenotype: cholinergic differentiation of sympathetic neurons is mediated in vivo by gp 130 signaling

Development 133(1): 141-150 (2006)

<http://dev.biologists.org/content/133/1/141.long>

Sumino J, Uzawa N, Okada N, Miyaguchi K, Mogushi K, Takahashi KI, Sato H, Michikawa C, Nakata Y, Tanaka H, Amagasa T:

Gene expression changes in initiation and progression of oral squamous cell carcinomas revealed by laser microdissection and oligonucleotide microarray analysis

Int J Cancer. 2012 Jun 28. doi: 10.1002/ijc.27702.

<http://dx.doi.org/10.1002/ijc.27702>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Takahashi K, Yamada T, Tsukita S, Kaneko K, Shirai Y, Munakata Y, Ishigaki Y, Imai J, Uno K, Hasegawa Y, Sawada S, Oka Y, Katagiri H:

Chronic mild stress alters circadian expressions of molecular clock genes in the liver

Am J Physiol Endocrinol Metab. 2012 Dec 4.

<http://ajpendo.physiology.org/cgi/pmidlookup?view=reprint&pmid=23211520>

Teixeira VH, Nadarajan P, Graham TA, Pipinikas CP, Brown JM, Falzon M, Nye E, Poulsom R, Lawrence D, Wright NA, McDonald S, Giangreco A, Simons BD, Janes SM:

Stochastic homeostasis in human airway epithelium is achieved by neutral competition of basal cell progenitors

Elife. 2013 Oct 22;2:e00966. doi: 10.7554/eLife.00966.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3804062/>

Thakare D, Yang R, Steffen JG, Zhan J, Wang D, Clark RM, Wang X, Yadegari R:

RNA-Seq analysis of laser-capture microdissected cells of the developing central starchy endosperm of maize

Genomics Data, Volume 2, December 2014, Pages 242–245

<http://www.sciencedirect.com/science/article/pii/S2213596014000610>

Thyagarajan K, Afshar K, Gönczy P:

Polarity mediates asymmetric trafficking of the G{beta} heterotrimeric G-protein subunit GPB-1 in *C. elegans* embryos

Development. 2011 Jul;138(13):2773-82

<http://dev.biologists.org/content/138/13/2773.abstract>

Volle, D.H., Duggavathi, R., Magnier, B.C., Houten, S.M., Cummins, C.L., Lobaccaro, J.M., Verhoeven, G., Schoonjans, K., and Auwerx, J.:

The small heterodimer partner is a gonadal gatekeeper of sexual maturation in male mice

Genes Dev 21(3): 303-315 (2007)

<http://genesdev.cshlp.org/content/21/3/303.long>

Welsh IC, Thomsen M, Gludish DW, Alfonso-Parra C, Bai Y, Martin JF, Kurpios NA:

Integration of Left-Right Pitx2 Transcription and Wnt Signaling Drives Asymmetric Gut Morphogenesis via Daam2

Dev Cell. 2013 Sep 30;26(6):629-44. doi: 10.1016/j.devcel.2013.07.019.

[http://linkinghub.elsevier.com/retrieve/pii/S1534-5807\(13\)00449-8](http://linkinghub.elsevier.com/retrieve/pii/S1534-5807(13)00449-8)

Williams, E.O., Xiao, Y., Sickles, H.M., Shafer, P., Yona, G., Yang, J.Y., and Lin, D.M.:

Novel subdomains of the mouse olfactory bulb defined by molecular heterogeneity in the nascent external plexiform and glomerular layers

BMC Dev Biol 7: 48 (2007)

<http://www.biomedcentral.com/1471-213X/7/48>

Wolf L, Harrison W, Huang J, Xie Q, Xiao N, Sun J, Kong L, Lachke SA, Kuracha MR, Govindarajan V, Brindle PK, Ashery-Padan R, Beebe DC, Overbeek PA, and Cvekl A:

Histone posttranslational modifications and cell fate determination: lens induction requires the lysine acetyltransferases CBP and p300

Nucl. Acids Res., Sep 12, 2013 doi:10.1093/nar/gkt824

<http://nar.oxfordjournals.org/content/early/2013/09/12/nar.gkt824.full>

Xie L, Mouillet JF, Chu T, Parks WT, Sadovsky E, Knöfler M, Sadovsky Y:

C19MC microRNAs Regulate the Migration of Human Trophoblasts

Endocrinology. 2014 Sep 11:en20141501.

<http://press.endocrine.org/doi/pdf/10.1210/en.2014-1501>

Yamada T, Akamatsu H, Hasegawa S, Inoue Y, Date Y, Mizutani H, Yamamoto N, Matsunaga K, Nakata S:

Melanocyte stem cells express receptors for canonical Wnt-signaling pathway on their surface

Biochem Biophys Res Commun. 2010 Jun 11;396(4):837-42. doi: 10.1016/j.bbrc.2010.04.167.

[http://linkinghub.elsevier.com/retrieve/pii/S0006-291X\(10\)00875-2](http://linkinghub.elsevier.com/retrieve/pii/S0006-291X(10)00875-2)

Yanai R, Mulki L, Hasegawa E, Takeuchi K, Sweigard H, Suzuki J, Gaisert P, Vavvas DG, Sonoda KH, Rothe M, Schunck WH, Miller JW, Connor KM:

Cytochrome P450-generated metabolites derived from ω -3 fatty acids attenuate neovascularization

PNAS (2014), DOI: 10.1073/pnas.1401191111

<http://www.pnas.org/content/early/2014/06/11/1401191111.full.pdf>

Yazawa R, Takeuchi Y, Morita T, Ishida M, and Yoshizaki G:

The Pacific bluefin tuna (*Thunnus orientalis*) dead end gene is suitable as a specific molecular marker of type A spermatogonia

Mol. Reprod. Dev., 2013, 1098-2795

<http://dx.doi.org/10.1002/mrd.22224>

Zhang C, Large MJ, Duggavathi R, Demayo FJ, Lydon JP, Schoonjans K, Kovanci E, Murphy BD:

Liver receptor homolog-1 is essential for pregnancy

Nat Med. 2013 Jun 30. doi: 10.1038/nm.3192.

<http://www.nature.com/nm/journal/vaop/ncurrent/full/nm.3192.html>

Zhao L, Yang H, Xuan Y, Zhao J, Ren N, Zhou S, Zhao x:

Increased expression of fibroblast growth factor receptor 1 in endometriosis and its correlation with endometriosis-related dysmenorrhea and recurrence

European Journal of Obstetrics and Gynecology and Reproductive Biology

[http://www.ejog.org/article/S0301-2115\(14\)00596-X/abstract](http://www.ejog.org/article/S0301-2115(14)00596-X/abstract)

Zhou S, Wright JL, Liu J, Sin DD, and Churg A:

Aging does not Enhance Experimental Cigarette Smoke-Induced COPD in the Mouse

PLoS ONE 8(8): e71410. doi:10.1371/journal.pone.0071410

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071410>

9. Plant Research

Abbott E, Hall D, Hamberger B, Bohlmann J.:

Laser microdissection of conifer stem tissues: isolation and analysis of high quality RNA, terpene synthase enzyme activity and terpenoid metabolites from resin ducts and cambial zone tissue of white spruce (*Picea glauca*).

BMC Plant Biol 10: 106 (2010)

<http://www.biomedcentral.com/1471-2229/10/106>

Agusti J, Lichtenberger R, Schwarz M, Nehlin L, Greb T:

Characterization of transcriptome remodeling during cambium formation identifies MOL1 and RUL1 as opposing regulators of secondary growth

PLoS Genet. 2011 Feb;7(2):e1001312

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1001312>

Agustí J, Merelo P, Cercós M, Tadeo FR, Talón M:

Comparative transcriptional survey between laser-microdissected cells from laminar abscission zone and petiolar cortical tissue during ethylene-promoted abscission in citrus leaves

BMC Plant Biol. 2009 Oct 23;9:127

<http://www.biomedcentral.com/1471-2229/9/127>

Artico S, Ribeiro-Alves M, Oliveira-Neto OB, de Macedo LL, Silveira S, Grossi-de-Sa MF, Martinelli AP, Alves-Ferreira M:

Transcriptome analysis of *Gossypium hirsutum* flower buds infested by cotton boll weevil (*Anthonomus grandis*) larvae

BMC Genomics. 2014 Oct 4;15(1):854.

<http://www.biomedcentral.com/content/pdf/1471-2164-15-854.pdf>

Balestrini, R., Gomez-Ariza, J., Lanfranco, L., and Bonfante, P.:

Laser microdissection reveals that transcripts for five plant and one fungal phosphate transporter genes are contemporaneously present in arbusculated cells

Mol Plant Microbe Interact 20(9): 1055-1062 (2007)

<http://apsjournals.apsnet.org/doi/abs/10.1094/MPMI-20-9-1055>

Balestrini R, Nerva L, Sillo F, Girlanda M, Perotto S:

Plant and fungal gene expression in mycorrhizal protocorms of the orchid *Serapias vomeracea* colonized by *Tulasnella calospora*

Plant Signaling & Behavior, 2014 Nov 03, DOI: 10.4161/15592324.2014.977707

http://www.tandfonline.com/doi/abs/10.4161/15592324.2014.977707#.VGB_ycmteik

Balestrini R, Ott T, Güther M, Bonfante P, Udvardi MK, De Tullio MC:

Ascorbate oxidase: The unexpected involvement of a 'wasteful enzyme' in the symbioses with nitrogen-fixing bacteria and arbuscular mycorrhizal fungi

Plant Physiology and Biochemistry, 2012

<http://dx.doi.org/10.1016/j.plaphy.2012.07.006>

Belmondo S, Fiorilli V, Pérez-Tienda J, Ferrol N, Marmeisse R, and Lanfranco L:

A dipeptide transporter from the arbuscular mycorrhizal fungus *Rhizophagus irregularis* is upregulated in the intraradical phase

Front. Plant Sci. | doi: 10.3389/fpls.2014.00436

<http://journal.frontiersin.org/Journal/10.3389/fpls.2014.00436/abstract>

Belmonte MF, Kirkbride RC, Stone SL, Pelletier JM, Bui AQ, Yeung EC, Hashimoto M, Fei J, Harada CM, Munoz MD, Le BH, Drews GN, Brady SM, Goldberg RB, Harada JJ:

Comprehensive developmental profiles of gene activity in regions and subregions of the Arabidopsis seed

Proc Natl Acad Sci U S A. 2013 Jan 14.

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=23319655>

Berruti A, Bianciotto V, Borriello R, Lumini E, Scariot V, Balestrini R:

Application of laser microdissection to identify the arbuscular mycorrhizal fungi inside the root cells

Frontiers in Plant Science, Nov 2013, ISSN 1664-462X

<http://www.frontiersin.org/Journal/abstract/38008>

Berruti A, Borriello R, Lumini E, Scariot V, Bianciotto V and Balestrini R:

Application of laser microdissection to identify the mycorrhizal fungi that establish arbuscules inside root cells

Front. Plant Sci. | doi: 10.3389/fpls.2013.00135

http://www.frontiersin.org/Plant-Microbe_Interaction/10.3389/fpls.2013.00135/abstract

Campos-Soriano L, Gomez-Ariza J, Bonfante P, San Segundo B:

A rice calcium-dependent protein kinase is expressed in cortical root cells during the presymbiotic phase of the arbuscular mycorrhizal symbiosis

BMC Plant Biol. 2011 May 19;11(1):90.

<http://www.biomedcentral.com/1471-2229/11/90/abstract>

Cañas RA, Canales J, Gómez-Maldonado J, Avila C, Cánovas FM:

Transcriptome analysis in maritime pine using laser capture microdissection and 454 pyrosequencing

Tree Physiol. 2014 Jan 3.

<http://treephys.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=24391165>

Caruso M, Distefano G, La Malfa S, Gentile A, Merelo P, Tadeo FR, Talon M

Identification of candidate genes involved in the self incompatibility response in clementine

Acta Hort, 2012

http://www.actahort.org/members/showpdf?booknrarnr=967_14

Caruso M, Merelo P, Distefano G, La Malfa S, Lo Piero AR, Tadeo FR, Talon M, Gentile A

Comparative transcriptome analysis of stylar canal cells identifies novel candidate genes implicated in the self-incompatibility response of Citrus clementina

BMC Plant Biol. 2012 Feb 14;12(1):20

<http://www.biomedcentral.com/1471-2229/12/20>

Castro-Rodríguez V, García-Gutiérrez A, Cañas RA, Pascual M, Avila C, Cánovas FM:

Redundancy and metabolic function of the glutamine synthetase gene family in poplar

BMC Plant Biol. 2015 Jan 22;15(1):20.

<http://www.biomedcentral.com/1471-2229/15/20>

Chandran D, Inada N, Hather G, Kleindt CK, Wildermuth MC:

Laser microdissection of Arabidopsis cells at the powdery mildew infection site reveals site-specific processes and regulators

Proc Natl Acad Sci U S A. 2010 Jan 5;107(1):460-5.

<http://www.pnas.org/content/107/1/460.abstract>

Chandran D, Inada N, Wildermuth MC:

Laser microdissection of plant-fungus interaction sites and isolation of RNA for downstream expression profiling

Methods Mol Biol 712:241-62 (2011)

<http://www.springerlink.com/content/g8x0633768v71816/#section=862301&page=1>

Chen HC, Song J, Wang JP, Lin YC, Ducoste J, Shuford CM, Liu J, Li Q, Shi R, Nepomuceno A, Isik F, Muddiman DC, Williams C, Sederoff RR, Chiang VL:

Systems Biology of Lignin Biosynthesis in *Populus trichocarpa*: Heteromeric 4-Coumaric Acid:Coenzyme A Ligase Protein Complex Formation, Regulation, and Numerical Modeling

Plant Cell. 2014 Mar 11.

<http://www.plantcell.org/cgi/pmidlookup?view=long&pmid=24619612>

Chitarra W, Balestrini R, Vitali M, Pagliarani C, Perrone I, Schubert A, Lovisolo C:

Gene expression in vessel-associated cells upon xylem embolism repair in *Vitis vinifera* L. petioles

Planta. 2014 Jan 9.

<http://dx.doi.org/10.1007/s00425-013-2017-7>

Corradi N, Bonfante P:

The arbuscular mycorrhizal symbiosis: origin and evolution of a beneficial plant infection

PLoS Pathog. 2012 Apr;8(4):e1002600.

www.ncbi.nlm.nih.gov/pmc/articles/PMC3330121/

Day, R.C., Grossniklaus, U., and Macknight, R.C.:

Be more specific! Laser-assisted microdissection of plant cells

Trends Plant Sci 10(8): 397-406 (2005)

<http://dx.doi.org/10.1016/j.tplants.2005.06.006>

Doidy J, Grace E, Kühn C, Simon-Plas F, Casieri L, Wipf D:

Sugar transporters in plants and in their interactions with fungi

Trends Plant Sci. 2012 Apr 16.

<http://www.sciencedirect.com/science/article/pii/S1360138512000611>

Elhiti M, Wally OS, Belmonte MF, Chan A, Cao Y, Xiang D, Datla R, Stasolla C:

Gene expression analysis in microdissected shoot meristems of *Brassica napus* microspore-derived embryos with altered SHOOTMERISTEMLESS levels

Planta. 2013 Apr;237(4):1065-82. doi: 10.1007/s00425-012-1814-8.

<http://link.springer.com/article/10.1007%2Fs00425-012-1814-8>

Fang J, Reichelt M, Hidalgo W, Agnolet S, Schneider B:

Tissue-Specific Distribution of Secondary Metabolites in Rapeseed (*Brassica napus* L.)

PLoS ONE 7(10): e48006. doi:10.1371/journal.pone.0048006

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0048006>

Fang J, Schneider B:

Laser Microdissection: a Sample Preparation Technique for Plant Micrometabolic Profiling

Phytochem. Anal., 23 Sep 2013, 1099-1565, 10.1002/pca.2477

<http://dx.doi.org/10.1002/pca.2477>

Fernández I, Merlos M, López-Ráez JA, Martínez-Medina A, Ferrol N, Azcón C, Bonfante P, Flors V, Pozo MJ:

Defense Related Phytohormones Regulation in Arbuscular Mycorrhizal Symbioses Depends on the Partner Genotypes

J Chem Ecol. 2014 Jul 6.

<http://dx.doi.org/10.1007/s10886-014-0473-6>

Fiorilli V, Catoni M, Miozzi L, Novero M, Accotto GP, Lanfranco L:

Global and cell-type gene expression profiles in tomato plants colonized by an arbuscular mycorrhizal fungus

New Phytol. 2009 Dec;184(4):975-87. Epub 2009 Sep 17.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2009.03031.x/full>

Gambetta GA, Fei J, Rost TL, Knipfer T, Matthews MA, Shackel KA, Walker MA, McElrone AJ:

Water uptake along the length of grapevine fine roots: developmental anatomy, tissue specific aquaporin expression, and pathways of water transport

Plant Physiol. 2013 Sep 18.

<http://www.plantphysiol.org/content/early/2013/09/18/pp.113.221283.long>

Giovannetti M, Balestrini R, Volpe V, Guether M, Straub D, Costa A, Ludewig U, Bonfante P:

Two putative-aquaporin genes are differentially expressed during arbuscular mycorrhizal symbiosis in *Lotus japonicus*

BMC Plant Biol. 2012 Oct 9;12(1):186.

<http://www.biomedcentral.com/1471-2229/12/186>

Giovannetti M, Tolosano M, Volpe V, Kopriva S, Bonfante P:

Identification and functional characterization of a sulfate transporter induced by both sulfur starvation and mycorrhiza formation in *Lotus japonicus*

New Phytol. 2014 Jul 31. doi: 10.1111/nph.12949.

<http://dx.doi.org/10.1111/nph.12949>

Gomez SK, Harrison MJ:

Laser microdissection and its application to analyze gene expression in arbuscular mycorrhizal symbiosis

Pest Manag Sci 65(5): 504-11 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ps.1715/full>

González-Chávez Ma, del Carmen A, Ortega-Larrocea M, Carrillo-González R, López-Meyer M, Xoconostle-Cázares B, Gomez SK, Harrison MJ, López AMF, Maldonado-Mendoza IE

Arsenate induces the expression of fungal genes involved in As transport in arbuscular mycorrhiza

Fungal Biology (2011), ISSN 1878-6146, 10.1016/j.funbio.2011.08.005.

<http://www.sciencedirect.com/science/article/pii/S1878614611001577>

Guether M, Balestrini R, Hannah M, He J, Udvardi MK, Bonfante P:

Genome-wide reprogramming of regulatory networks, transport, cell wall and membrane biogenesis during arbuscular mycorrhizal symbiosis in *Lotus japonicus*

New Phytol 182(1):200-12 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2008.02725.x/full>

Guether, M., Neuhäuser, B., Balestrino, R., Dynowski, M., Ludewig, U., Bonfante, P:

A Mycorrhizal-Specific Ammonium Transporter from *Lotus japonicus* Acquires Nitrogen Released by Arbuscular Mycorrhizal Fungi1

Plant Physiology 150: 73-83 (2009)

<http://www.plantphysiol.org/content/150/1/73.long>

Guether M, Volpe V, Balestrini R, Requena N, Wipf D and Bonfante P:

LjLHT1.2—a mycorrhiza-inducible plant amino acid transporter from *Lotus japonicus*

Biol Fertil Soils, DOI 10.1007/s00374-011-0596-7 (2011)

<http://www.springerlink.com/content/j30236l28156x734/>

Hall HC, Cheung J, Ellis BE:

Immunoprofiling reveals unique cell-specific patterns of wall epitopes in the expanding *Arabidopsis* stem

Plant J. 2013 Jan 7. doi: 10.1111/tpj.12111.

<http://onlinelibrary.wiley.com/doi/10.1111/tpj.12111/abstract>

Hamberger B, Ohnishi T, Hamberger B, Seguin A, Bohlmann J:

Evolution of diterpene metabolism: Sitka spruce CYP720B4 catalyses multiple oxidations in resin acid biosynthesis of conifer defense against insects

Plant Physiol. 2011 Oct 13. [Epub ahead of print]

<http://www.plantphysiol.org/content/early/2011/10/12/pp.111.185843.abstract>

Happyana N, Agnolet S, Muntendam R, Van Dam A, Schneider B, Kayser O

Analysis of cannabinoids in laser-microdissected trichomes of medicinal *Cannabis sativa* using LCMS and cryogenic NMR

Phytochemistry. 2012 Dec 29. pii: S0031-9422(12)00475-X. doi: 10.1016/j.phytochem.2012.11.001.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(12\)00475-X](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(12)00475-X)

Hettenhausen C, Baldwin IT, Wu J:

Silencing MPK4 in *Nicotiana attenuata* enhances photosynthesis and seed production but compromises abscisic acid-induced stomatal closure and guard cell-mediated resistance to *Pseudomonas syringae* pv tomato DC3000

Plant Physiol. 2012 Feb;158(2):759-76. doi: 10.1104/pp.111.190074.

<http://www.plantphysiol.org/cgi/pmidlookup?view=long&pmid=22147519>

Hölscher, D. and Schneider, B.:

Application of laser-assisted microdissection for tissue and cell-specific analysis of RNA, proteins, and metabolites

Progress in Botany 69: 141-167 (2007)

<http://www.springerlink.com/content/m15305g9262t5776/>

Hölscher, D. and Schneider, B.:

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225(3): 763-770 (2007)

<http://www.springerlink.com/content/m5787044k63758q0/>

Hölscher, D., Shroff, R., Knop, K., Gottschaldt, M., Crecelius, A., Schneider, B., Heckel, D.G., Schubert, U.S., Svatos, A.

Matrix-free UV-laser desorption/ionization (LDI) mass spectrometric imaging at the single-cell level: distribution of secondary metabolites of *Arabidopsis thaliana* and *Hypericum* species

The Plant Journal 60 (5): 907-918 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2009.04012.x/full>

Hollender CA, Kang C, Darwish O, Geretz A, Matthews BF, Slovin J, Alkharouf N, Liu Z:

Floral transcriptomes in woodland strawberry uncover developing receptacle and anther gene networks

Plant Physiol. 2014 May 14. pii: pp.114.237529.

<http://www.plantphysiol.org/content/early/2014/05/14/pp.114.237529.full.pdf>

Inada, N. and Wildermuth, M.C.:

Novel tissue preparation method and cell-specific marker for laser microdissection of *Arabidopsis* mature leaf

Planta 221(1): 9-16 (2005)

<http://www.springerlink.com/content/5n2fvbd0g0ue888w/>

Ishimaru, Y., Suzuki, M., Tsukamoto, R., Suzuki, K., Nakazono, M., Kobayashi, T., Wada, Y., Watanabe, S., Matsuhashi, S., Takahashi, M., Nakanishi, H., Mori, S., and Nishizawa, N.K.:

Rice plants take up iron as an Fe³⁺-phytosiderophore and as Fe²⁺

Plant Journal 45(3): 335-346 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2005.02624.x/full>

Jaiswal YS, Liang Z, Guo P, Ho HM, Chen HB, Zhao Z:

Tissue-specific Metabolite Profiling of *Cyperus rotundus* L. Rhizomes and (+)-Nootkatone Quantitation by Using Laser Micro Dissection, UHPLC-QTOF MS and GC-MS Techniques

J Agric Food Chem. 2014 Jun 17.

<http://pubs.acs.org/doi/abs/10.1021/jf502494z?journalCode=jafcau>

Jaiswal Y, Liang Z, Ho A, Chen H, Zhao Z:

A Comparative Tissue-specific Metabolite Analysis and Determination of Protodioscin Content in Asparagus Species used in Traditional Chinese Medicine and Ayurveda by use of Laser Microdissection, UHPLC-QTOF/MS and LC-MS/MS

Phytochem Anal. 2014 Apr 16. doi: 10.1002/pca.2522.

<http://dx.doi.org/10.1002/pca.2522>

Jiang, K., Zhang, S., Lee, S., Tsai, G., Kim, K., Huang, H., Chilcott, C., Zhu, T., and Feldman, L.J.:

Transcription profile analyses identify genes and pathways central to root cap functions in maize

Plant Mol Biol 60(3): 343-363 (2006)

<http://www.springerlink.com/content/t863g13256081071/>

Klink, V.P., Overall, C.C., Alkharouf, N.W., MacDonald, M.H., and Matthews, B.F.:

Laser capture microdissection (LCM) and comparative microarray expression analysis of syncytial cells isolated from incompatible and compatible soybean (*Glycine max*) roots infected by the soybean cyst nematode (*Heterodera glycines*)

Planta 226(6): 1389-1409 (2007)

<http://www.springerlink.com/content/427n6258j4858561/>

Li CH, Liu Y, Hua J, Luo SH, Li SH:

Peltate glandular trichomes of *Colquhounia seguinii* Vaniot harbor new defensive clerodane diterpenoids

J Integr Plant Biol. 2014 Jul 22. doi: 10.1111/jipb.12242.

<http://www.jipb.net/pubsoft/content/2/10.1111/jipb.12242.pdf>

Li SH, Nagy NE, Hammerbacher A, Krokene P, Niu XM, Gershenzon J, Schneider B:

Localization of Phenolics in Phloem Parenchyma Cells of Norway Spruce (*Picea abies*)

Chembiochem. 2012 Dec 21;13(18):2707-13. doi: 10.1002/cbic.201200547. Epub 2012 Nov 13.

<http://dx.doi.org/10.1002/cbic.201200547>

Li, S-H., Schneider, B., Gershenzon, J.

Microchemical analysis of laser-microdissected stone cells of Norway spruce by cryogenic nuclear magnetic resonance spectroscopy

Planta 225(3): 771-9 (2007)

<http://www.springerlink.com/content/j81p14274x734t73/>

Liang Z, Zhang J, Yang G, Chen H, Zhao Z:

Chemical profiling and histochemical analysis of *Bupleurum marginatum* roots from different growing areas of Hubei province

Acta Pharmaceutica Sinica B, 21 May 2013, ISSN 2211-3835, 10.1016/j.apsb.2013.04.002.

<http://www.sciencedirect.com/science/article/pii/S2211383513000348>

López-Ráez J, Fernández I, García JM, Berrio E, Bonfante P, Walter MH, Pozo MJ:
Differential spatio-temporal expression of carotenoid cleavage dioxygenases regulates apocarotenoid fluxes during AM symbiosis

Plant Science, 2014 Nov 01, DOI: 10.1016/j.plantsci.2014.10.010
<http://www.sciencedirect.com/science/article/pii/S0168945214002519>

Losa A., Gilardetti R., Pasquini M., Sari Gorla M., Gianfranceschi L.
Morphological and molecular analysis of the interaction between Durum Wheat and Puccinia Triticina

Poster Abstract – 2.20, Proceedings of the 53rd Italian Society of Agricultural Genetics Annual Congress
Torino, Italy – 16/19 September, 2009, ISBN 978-88-900622-9-2
http://www.siga.unina.it/SIGA2009/SIGA_2009/2_20.pdf

Ma L, Xin H, Qu L, Zhao J, Yang L, Zhao P, Sun M:
Transcription Profile Analysis Reveals That Zygotic Division Results in Uneven Distribution of Specific Transcripts in Apical/Basal Cells of Tobacco

PLoS One. 2011 Jan 7;6(1):e15971
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0015971>

Masiero S, Colombo L, Grini PE, Schnittger A, Kater MM:
The Emerging Importance of Type I MADS Box Transcription Factors for Plant Reproduction

Plant Cell. 2011 Mar;23(3):865-72. Epub 2011 Mar 4.
<http://www.plantcell.org/content/23/3/865.citation>

Matas AJ, Agustí J, Tadeo FR, Talón M, Rose JK:
Tissue-specific transcriptome profiling of the citrus fruit epidermis and subepidermis using laser capture microdissection

J Exp Bot 61(12):3321-30 (2010)
<http://jxb.oxfordjournals.org/content/61/12/3321.short>

Matias-Hernandez L, Battaglia R, Galbiati F, Rubes M, Eichenberger C, Grossniklaus U, Kater MM, Colombo L:
VERDANDI is a direct target of the MADS domain ovule identity complex and affects embryo sac differentiation in Arabidopsis

Plant Cell. 2010 Jun;22(6):1702-15
<http://www.plantcell.org/content/22/6/1702.short>

Matsye PD, Kumar R, Hosseini P, Jones CM, Tremblay A, Alkharouf NW, Matthews BF, Klink VP:
Mapping cell fate decisions that occur during soybean defense responses

Plant Mol Biol. 2011 Nov;77(4-5):513-28. Epub 2011 Oct 11.
<http://www.springerlink.com/content/107x4477w8173720/>

Murata, N., Masuda, K., Nishiyama, R., and Nomura, K.:
Construction of a micro-library enriched with genomic replication origins of carrot somatic embryos by laser microdissection

Plant Physiol Biochem 43(6): 513-519 (2005)
<http://dx.doi.org/10.1016/j.plaphy.2005.04.004>

Nagy NE, Sikora K, Krokene P, Hietala AM, Solheim H, and Fossdal CG:
Using laser micro-dissection and qRT-PCR to analyze cell type-specific gene expression in Norway spruce phloem

PeerJ, 2014
<https://peerj.com/articles/362/>

Nakada, M., Komatsu, M., Ochiai, T., Ohtsu, K., Nakazono, M., Nishizawa, N.K., Nitta, K., Nishiyama, R., Kamey, T., and A., K.:

Isolation of MaDEF from *Muscari armeniacum* and analysis of its expression using laser microdissection

Plant Sci. 170: 143-150 (2006)

<http://dx.doi.org/10.1016/j.plantsci.2005.08.021>

Nelson, T., Tausta, S.L., Gandotra, N., and Liu, T.:

Laser microdissection of plant tissue: what you see is what you get

Annu Rev Plant Biol 57: 181-201 (2006)

<http://www.annualreviews.org/doi/full/10.1146/annurev.arplant.56.032604.144138>

Ohtsu, K., Takahashi, H., Schnable, P.S., and Nakazono, M.:

Cell type-specific gene Expression profiling in plants by using a combination of laser microdissection and high-throughput technologies

Plant Cell Physiol. 48(1): 3-7 (2007)

<http://pcp.oxfordjournals.org/content/48/1/3.long>

Oikawa A, Saito K:

Metabolite analyses of single cells

Plant J. 2012 Apr;70(1):30-8. doi: 10.1111/j.1365-313X.2012.04967.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04967.x/full>

Okada T, Hu Y, Tucker MR, Taylor JM, Johnson SD, Spriggs A, Tsuchiya T, Oelkers K, Rodrigues JC, Koltunow AM:

Enlarging cells initiating apomixis in *Hieracium praealtum* transition to an embryo sac program prior to entering mitosis

Plant Physiol. 2013 Jul 17.

<http://www.plantphysiol.org/cgi/pmidlookup?view=long&pmid=23864557>

Ortu G, Balestrini R, Pereira PA, Becker JD, Küster H, Bonfante P:

Plant Genes Related to Gibberellin Biosynthesis and Signaling Are Differentially Regulated during the Early Stages of AM Fungal Interactions

Mol Plant. 2012 Mar 26.

<http://mplant.oxfordjournals.org/content/early/2012/03/25/mp.sss027.extract>

Pérez-Tienda J, Testillano PS, Balestrini R, Fiorilli V, Azcón-Aguilar C, Ferrol N

GintAMT2, a new member of the ammonium transporter family in the arbuscular mycorrhizal fungus *Glomus intraradices*

Fungal Genet Biol. 2011 Aug 31. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S1087184511001575>

Perotto S, Rodda M, Benetti A, Sillo F, Ercole E, Rodda M, Girlanda M, Murat C, Balestrini R:

Gene expression in mycorrhizal orchid protocorms suggests a friendly plant-fungus relationship

Planta. 2014 Apr 24.

<http://dx.doi.org/10.1007/s00425-014-2062-x>

Ramsay, K., Jones, M.G.K., and Wang, Z.:

Laser capture microdissection: a novel approach to microanalysis of plant-microbe interactions

Mol Plant Pathology 7(5): 429 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1364-3703.2006.00348.x/full>

Sanders, P.M., Bui, A.Q., Le, B.H., and Goldberg, R.B.:

Differentiation and degeneration of cells that play a major role in tobacco anther dehiscence

Sexual Plant Reproduction 17: 219-241 (2005)

<http://www.springerlink.com/content/51p4bwj9c1p058pn/>

Schmidt A, Schmid MW, Grossniklaus U:

Analysis of plant germline development by high-throughput RNA profiling: technical advances and new insights

Plant J. 2012 Apr;70(1):18-29. doi: 10.1111/j.1365-313X.2012.04897.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04897.x/full>

Schneider, B., Hölscher, D.

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225(3): 763-770 (2006)

<http://www.springerlink.com/content/m5787044k63758q0/>

Schollaen K, Heinrich I, Helle G:

A novel approach for the preparation of high-resolution stable isotope records from tropical tree-rings

Dendrosymposium 2012/2013: In proceeding of: 11th TRACE conference, At Potsdam/Eberswalde, Germany, Volume: 11

http://www.researchgate.net/publication/255977905_A_novel_approach_for_the_preparation_of_high-resolution_stable_isotope_records_from_tropical_tree_rings

Schollaen K, Heinrich I, Helle G:

UV-laser-based microscopic dissection of tree rings – a novel sampling tool for $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ studies

New Phytol. 2013 Nov 13. doi: 10.1111/nph.12587.

<http://onlinelibrary.wiley.com/doi/10.1111/nph.12587/abstract>

Schollaen K; Heinrich I; Neuwirth B; Krusic P; D'Arrigo R; Karyanto O; Helle G:

Multiple tree-ring chronologies (ring width, $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$) reveal dry and rainy season signals in Indonesia

Geophysical Research Abstracts, Vol. 15, EGU2013-13529, 2013

<http://edoc.gfz-potsdam.de/gfz/20435>

Schollaen K; Helle G:

UV-laser microdissection system - A novel approach for the preparation of high-resolution stable isotope records ($\delta^{13}\text{C}$ / $\delta^{18}\text{O}$) from tree rings

Geophysical Research Abstracts, Vol. 15, EGU2013-1016-2, 2013

<http://edoc.gfz-potsdam.de/gfz/20434>

Svistonoff, S., Creff, A., Reymond, M., Sigoillot-Claude, C., Ricaud, L., Blanchet, A., Nussaume, L., and Desnos, T.:

Root tip contact with low-phosphate media reprograms plant root architecture

Nat Genet 39(6): 792-796 (2007)

<http://www.nature.com/ng/journal/v39/n6/full/ng2041.html>

Takahashi H, Saika H, Matsumura H, Nagamura Y, Tsutsumi N, Nishizawa NK, Nakazono M:

Cell division and cell elongation in the coleoptile of rice alcohol dehydrogenase 1-deficient mutant are reduced under complete submergence

Ann Bot. 2011 Aug;108(2):253-61

<http://aob.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=21788375>

Thakare D, Yang R, Steffen JG, Zhan J, Wang D, Clark RM, Wang X, Yadegari R:
RNA-Seq analysis of laser-capture microdissected cells of the developing central starchy endosperm of maize

Genomics Data, Volume 2, December 2014, Pages 242–245

<http://www.sciencedirect.com/science/article/pii/S2213596014000610>

Tsuji, H., Aya, K., Ueguchi-Tanaka, M., Shimada, Y., Nakazono, M., Watanabe, R., N.K., N., Gomi, K., Shimada, A., Kitano, H., Ashikari, M., and Matsuoka, M.:

GAMYB controls different sets of genes and is differentially regulated by microRNA in aleurone cells and anthers

Plant Journal 47: 427 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2006.02795.x/full>

Yang H, Wang J, Kang X:

Meiotic chromosome preparation techniques of pollen mother cells for laser micro-dissection in Populus spp.

Forestry Studies in China, June 2010, Volume 12, Issue 2, pp 74-78

<http://link.springer.com/article/10.1007%2Fs11632-010-0014-5>

Zheng J, Xi M, Lü Y, Lu Y and Shi J:

Transcriptional Analysis Provides New Insights into Cold- and Dehydration-Tolerance Signaling Pathways and on Regulation of Stem Cell Activity in the Vascular Cambium of Poplar

Plant Molecular Biology Reporter, 2012, DOI: 10.1007/s11105-012-0478-7

<http://www.springerlink.com/content/j9m521110p310220/?MUD=MP>

10. Forensics

Ballantyne J, Hanson EK, Perlin MW:

DNA mixture genotyping by probabilistic computer interpretation of binomially-sampled laser captured cell populations: Combining quantitative data for greater identification information

Science & Justice, ISSN 1355-0306, 10.1016/j.scijus.2012.04.004

<http://www.sciencedirect.com/science/article/pii/S1355030612000603>

Ballantyne J, van Daal A, and Lubenow H:

Improved Detection of Male DNA in Post-Coital Samples

Biological Evidence, Department of Justice, National Institute of justice, Award Number: 2007-DN-BX-K147

<https://www.ncjrs.gov/pdffiles1/nij/grants/241298.pdf>

Bright JA, Vetha JS, Vintinera SK, Cockertona SL, Curnowa N, Dalzella JA, Meredith ML

Laser microdissection methodology in forensic casework

Australian Journal of Forensic Sciences, Nov 2011, DOI: 10.1080/00450618.2011.622295

<http://www.tandfonline.com/doi/abs/10.1080/00450618.2011.622295>

Di Martino, D., Giuffre, G., Staiti, N., Simone, A., Le Donne, M., and Saravo, L.:

Single sperm cell isolation by laser microdissection

Forensic Sci Int 146 Suppl: S151-153 (2004)

<http://www.fsijournal.org/article/S0379-0738%2804%2900528-6/abstract>

Di Martino, D., Giuffre, G., Staiti, N., Simone, A., Todaro, P., and Saravo, L.:

Laser microdissection and DNA typing of cells from single hair follicles

Forensic Sci Int 146 Suppl: S155-157 (2004)

<http://www.fsijournal.org/article/S0379-0738%2804%2900529-8/abstract>

Fleming R, Harbison SA, Lin MH:

New RNA methods for the identification of body fluids and cell types

Forensic Science International: Genetics Supplement Series, 1875-1768

<http://dx.doi.org/10.1016/j.fsigss.2013.10.044>

Langley, K.B., Valentine, J.A., and Wojkiewicz, P.W.:

Application of Leica AS Laser Microdissection microsystem to expedite forensic sexual assault casework

16th International Symposium on Human Identification Grapevine (Texas) (2005)

<http://www.promega.com/%7E/media/files/resources/conference%20proceedings/ishi%2016/oral%20presentations/langley.ashx?la=en>

Lee, A.K.:

Laser Microdissection for rapid separation of spermatozoa or male epithelial cells from cell mixtures from sexual assault evidence, and other applications for forensic analysis

International Association of Forensic Sciences (IAFS), Hong Kong, China: Supp 2 (2005)

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=456530>

Lee, A.K.:

Laser Microdissection for Rapid Separation of Spermatozoa or Male Epithelial Cells from Cell Mixtures from Sexual Assault Evidence, and Other Applications for Forensic Analysis

Microsc Microanal 12: Supp 2 (2006)

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=456530>

Leonov S, Zemskova E, Ivanov P:

LMD-assisted single cell DNA typing of forensic biological evidence: Issues of the cell type and sample condition

Forensic Science International: Genetics Supplement Series, doi:10.1016/j.fsigss.2011.08.023

<http://www.sciencedirect.com/science/article/pii/S1875176811000242>

Lynch L, Gamblin A, Vintiner S, Simons JL:

STR profiling of epithelial cells identified by X/Y-FISH labelling and laser microdissection using standard and elevated PCR conditions

Forensic Sci Int Genet. 2014 Oct 25;16C:1-7. doi: 10.1016/j.fsigen.2014.10.017.

[http://linkinghub.elsevier.com/retrieve/pii/S1872-4973\(14\)00233-6](http://linkinghub.elsevier.com/retrieve/pii/S1872-4973(14)00233-6)

Meredith M, Bright JA, Cockerton S, Vintiner S:

Development of a one-tube extraction and amplification method for DNA analysis of sperm and epithelial cells recovered from forensic samples by laser microdissection

Forensic Sci Int Genet. 2012 Jan;6(1):91-6. Epub 2011 Mar 15

<http://dx.doi.org/10.1016/j.fsigen.2011.02.007>

Robino, C., Barilaro, M.R., Gino, S., Chiarle, R., Palestro, G., and Torre, C.:

Incestuous paternity detected by STR-typing of chorionic villi isolated from archival formalin-fixed paraffin-embedded abortion material using laser microdissection

J Forensic Sci 51(1): 90-92 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1556-4029.2005.00013.x/full>

Sanders, C.T.:

The Use and Development of Laser Microdissection to Separate Spermatozoa from Epithelial Cells for STR Analysis

PhD Thesis (2005)

http://etd.fcla.edu/CF/CFE0000876/Sanders_Christine_T_200512_MS.pdf

Sanders, C.T., Reisenbigler, E., and Person, D.A.:

Laser Microdissection Separation of Pure Spermatozoa Populations from Mixed Cell Samples for Forensic DNA Analysis

National Institute of Justice, Office of Justice Programs, Grant #2004-DN-BX-K215

<https://www.ncjrs.gov/pdffiles1/nij/grants/217268.pdf>

Sanders, C.T., Reisenbigler, E., and Person, D.A.:

Laser Microdissection for low copy number analysis of sperm from mixtures

American Academy of Forensic Sciences, Proceedings 12: 95 (2006)

http://www.nij.gov/topics/forensics/events/dnagrantees/2006/2006_dna_abstracts.pdf

Sanders, C.T., Sanchez, N., Ballantyne, J., and Person, D.A.:

Laser Microdissection for separation of cell mixtures for STR analysis

International Association of Forensic Sciences (IAFS), Hong Kong, China (2005)

http://www.nij.gov/topics/forensics/events/dnagrantees/2005/Final_Abstracts.pdf

Sanders, C.T., Sanchez, N., Ballantyne, J., and Peterson, D.A.:

Laser microdissection separation of pure spermatozoa from epithelial cells for short tandem repeat analysis

J Forensic Sci 51(4): 748-757 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1556-4029.2006.00180.x/full>

Simons JL, Vintiner SK:

Efficacy of Several Candidate Protein Biomarkers in the Differentiation of Vaginal from Buccal Epithelial Cells

J Forensic Sci. 2012 May 21. doi: 10.1111/j.1556-4029.2012.02158.x

<http://dx.doi.org/10.1111/j.1556-4029.2012.02158.x>

Subramanyam Reddy, Lakshmi:

Validation of Leica LMD 6000 Microscope for the Separation of Sperm and Epithelial Cells

Theses and Dissertations. Paper 39 (Master Thesis, 2009)

<http://digitalcommons.hsc.unt.edu/theses/39>

Thorpe S.M., Pedersen N.A., Seddon T.J., Prince D.V., Goucher M.J., van Oorschot R.A.H.:

Laser microdissection: Checking that the dissected cells are recovered for DNA extraction

Forensic Science International: Genetics Supplement Series (2011), doi:10.1016/j.fsigs.2011.08.073

<http://www.sciencedirect.com/science/article/pii/S1875176811000746>

Thorpe S.M., Prince D.V., van Oorschot R.A.H.:

Comparison of extraction methods for spermatozoa recovered using laser microdissection

Forensic Science International: Genetics Supplement Series (2011), doi:10.1016/j.fsigs.2011.08.074

<http://www.sciencedirect.com/science/article/pii/S1875176811000758>

Williams E, Lin MH, Harbison SA, Fleming R:

The development of a method of suspension RNA-FISH for forensically relevant epithelial cells using LNA probes

Forensic science international. Genetics 9 December 2013, DOI: 10.1016/j.fsigen.2013.11.007

<http://www.fsigenetics.com/article/S1872-4973%2813%2900245-7/abstract>

General Information:

http://projects.nfstc.org/tech_transition/lmd/examiners/

Further information on Leica LMD impact at forensics:

<http://www.fox23.com/news/news/local/new-dna-lab-brings-hope-victims-families/nj97Z/>

11. Miscellaneous

Abe J, Ueha S, Yoneyama H, Shono Y, Kurachi M, Goto A, Fukayama M, Tomura M, Kakimi K, Matsushima K:

B cells regulate antibody responses through the medullary remodeling of inflamed lymph nodes

Int Immunol. 2012 Jan;24(1):17-27.

<http://intimm.oxfordjournals.org/content/24/1/17.short>

Alonso C, Musat N, Adam B, Kuypers M, Amann R

HISH-SIMS analysis of bacterial uptake of algal-derived carbon in the Río de la Plata estuary

Syst Appl Microbiol. 2012 Sep 28. pii: S0723-2020(12)00109-9. doi: 10.1016/j.syapm.2012.08.004.

<http://www.sciencedirect.com/science/article/pii/S0723202012001099>

Antoniades CG, Quaglia A, Taams LS, Mitry RR, Hussain M, Abeles R, Possamai LA, Bruce M, McPhail M, Starling C, Wagner B, Barnardo A, Pomplun S, Auzinger G, Bernal W, Heaton N, Vergani D, Thursz MR, Wendon J:

Source and characterisation of hepatic macrophages in acetaminophen-induced acute liver failure in humans

Hepatology. 2012 Feb 15. doi: 10.1002/hep.25657

<http://dx.doi.org/10.1002/hep.25657>

Asgeirsdóttir SA, van Solingen C, Kurniati NF, Zwiers PJ, Heeringa P, van Meurs M, Satchell SC, Saleem MA, Mathieson PW, Banas B, Kamps JA, Rabelink TJ, van Zonneveld AJ, Molema G:

MicroRNA-126 contributes to renal microvascular heterogeneity of VCAM-1 protein expression in acute inflammation

Am J Physiol Renal Physiol. 2012 Jun;302(12):F1630-9

<http://ajprenal.physiology.org/content/302/12/F1630.long>

Audard V, Zhang SY, Copie-Bergman C, Rucker-Martin C, Ory V, Candelier M, Baia M, Lang P, Pawlak A, Sahali D:

Occurrence of minimal change nephrotic syndrome in classical Hodgkin lymphoma is closely related to the induction of c-mip in Hodgkin-Reed Sternberg cells and podocytes

Blood 115(18):3756-62 (2010)

<http://bloodjournal.hematologylibrary.org/content/115/18/3756.short>

Azuma M, Suzuki T, Mochida H, Tanaka S, Uchiyama M, Takahashi A, Matsuda K:

Polymorphism of somatolactin-producing cells in the goldfish pituitary: immunohistochemical investigation for somatolactin- α and - β

Cell Tissue Res. 2012 May 22.

<http://dx.doi.org/10.1007/s00441-012-1435-3>

Barker, C.R., McNamara, A.V., Rackstraw, S.A., Nelson, D.E., White, M.R., Watson, A.J., and Jenkins, J.R.:

Inhibition of Hsp90 acts synergistically with topoisomerase II poisons to increase the apoptotic killing of cells due to an increase in topoisomerase II mediated DNA damage

Nucleic Acids Res 34(4): 1148-1157 (2006)

<http://nar.oxfordjournals.org/content/34/4/1148.long>

Becker JS:

Imaging of metals in biological tissue by laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS): state of the art and future developments

J Mass Spectrom. 2013 Feb;48(2):255-68. doi: 10.1002/jms.3168.

<http://dx.doi.org/10.1002/jms.3168>

Benedetti L, Sogne E, Rodighiero S, Marchesi D, Milani P, Francolini M:

Customized patterned substrates for highly versatile correlative light-scanning electron microscopy

Sci Rep. 2014 Nov 13;4:7033. doi: 10.1038/srep07033.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/25391455/>

Blackmore MG, Wang Z, Lerch JK, Motti D, Zhang YP, Shields CB, Lee JK, Goldberg JL, Lemmon VP, Bixby JL:

Kruppel-like Factor 7 engineered for transcriptional activation promotes axon regeneration in the adult corticospinal tract

Proc Natl Acad Sci U S A. 2012 Apr 23. [Epub ahead of print]

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=22529377>

Blow, N.:

Tissue preparation: Tissue issues

Nature 448(7156): 959-963 (2007)

<http://www.nature.com/nature/journal/v448/n7156/full/448959a.html>

Bova, G.S., Eltoum, I.A., Kiernan, J.A., Siegal, G.P., Frost, A.R., Best, C.J., Gillespie, J.W., Su, G.H., and Emmert-Buck, M.R.:

Optimal molecular profiling of tissue and tissue components: defining the best processing and microdissection methods for biomedical applications

Mol Biotechnol 29(2): 119-152 (2005)

<http://www.springerlink.com/content/qr41323032743311/>

Bullock MD, Mellone M, Pickard KM, Sayan AE, Mitter R, Primrose JN, Packham GK, Thomas G, Mirnezami AH:

Molecular Profiling of the Invasive Tumor Microenvironment in a 3-Dimensional Model of Colorectal Cancer Cells and Ex vivo Fibroblasts

Journal of Visualized Experiments (86) p. e51475 (2014)

<http://www.jove.com/video/51475/molecular-profiling-invasive-tumor-microenvironment-3-dimensional>

Buss SN, Hamano S, Vidrich A, Evans C, Zhang Y, Crasta OR, Sobral BW, Gilchrist CA, Petri WA Jr:

Members of the Entamoeba histolytica transmembrane kinase family play non-redundant roles in growth and phagocytosis

Int J Parasitol 40(7):833-43 (2010)

<http://dx.doi.org/10.1016/j.ijpara.2009.12.007>

Chokechanachaisakul U, Kaneko T, Okiji T, Kaneko R, Suda H, Nör JE

Laser capture microdissection in dentistry

Int J Dent. 2010;2010:592694. doi: 10.1155/2010/592694.

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/21274283/>

Chokechanachaisakul U, Kaneko T, Yamanaka Y, Okiji T, Suda H:

A novel whole tooth-in-jaw-bone culture of rat molars: Morphological, immunohistochemical, and laser capture microdissection analysis

Microsc Res Tech. 2012 May 23. doi: 10.1002/jemt.22072.

<http://dx.doi.org/10.1002/jemt.22072>

D'Agati VD, Mengel M:

The Rise of Renal Pathology in Nephrology: Structure Illuminates Function

Am J Kidney Dis. 2013 Feb 11. pii: S0272-6386(13)00018-8. doi: 10.1053/j.ajkd.2012.12.019.

<http://www.ajkd.org/article/S0272-6386%2813%2900018-8/abstract>

Dellmann A, Schroeder HG, Donhuijsen K:

Destructive tumours of the larynx mimicking osteosarcoma: two cases of osteoblastoma with organ-saving resection and follow-up

Eur Arch Otorhinolaryngol. 2010 Jan;267(1):151-4

<http://www.springerlink.com/content/151254313937q5j3/>

Desport E, Bridoux F, Sirac C, Delbes S, Bender S, Fernandez B, Quellard N, Lacombe C, Goujon JM, Lavergne D, Abraham J, Touchard G, Femand JP, Jaccard A:

AL Amyloidosis

Orphanet J Rare Dis. 2012 Aug 21;7(1):54.

<http://www.ajkd.com/content/7/1/54>

Dornieden S, Müller-Schiffmann A, Sticht H, Jiang N, Cinar Y, Wördehoff M, Korth C, Funke SA, Willbold D:

Characterization of a single-chain variable fragment recognizing a linear epitope of a β : a biotechnical tool for studies on Alzheimer's disease?

PLoS One. 2013;8(3):e59820. doi: 10.1371/journal.pone.0059820. Epub 2013 Mar 26.

<http://dx.plos.org/10.1371/journal.pone.0059820>

Edwards, R.A.:

Laser capture microdissection of mammalian tissue

J Vis Exp (8): 309 (2007)

Includes video:

<http://www.jove.com/Details.stp?ID=309>

Ehashi T, Takemura T, Hanagata N, Minowa T, Kobayashi H, Ishihara K, Yamaoka T:

Comprehensive Genetic Analysis of Early Host Body Reactions to the Bioactive and Bio-Inert Porous Scaffolds

PLoS ONE 9(1): e85132. doi:10.1371/journal.pone.0085132

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0085132>

El Kasmi KC, Pugliese SC, Riddle SR, Poth JM, Anderson AL, Frid MG, Li M, Pullamsetti SS, Savai R, Nagel MA, Fini MA, Graham BB, Tudor RM, Friedman JE, Eltzschig HK, Sokol RJ, Stenmark KR:

Adventitial Fibroblasts Induce a Distinct Proinflammatory/Profibrotic Macrophage Phenotype in Pulmonary Hypertension

J Immunol. 2014 Jun 13. pii: 1303048

<http://www.jimmunol.org/content/early/2014/06/13/jimmunol.1303048.abstract>

Elvers, D., Remer, L., Arnold, N., and Bäuerle, D.:

Laser microdissection of biological tissues: process optimization

Appl. Phys. A 80: 55-59 (2005)

<http://www.springerlink.com/content/86hbdjb441qh0cwl/>

Esaka F, Lee CG, Magara M, Kimura T:

Fission track-secondary ion mass spectrometry as a tool for detecting the isotopic signature of individual uranium containing particles

Anal Chim Acta. 2012 Apr 6;721:122-8. Epub 2012 Feb 10.

<http://www.sciencedirect.com/science/article/pii/S0003267012002012>

Esaka F, and Magara M:

Secondary ion mass spectrometry combined with alpha track detection for isotope abundance ratio analysis of individual uranium-bearing particles

Talanta, Volume 120, March 2014, Pages 349–354

<http://www.sciencedirect.com/science/article/pii/S0039914013010114>

Esaka F, Magara M, and Kimura T:

The use of solution nebulization ICP-MS combined with particle screening and micro-sampling for analysis of individual uranium-bearing particles

J. Anal. At. Spectrom., 2013, DOI: 10.1039/C3JA30384E

<http://pubs.rsc.org/en/content/articlelanding/2013/ja/c3ja30384e>

Esaka F, Suzuki D, Magara M:

Identifying uranium particles using fission tracks and micro-sampling individual particles for analysis using thermal ionization mass spectrometry

Anal Chem. 2015 Feb 13.

<http://dx.doi.org/10.1021/acs.analchem.5b00236>

Esakky P, Hansen DA, Drury AM, Moley KH:

Cigarette smoke condensate induces aryl hydrocarbon receptor-dependent changes in gene expression in spermatocytes

Reprod Toxicol. 2012 Dec;34(4):665-76. doi: 10.1016/j.reprotox.2012.10.005.

<http://www.sciencedirect.com/science/article/pii/S0890623812003085>

Esakky P, Hansen DA, Drury AM, Moley KH:

Molecular Analysis of Cell Type-Specific Gene Expression Profile During Mouse Spermatogenesis by Laser Microdissection and qRT-PCR

Reprod Sci. 2012 Aug 30.

<http://rsx.sagepub.com/cgi/pmidlookup?view=long&pmid=22941942>

Espina V, Wulfkuhle JD, Calvert VS, VanMeter A, Zhou W, Coukos G, Geho DH, Petricoin EF 3rd, Liotta LA

Laser-capture microdissection

Nat Protoc. 2006;1(2):586-603

<http://dx.doi.org/10.1038/nprot.2006.85>

Esposito, G.:

Complementary techniques: laser capture microdissection--increasing specificity of gene expression profiling of cancer specimens

Adv Exp Med Biol 593: 54-65 (2007)

<http://www.springerlink.com/content/g448m0n0710r420n/>

Fedrigo M, Poli F, Esposito G, Feltrin G, Toscano G, d'Agostino C, Schiavon B, Gerosa G, Amadori A, Valente M, Thiene G, Angelini A:

HLA-DRB1 Typing by Micro-Bead Array Assay Identifies the Origin of Early Lymphoproliferative Disorder in a Heart Transplant Recipient

Am J Transplant. 2013 Jan 17. doi: 10.1111/ajt.12063.

<http://dx.doi.org/10.1111/ajt.12063>

Foster RA, Szejtjenszus S, Kuypers MMM:

Measuring carbon and N₂ fixation in field populations of colonial and free-living unicellular cyanobacteria using nanometer-scale secondary ion mass spectrometry

J. Phycol., 1529-8817, 10.1111/jpy.12057

<http://dx.doi.org/10.1111/jpy.12057>

Funel, N., Giovannetti, E., Del Chiaro, M., Mey, V., Pollina, L.E., Nannizzi, S., Boggi, U., Ricciardi, S., Del Tacca, M., Bevilacqua, G., Mosca, F., Danesi, R., and Campani, D.:
Laser microdissection and primary cell cultures improve pharmacogenetic analysis in pancreatic adenocarcinoma

Lab Invest 88(7): 773-784 (2008)

<http://www.nature.com/labinvest/journal/v88/n7/full/labinvest200840a.html>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Funel, N., Menicagli, M., Campani, D., Esposito, I., Pollina, L.E., Recarli, N., Di Cristofano, C., Cavazzana, A.O., Chifenti, B., Del Chiaro, M., Boggi, U., Mosca, T., and Bevilacqua, G.:

Laser Microdissection on Primary Cell Cultures of Pancreatic Adenocarcinoma

J Pancreas 5: 438-439 (2004)

<http://www.joplink.net/prev/200409/68.html>

Genre A, Bonfante P:

The Interface Between Plants and Mycorrhizal Fungi: Nutrient Exchange, Signaling and Cell Organization

Fungal Associations; The Mycota Volume 9, 2012, pp 39-49

http://link.springer.com/chapter/10.1007%2F978-3-642-30826-0_3?LI=true

Girshovich A:

Implication de l'urothélium intrarénal dans les mécanismes précoces de régénération au cours de néphropathies obstructive et ischémique expérimentales

These de Doctorat (2012), French only

http://hal.inria.fr/docs/00/82/95/55/PDF/Alexis_Girshovich_Version_lectronique_de_la_these.pdf

Gong L, Li YH, Su Q, Chu X, Zhang W:

Clonality of nodular lesions in liver cirrhosis and chromosomal abnormalities in monoclonal nodules of altered hepatocytes

Histopathology 56(5):589-99 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03523.x/full>

Gong L, Li YH, Su Q, Li G, Zhang WD, Zhang W:

Use of X-chromosome inactivation pattern and laser microdissection to determine the clonal origin of focal nodular hyperplasia of the liver

Pathology 41(4): 348-55 (2009)

<http://informahealthcare.com/doi/abs/10.1080/00313020902885029>

Gong L, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Clonal status and clinicopathological observation of cervical minimal deviation adenocarcinoma

Diagn Pathol 5:25 (2010)

<http://diagnosticpathology.org/content/5/1/25/abstract>

Greaves LC, Yu-Wai-Man P, Blakely EL, Krishnan KJ, Beadle NE, Kerin J, Barron MJ, Griffiths PG, Dickinson AJ, Turnbull DM, Taylor RW:

Mitochondrial DNA Defects and Selective Extraocular Muscle Involvement in CPEO

Invest Ophthalmol Vis Sci 51(7): 3340-6 (2010)

<http://www.iovs.org/content/51/7/3340.short>

Guether, M., Balestrino, R., Hannah, M., He, J., Udvardi, M.K., Bonfante, P.

Genome-wide reprogramming of regulatory networks, transport, cell wall and membrane biogenesis during arbuscular mycorrhizal symbiosis *Lotus japonicus*

New Phytologist 182(1):200-12 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2008.02725.x/full>

Hagiya M, Inoue T, Furuno T, Iino T, Itami S, Nakanishi M, Asada H, Hosokawa Y, Ito A:

Increased expression of cell adhesion molecule 1 by mast cells as a cause of enhanced nerve-mast cell interaction in a hapten-induced mouse model of atopic dermatitis

Br J Dermatol. 2012 Oct 27. doi: 10.1111/bjd.12108.

<http://dx.doi.org/10.1111/bjd.12108>

Hagner S, Welz H, Kicic A, Alrifai M, Marsh LM, Sutanto EN, Ling KM, Stick SM, Müller B, Weissmann N, Renz H:

Suppression of adrenomedullin contributes to vascular leakage and altered epithelial repair during asthma: Experimental Allergy and Immunology

Allergy. 2012 Jun 12. doi: 10.1111/j.1398-9995.2012.02851.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1398-9995.2012.02851.x/abstract>

Happyana N, Agnolet S, Muntendam R, Van Dam A, Schneider B, Kayser O

Analysis of cannabinoids in laser-microdissected trichomes of medicinal *Cannabis sativa* using LCMS and cryogenic NMR

Phytochemistry. 2012 Dec 29. pii: S0031-9422(12)00475-X. doi: 10.1016/j.phytochem.2012.11.001.

[http://linkinghub.elsevier.com/retrieve/pii/S0031-9422\(12\)00475-X](http://linkinghub.elsevier.com/retrieve/pii/S0031-9422(12)00475-X)

Harada C, Kawaguchi T, Ogata-Suetsugu S, Yamada M, Hamada N, Maeyama T, Souzaki R, Tajiri T, Taguchi T, Kuwano K, Nakanishi Y :

EGFR Tyrosine Kinase Inhibition Worsens Acute Lung Injury in Mice with Repairing Airway Epithelium

Am J Respir Crit Care Med. 2011 Mar 15;183(6):743-51

<http://171.66.122.149/cgi/content/abstract/183/6/743>

Hemmerling J, Heller K, Hörmannspurger G, Bazanella M, Clavel T, Kollias G, Haller D:

Fetal Exposure to Maternal Inflammation Does Not Affect Postnatal Development of Genetically-Driven Ileitis and Colitis

PLoS ONE 9(5): e98237. doi: 10.1371/journal.pone.0098237

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0098237#pone-0098237-g004>

Hicks DJ, Kelly M, Brookes SM, Londt BZ, Ortiz Pelaez A, Orlowska A, Brown IH, Spencer YI, Núñez A: **Cytokine Expression at Different Stages of Influenza A(H1N1)pdm09 Virus Infection in the Porcine Lung, Using Laser Capture Microdissection**

Transbound Emerg Dis. 2014 Jun 3. doi: 10.1111/tbed.12232.

<http://onlinelibrary.wiley.com/doi/10.1111/tbed.12232/abstract>

Hu JC, Chan HC, Simmer SG, Seymen F, Richardson AS, Hu Y, Milkovich RN, Estrella NM, Yildirim M, Bayram M, Chen CF, Simmer JP:

Amelogenesis Imperfecta in Two Families with Defined AMELX Deletions in ARHGAP6

PLoS One. 2012;7(12):e52052. doi: 10.1371/journal.pone.0052052.

<http://dx.plos.org/10.1371/journal.pone.0052052>

Hua J, Guerin KI, Chen J, Michán S, Stahl A, Krah NM, Seaward MR, Dennison RJ, Juan AM, Hatton CJ, Sapieha P, Sinclair DA, Smith LE:

Resveratrol inhibits pathologic retinal neovascularization in vldlr^{-/-} mice

Invest Ophthalmol Vis Sci 52(5):2809-16 (2011)

<http://www.iovs.org/content/52/5/2809.short>

Huang H, Parlier R, Shen JK, Luttly GA, Vינוres SA:

VEGF Receptor Blockade Markedly Reduces Retinal Microglia/Macrophage Infiltration into Laser-Induced CNV

PLoS One. 2013 Aug 20;8(8):e71808. doi: 10.1371/journal.pone.0071808.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071808>

Hayashi T, Kumasaka T, Mitani K, Yao T, Suda K, Seyama K:

Loss of heterozygosity on tuberous sclerosis complex genes in multifocal micronodular pneumocyte hyperplasia

Mod Pathol 23(9):1251-60 (2010)

<http://www.nature.com/modpathol/journal/v23/n9/abs/modpathol2010114a.html>

Ida-Yonemochi H, Nakajima M, Saku T:

Heparanase, heparan sulfate and perlecan distribution along with the vascular penetration during stellate reticulum retraction in the mouse enamel organ

Arch Oral Biol. 2010 Oct;55(10):778-87

<http://www.aobjournal.com/article/S0003-9969%2810%2900190-1/abstract>

Ito S, Fujii H, Matsumoto T, Abe M, Ikeda K, Hino O:

Frequent expression of Niban in head and neck squamous cell carcinoma and squamous dysplasia

Head Neck 32(1):96-103 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/hed.21153/full>

Jensen E:

Laser-Capture Microdissection

The Anatomical Record (Anat. Rec.), 2013, 1932-8494, 10.1002/ar.22791

<http://dx.doi.org/10.1002/ar.22791>

Jiang HH, Gill BC, Dissaranan C, Zutshi M, Balog BM, Lin D, Damaser MS :

Effects of acute selective pudendal nerve electrical stimulation after simulated childbirth injury

Am J Physiol Renal Physiol. 2012 Nov 14.

<http://ajprenal.physiology.org/cgi/pmidlookup?view=reprint&pmid=23152293>

Jiménez LM, Binelli M, Bertolin K, Pelletier RM, Murphy BD :

Scavenger receptor-B1 and luteal function in mice

J Lipid Res 51(8):2362-71 (2010)

<http://www.jlr.org/content/51/8/2362.short>

Joshi D:

LASER MICRODISSECTION (LMD) TECHNIQUES

MGIMS journals, Volume 14, Number (ii) September 2009 11056262580

http://www.mgims.ac.in/mgimsjournal/LASER_MICRODISSECTION_LMD_TECHNIQUES.pdf

Kantlehner M, Kirchner R, Hartmann P, Ellwart JW, Alunni-Fabbroni M, Schumacher A.:

A high-throughput DNA methylation analysis of a single cell.

Nucleic Acids Res. 2011 Apr;39(7):e44.

<http://nar.oxfordjournals.org/content/39/7/e44.long>

Kawakita T, Shimmura S, Higa K, Espana EM, He H, Shimazaki J, Tsubota K, Tseng SC:

Greater growth potential of p63-positive epithelial cell clusters maintained in human limbal epithelial sheets

Invest Ophthalmol Vis Sci 50(10):4611-7 (2009)

<http://www.iovs.org/content/50/10/4611.short>

Kawamoto T, Kawamoto K:

Preparation of Thin Frozen Sections from Nonfixed and Undecalcified Hard Tissues Using Kawamoto's Film Method (2012)

Methods Mol Biol. 2014;1130:149-64. doi: 10.1007/978-1-62703-989-5_11

http://link.springer.com/protocol/10.1007%2F978-1-62703-989-5_11

Keplinger S:

Influence of the adult eyes on circadian and lunar rhythms in *Platynereis dumerilii*

Thesis, Nov 2010

http://othes.univie.ac.at/12266/1/2010-11-24_0307989.pdf

Kitagawa D, Flückiger I, Polanowska J, Keller D, Reboul J, Gönczy P :

PP2A Phosphatase Acts upon SAS-5 to Ensure Centriole Formation in *C. elegans* Embryos

Dev Cell. 2011 Apr 19;20(4):550-62.

[http://linkinghub.elsevier.com/retrieve/pii/S1534-5807\(11\)00074-8](http://linkinghub.elsevier.com/retrieve/pii/S1534-5807(11)00074-8)

Kojima H, Kosugi T, Sato W, Sato Y, Maeda K, Kato N, Kato K, Inaba S, Ishimoto T, Tsuboi N, Matsuo S, Maruyama S, Yuzawa Y, Kadomatsu K:

Deficiency of Growth Factor Midkine Exacerbates Necrotizing Glomerular Injuries in Progressive Glomerulonephritis

Am J Pathol. 2012 Nov 27. pii: S0002-9440(12)00810-3. doi: 10.1016/j.ajpath.2012.10.016.

<http://www.sciencedirect.com/science/article/pii/S0002944012008103>

Kolble, K.:

The LEICA microdissection system: design and applications

J Mol Med 78(7): B24-25 (2000)

<http://www.ncbi.nlm.nih.gov/pubmed/11043387>

Kolotuev I, Bumbarger DJ, Labouesse M, Schwab Y:

Targeted ultramicrotomy: a valuable tool for correlated light and electron microscopy of small model organisms

Methods Cell Biol. 2012;111:203-22

<http://www.ncbi.nlm.nih.gov/pubmed/22857930>

Kolotuev I, Schwab Y, Labouesse M:

A precise and rapid mapping protocol for correlative light and electron microscopy of small invertebrate organisms

Biol Cell. 2009 Dec 4;102(2):121-32.

<http://dx.doi.org/10.1042/BC20090096>

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Kowalski PS, Zwieters PJ, Morselt HW, Kuldo JM, Leus NG, Ruiters MH, Molema G, Kamps JA:

Anti-VCAM-1 SAINT-O-Somes enable endothelial-specific delivery of siRNA and downregulation of inflammatory genes in activated endothelium in vivo

J Control Release. 2014 Jan 2. pii: S0168-3659(13)00971-1. doi: 10.1016/j.jconrel.2013.12.029.

<http://www.sciencedirect.com/science/article/pii/S0168365913009711>

Krupke A, Mohr W, LaRoche J, Fuchs BM, Amann RI, Kuypers MM:

The effect of nutrients on carbon and nitrogen fixation by the UCYN-A-haptophyte symbiosis

ISME J. 2014 Dec 23. doi: 10.1038/ismej.2014.253.

<http://www.nature.com/ismej/journal/vaop/ncurrent/full/ismej2014253a.html>

Krupke A, Musat N, Laroche J, Mohr W, Fuchs BM, Amann RI, Kuypers MM, Foster RA:
In situ identification and N₂ and C fixation rates of uncultivated cyanobacteria populations
Syst Appl Microbiol. 2013 Mar 26. pii: S0723-2020(13)00030-1. doi: 10.1016/j.syapm.2013.02.002.
<http://www.sciencedirect.com/science/article/pii/S0723202013000301>

Ladanyi, A., Sipos, F., Szoke, D., Galamb, O., Molnar, B., and Tulassay, Z.:
Laser microdissection in translational and clinical research
Cytometry A 69(9): 947-960 (2006)
<http://onlinelibrary.wiley.com/doi/10.1002/cyto.a.20322/full>

Lash GE, Innes BA, Drury JA, Robson SC, Quenby S, Bulmer JN:
Localization of angiogenic growth factors and their receptors in the human endometrium throughout the menstrual cycle and in recurrent miscarriage
Hum Reprod. 2011 Nov 10. [Epub ahead of print]
<http://humrep.oxfordjournals.org/content/early/2011/11/09/humrep.der376.long>

Lee K, Santibanez-Koref M, Polvikoski T, Birchall D, Mendelow AD, Keavney B:
Increased expression of fatty acid binding protein 4 and leptin in resident macrophages characterises atherosclerotic plaque rupture
Atherosclerosis, Epub 5 Oct 2012, ISSN 0021-9150, 10.1016/j.atherosclerosis.2012.09.037.
<http://www.sciencedirect.com/science/article/pii/S0021915012006557?v=s5>

Legres LG, Janin A, Masselon C, Bertheau P:
Beyond laser microdissection technology: follow the yellow brick road for cancer research
Am J Cancer Res 2014;4(1):1-28; www.ajcr.us/ISSN:2156-6976/ajcr0000234
<http://www.ajcr.us/files/ajcr0000234.pdf>

Lembrechts R, Pintelon I, Schnorbusch K, Kemp P, Timmermans JP, Riccardi D, Adriaensen D, Brouns I:
Functional expression of the extracellular Ca²⁺-sensing receptor in pulmonary neuroepithelial bodies unraveled by RT-PCR after laser microdissection, multilabel immunohistochemistry and high resolution confocal calcium imaging
Poster, EMC 2012, Manchester
http://www.emc2012.org.uk/documents/Abstracts/Abstracts/EMC2012_0483.pdf

Li B:
Clinical Genomic Analysis and Diagnosis --Genomic Analysis Ex Vivo, in Vitro and in Silico
Clinical Medicine and Diagnostics 2012, 2(4): 37-44
<http://article.sapub.org/10.5923.j.cmd.20120204.04.html>

Liba A and Wanagat J:
Single Cell Multiplex Protein Measurements through Rare Earth Element Immunolabeling, Laser Capture Microdissection and Inductively Coupled Mass Spectrometry
J Cytol Histol 2014, 5:6
<http://dx.doi.org/10.4172/2157-7099.1000290>

Lin HY, Law PY, Loh HH:
Activation of PKC α or PKC $\{\nu\}$ as an approach to increase morphine tolerance in respiratory depression and lethal overdose
J Pharmacol Exp Ther. 2012 Jan 6. doi: 10.1124/jpet.111.188235
<http://jpet.aspetjournals.org/content/early/2012/01/06/jpet.111.188235.abstract>

Mande PV, Parikh FR, Hinduja I, Zaveri K, Vaidya R, Gajbhiye R and Khole VV:
Identification and validation of candidate biomarkers involved in human ovarian autoimmunity
Reproductive BioMedicine Online (2011)
<http://dx.doi.org/10.1016/j.rbmo.2011.06.013>

Matsuda K, Brown CR, Foley B, Goeken R, Whitted S, Dang Q, Wu F, Plishka R, White AB, Hirsch VM:
Laser Capture Microdissection Assessment of Virus Compartmentalization in the CNS of Macaques Infected with Neurovirulent SIV

J Virol. 2013 May 29

<http://jvi.asm.org/cgi/pmidlookup?view=long&pmid=23720733>

Milucka J, Ferdelman TG, Polerecky L, Franzke D, Wegener G, Schmid M, Lieberwirth I, Wagner M, Widdel F, Kuypers MM:

Zero-valent sulphur is a key intermediate in marine methane oxidation

Nature. 2012 Nov 7. doi: 10.1038/nature11656.

<http://dx.doi.org/10.1038/nature11656>

Miyai K, Yamamoto S, Aida S, Shimazaki H, Takano M, Kudoh K, Furuya K, Tamai S, Matsubara O:
Massive intra-abdominal undifferentiated carcinoma derived from an endometrioid adenocarcinoma in a "normal-sized" ovary

Int J Gynecol Pathol. 2010 Jul;29(4):321-7.

http://journals.lww.com/intjgynpathology/Abstract/2010/07000/Massive_Intra_abdominal_Undifferentiated_Carcinoma.4.aspx

Mizuno S, Bogaard HJ, Kraskauskas D, Alhussaini A, Gomez-Arroyo J, Voelkel NF, Ishizaki T:
p53 Gene deficiency promotes hypoxia-induced pulmonary hypertension and vascular remodeling in mice

Am J Physiol Lung Cell Mol Physiol. 2011 May;300(5):L753-61

<http://ajplung.physiology.org/content/300/5/L753.short>

Mohtashami M, Shah DK, Nakase H, Kianizad K, Petrie HT, Zúñiga-Pflücker JC:

Direct comparison of Dll1- and Dll4-mediated Notch activation levels shows differential lymphomyeloid lineage commitment outcomes

J Immunol. 2010 Jul 15;185(2):867-76

<http://www.jimmunol.org/content/185/2/867.short>

Montani D, Perros F, Gambaryan N, Girerd B, Dorfmueller P, Price LC, Huertas A, Hammad H, Lambrecht B, Simonneau G, Launay JM, Cohen-Kaminsky S, Humbert M:

C-Kit Positive Cells Accumulate in Remodeled Vessels of Idiopathic Pulmonary Arterial Hypertension

Am J Respir Crit Care Med. 2011 Feb 4. [Epub ahead of print]

<http://171.66.122.149/cgi/content/abstract/201006-0905OCv1>

Mori Y, Chung UI, Tanaka S, Saito T:

Determination of differential gene expression profiles in superficial and deeper zones of mature rat articular cartilage using RNA sequencing of laser microdissected tissue specimens

Biomed Res. 2014;35(4):263-70.

<http://japanlinkcenter.org/DN/JST.JSTAGE/biomedres/35.263?lang=en&from=PubMed>

Morono Y, Terada T, Nishizawa M, Ito M, Hillion F, Takahata N, Sano Y, Inagaki F:

Carbon and nitrogen assimilation in deep seafloor microbial cells

Proc Natl Acad Sci U S A. 2011 Oct 10. [Epub ahead of print]

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=21987801>

Mouzat K, Volat F, Baron S, Alves G, Pommier AJ, Volle DH, Marceau G, DeHaze A, Déchelotte P, Duggavathi R, Caira F, Lobaccaro JM:

Absence of nuclear receptors for oxysterols liver X receptor induces ovarian hyperstimulation syndrome in mice

Endocrinology. 2009 Jul;150(7):3369-75. doi: 10.1210/en.2008-1519.

<http://endo.endojournals.org/cgi/pmidlookup?view=long&pmid=19325005>

Munshaw S, Hwang HS, Torbenson M, Quinn J, Hansen KD, Astemborski J, Mehta SH, Ray SC, Thomas DL, Balagopal A:

Laser captured hepatocytes show association of butyrylcholinesterase gene loss and fibrosis progression in hepatitis C-infected drug users

Hepatology. 2012 Aug;56(2):544-54. doi: 10.1002/hep.25655.

<http://dx.doi.org/10.1002/hep.25655>

Murray GI:

Has the proteome of formalin-fixed wax-embedded tissue been unlocked?

Nephrol Dial Transplant. 2012 Aug 1. [Epub ahead of print]

<http://ndt.oxfordjournals.org/content/early/2012/07/31/ndt.gfs342.full.pdf+html>

Musat N, Foster R, Vagner T, Adam B, Kuypers MM:

Detecting metabolic activities in single cells, with emphasis on nanoSIMS

FEMS Microbiol Rev. 2012 Mar;36(2):486-511. doi: 10.1111/j.1574-6976.2011.00303.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1574-6976.2011.00303.x/abstract>

Mustafa A, Cenayko C, Mitry RR, Quaglia A:

Laser microdissection microscopy: application to cell culture

Methods Mol Biol. 2012;806:385-92.

<http://www.springerlink.com/content/k3136j3p20g11184/#section=982768&page=1&locus=0>

Nagata M, Nuckolls GH, Wang X, Shum L, Seki Y, Kawase T, Takahashi K, Nonaka K, Takahashi I, Noman AA, Suzuki K, Slavkin HC:

The primary site of the acrocephalic feature in Apert Syndrome is a dwarf cranial base with accelerated chondrocytic differentiation due to aberrant activation of the FGFR2 signaling

Bone. 2011 Apr 1;48(4):847-56.

<http://www.thebonejournal.com/article/S8756-3282%2810%2902045-4/abstract>

Ninagawa NT, Isobe E, Hirayama Y, Murakami R, Komatsu K, Nagai M, Kobayashi M, Kawabata Y, and Torihashi S:

Transplanted Mesenchymal Stem Cells Derived from Embryonic Stem Cells Promote Muscle Regeneration and Accelerate Functional Recovery of Injured Skeletal Muscle

BioResearch Open Access, Mary Ann Liebert, Inc.; DOI: 10.1089/biores.2013.0012

<http://online.liebertpub.com/doi/abs/10.1089/biores.2013.0012>

Nishimura R, Nishioka S, Fujisawa I, Shiku H, Shimada M, Sekiguchi S, Fujimori K, Ushiyama A, Matsue T, Ohuchi N, Satomi S, Goto M:

Tacrolimus Inhibits the Revascularization of Isolated Pancreatic Islets

PLoS ONE 8(4): e56799. doi:10.1371/journal.pone.0056799

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0056799>

Oikawa A, Saito K:

Metabolite analyses of single cells

Plant J. 2012 Apr;70(1):30-8. doi: 10.1111/j.1365-313X.2012.04967.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04967.x/full>

Omri S, Behar-Cohen F, Rothschild PR, Gélizé E, Jonet L, Jeanny JC, Omri B, Crisanti P:

PKC ζ Mediates Breakdown of Outer Blood-Retinal Barriers in Diabetic Retinopathy

PLoS One. 2013 Nov 29;8(11):e81600. doi: 10.1371/journal.pone.0081600.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0081600>

Omri S, Omri B, Savoldelli M, Jonet L, Thillaye-Goldenberg B, Thuret G, Gain P, Jeanny JC, Crisanti P, Behar-Cohen F:

The outer limiting membrane (OLM) revisited: clinical implications

Clin Ophthalmol. 2010 Apr 26;4:183-95

http://www.dovepress.com/articles.php?article_id=4164

Ossi, J., Lee, A., and Zhou, J.:

Leica AS LMD - The Latest Advance in Laser Microdissection

Scientific and Technical Information 8: 114-122 (2005)

[http://www.leica-](http://www.leica-microsystems.com/fileadmin/downloads/Leica%20AS%20LMD/Publications/Leica_STI_CDR8_ossi_et_al_en.pdf)

[microsystems.com/fileadmin/downloads/Leica%20AS%20LMD/Publications/Leica_STI_CDR8_ossi_et_al_en.pdf](http://www.leica-microsystems.com/fileadmin/downloads/Leica%20AS%20LMD/Publications/Leica_STI_CDR8_ossi_et_al_en.pdf)

Patil M, Suryanarayana P, Kumar Putcha U, Srinivas, and Reddy GB:

Evaluation of neonatal streptozotocin-induced diabetic rat model for the development of cataract

Oxidative Medicine and Cellular Longevity, 2. Aug 2014

<http://www.hindawi.com/journals/omcl/aip/463264/>

Pihlajoki M, Gretzinger E, Cochran R, Kyrönlahti A, Schrade A, Hiller T, Sullivan L, Shoykhet M, Schoeller EL, Brooks MD, Heikinheimo M, Wilson DB:

Conditional mutagenesis of Gata6 in SF1-positive cells causes gonadal-like differentiation in the adrenal cortex of mice

Endocrinology. 2013 May;154(5):1754-67. doi: 10.1210/en.2012-1892.

<http://endo.endojournals.org/cgi/pmidlookup?view=long&pmid=23471215>

Polerecky L, Adam B, Milucka J, Musat N, Vagner T, Kuypers MM:

Look@NanoSIMS - a tool for the analysis of nanoSIMS data in environmental microbiology

Environ Microbiol. 2012 Apr;14(4):1009-23. doi: 10.1111/j.1462-2920.2011.02681.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1462-2920.2011.02681.x/abstract>

Post RJ, Crainey JL, Bivand A, Renz A:

Laser-assisted microdissection for the study of the ecology of parasites in their hosts

Mol Ecol Resour. 2009 Mar;9(2):480-6. doi: 10.1111/j.1755-0998.2008.02437.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1755-0998.2008.02437.x/abstract>

Qu F, Wang FF, Yin R, Ding GL, El-Prince M, Gao Q, Shi BW, Pan HH, Huang YT, Jin M, Leung PC, Sheng JZ, Huang HF:

A molecular mechanism underlying ovarian dysfunction of polycystic ovary syndrome: hyperandrogenism induces epigenetic alterations in the granulosa cells

J Mol Med (Berl). 2012 Feb 21. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00109-012-0881-4>

Quan T, Qin Z, Xia W, Shao Y, Voorhees JJ, Fisher GJ:

Matrix-Degrading Metalloproteinases in Photoaging

J Invest Dermatol Symp Proc. 2009 Aug;14(1):20-4.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC19675548/?tool=pubmed>

Rabien A, Fritzsche FR, Jung M, Tölle A, Diamandis EP, Miller K, Jung K, Kristiansen G, Stephan C:

KLK15 is a prognostic marker for progression-free survival in patients with radical prostatectomy

Int J Cancer 127(10):2386-94 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25435/full>

Rowley AH, Baker SC, Shulman ST, Rand KH, Tretiakova MS, Perlman EJ, Garcia FL, Tajuddin NF, Fox LM, Huang JH, Ralphe JC, Takahashi K, Flatow J, Lin S, Kalelkar MB, Soriano B, Orenstein JM:
Ultrastructural, immunofluorescence, and RNA evidence support the hypothesis of a "new" virus associated with Kawasaki disease

J Infect Dis. 2011 Apr 1;203(7):1021-30
<http://jid.oxfordjournals.org/content/203/7/1021.short>

Russi S, Lauletta G, Serviddio G, Sansonno S, Conteduca V, Sansonno L, De Re V, Sansonno D:
TCR Repertoire in HCV-related mixed cryoglobulinemia: T Cell Receptor Variable β Gene Repertoire in Liver and Peripheral Blood Lymphocytes of Chronically HCV-Infected Patients With and Without Mixed Cryoglobulinemia

Clin Exp Immunol (2012) 1365-2249
<http://onlinelibrary.wiley.com/doi/10.1111/cei.12035/abstract>

Saint-Geniez M, Jiang A, Abend S, Liu L, Sweigard H, Connor KM, Arany Z:
PGC-1 α Regulates Normal and Pathological Angiogenesis in the Retina

The American Journal of Pathology - 09 November 2012 (10.1016/j.ajpath.2012.09.003)
<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2812%2900714-6/fulltext>

Schneider, B. and Hölscher, D.:

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225: 763-770 (2007)
<http://www.springerlink.com/content/m5787044k63758q0/>

Schollaen K, Heinrich I, Helle G:

A novel approach for the preparation of high-resolution stable isotope records from tropical tree-rings

Dendrosymposium 2012/2013: In proceeding of: 11th TRACE conference, At Potsdam/Eberswalde, Germany, Volume: 11
http://www.researchgate.net/publication/255977905_A_novel_approach_for_the_preparation_of_high-resolution_stable_isotope_records_from_tropical_tree_rings

Schollaen K, Heinrich I, Helle G:

UV-laser-based microscopic dissection of tree rings – a novel sampling tool for $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ studies

New Phytol. 2013 Nov 13. doi: 10.1111/nph.12587.
<http://onlinelibrary.wiley.com/doi/10.1111/nph.12587/abstract>

Schreiber, V., Ricoul, M., Ame, J.C., Dantzer, F., Meder, V., Spenlehauer, C., Stiegler, P., Niedergang, C., Sabitier, L., Favoudon, V., Ménissier-de Murcia, J., and de Murcia, G.:

PARP-2: Structure-Function Relationship

Poly (ADP-Ribosyl)ation Chapter 2: Ed. A Bürkle, Eurekah (2004)
<http://www.landesbioscience.com/curie/chapter/1842/>

Seldin DC and Sanchorawala V:

Amyloidomics comes of age

Blood February 23, 2012 vol. 119 no. 8 1795-1796; doi: 10.1182/blood-2011-10-381178
<http://bloodjournal.hematologylibrary.org/content/119/8/1795.full.pdf+html>

Sethi S, Gamez JD, Vrana JA, Theis JD, Bergen HR 3rd, Zipfel PF, Dogan A, Smith RJ:

Glomeruli of Dense Deposit Disease contain components of the alternative and terminal complement pathway

Kidney Int 75(9): 952-60 (2009)
<http://www.nature.com/ki/journal/v75/n9/abs/ki2008657a.html>

Shibuya N, Imai Y, Lee YS, Kochi T, Tachi M:

Acute Rejection of Knee Joint Articular Cartilage in a Rat Composite Tissue Allotransplantation Model

J Bone Joint Surg Am. 2014 Jun 18;96(12):1033-1039.

<http://jbj.s.org/content/96/12/1033>

Siddon A, Lozovatsky L, Mohamed A, Hudnall SD:

Human herpesvirus 6 positive Reed-Sternberg cells in nodular sclerosis Hodgkin lymphoma

Br J Haematol. 2012 Jul 4. doi: 10.1111/j.1365-2141.2012.09206.x.

<http://dx.doi.org/10.1111/j.1365-2141.2012.09206.x>

Spiegelhalter C, Tosch V, Hentsch D, Koch M, Kessler P, Schwab Y, Laporte J:

From dynamic live cell imaging to 3D ultrastructure: novel integrated methods for high pressure freezing and correlative light-electron microscopy

PLoS One. 2010 Feb 3;5(2):e9014

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0009014>

Stahl A, Joyal JS, Chen J, Sapienza P, Juan AM, Hatton CJ, Pei DT, Hurst CG, Seaward MR, Krah NM, Dennison RJ, Greene ER, Boscolo E, Panigrahy D, Smith LE:

SOCS3 is an endogenous inhibitor of pathologic angiogenesis

Blood. 2012 Jul 12.

<http://bloodjournal.hematologylibrary.org/cgi/pmidlookup?view=long&pmid=22791286>

Sutherland KM, Edwards PC, Combs TJ, Van Winkle LS:

Sex differences in the development of airway epithelial tolerance to naphthalene

Am J Physiol Lung Cell Mol Physiol. 2012 Jan 1;302(1):L68-81. doi: 10.1152/ajplung.00089.2011.

<http://ajplung.physiology.org/cgi/pmidlookup?view=long&pmid=22003090>

Tablin F, den Hartigh LJ, Aung HH, Lame MW, Kleeman MJ, Ham W, Norris JW, Pombo M, Wilson DW:

Seasonal influences on CAPs exposures: differential responses in platelet activation, serum cytokines and xenobiotic gene expression

Inhal Toxicol. 2012 Jul;24(8):506-17. doi: 10.3109/08958378.2012.695815.

<http://informahealthcare.com/doi/abs/10.3109/08958378.2012.695815>

Taketa Y, Yoshida M, Inoue K, Takahashi M, Sakamoto Y, Watanabe G, Taya K, Yamate J, Nishikawa A:

Differential Stimulation Pathways of Progesterone Secretion from Newly Formed Corpora Lutea in Rats Treated with Ethylene Glycol Dimethyl Ether, Sulpiride, or Atrazine

Toxicol Sci. 2011 Apr 6. [Epub ahead of print]

<http://toxsci.oxfordjournals.org/content/early/2011/03/21/toxsci.kfr062.short>

Taketa Y, Yoshida M, Inoue K, Takahashi M, Sakamoto Y, Watanabe G, Taya K, Yamate J, Nishikawa A:

The newly formed corpora lutea of normal cycling rats exhibit drastic changes in steroidogenic and luteolytic gene expressions

Exp Toxicol Pathol. 2011 Feb 21. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.etp.2011.01.015>

Tan QY, Zhang JQ, Wang N, Li XL, Xiong HR, Teng YZ, He D, Wu JY, Zhao CJ, Yin HF, Zhang LK:

Uricase from Bacillus fastidius loaded in alkaline enyzosomes: Enhanced biochemical and pharmacological characteristics in hypouricemic rats

Eur J Pharm Biopharm. 2012 Jun 15. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0939641112001890>

Tsukita S, Yamada T, Uno K, Takahashi K, Kaneko K, Ishigaki Y, Imai J, Hasegawa Y, Sawada S, Ishihara H, Oka Y, Katagiri H:

Hepatic Glucokinase Modulates Obesity Predisposition by Regulating BAT Thermogenesis via Neural Signals

Cell Metab. 2012 Dec 5;16(6):825-32. doi: 10.1016/j.cmet.2012.11.006.

<http://www.sciencedirect.com/science/article/pii/S1550413112004597>

Tymen SD, Rojas IG, Zhou X, Fang ZJ, Zhao Y, and Marucha PT:

Restraint stress alters neutrophil and macrophage phenotypes during wound healing

Brain, Behavior, and Immunity, Available online 2 August 2012

<http://dx.doi.org/10.1016/j.bbi.2012.07.013>

Uddin MJ, Daramola DE, Velasquez E, Dickens TJ, Yan J, Hammel E, Cesano F and Okoli OI:

A high efficiency 3D photovoltaic microwire with carbon nanotubes (CNT)-quantum dot (QD) hybrid interface

Phys. Status Solidi RRL. doi: 10.1002/pssr.201409392

<http://onlinelibrary.wiley.com/doi/10.1002/pssr.201409392/abstract>

Ullsten S, Lau J, Carlsson PO:

Vascular heterogeneity between native rat pancreatic islets is responsible for differences in survival and revascularisation post transplantation

Diabetologia. 2014 Sep 26.

<http://link.springer.com/article/10.1007/s00125-014-3385-7>

Ure AE, Forslund O:

Lack of methylation in the HPV type 6 upstream regulatory region from aerodigestive tract papillomas

J Virol. 2012 Oct 3.

<http://jvi.asm.org/content/early/2012/09/26/JVI.01938-12.abstract>

Ushio-Yamana H, Minegishi S, Ishigami T, Araki N, Umemura M, Tamura K, Maeda E, Kakizoe Y, Kitamura K, Umemura S:

Renin Angiotensin Antagonists Normalize Aberrant Activation of Epithelial Sodium Channels in Sodium-Sensitive Hypertension

Nephron Exp Nephrol. 2013 Apr 9;122(3-4):95-102.

<http://www.karger.com/Article/FullText/348660>

van Dijk, M.C., Rombout, P.D., Dijkman, H.B., Ruiter, D.J., and Bernsen, M.R.:

Improved resolution by mounting of tissue sections for laser microdissection

Mol Pathol 56(4): 240-243 (2003)

<http://mp.bmj.com/content/56/4/240.long>

van Wijk XM, Vallen MJ, van de Westerlo EM, Oosterhof A, Hao W, Versteeg EM, Raben J, Wismans RG, Smetsers TF, Dijkman HB, Schalkwijk J, van Kuppevelt TH:

Extraction and structural analysis of glycosaminoglycans from formalin-fixed, paraffin-embedded tissues

Glycobiology. 2012 Aug 2. [Epub ahead of print]

<http://glycob.oxfordjournals.org/content/early/2012/08/02/glycob.cws119.abstract>

Veit F, Pak O, Egemnazarov B, Roth M, Kosanovic D, Sommer N, Seimetz M, Ghofrani H, Seeger W, Grimminger F, Brandes RP, Schermuly R, Weissmann N:

Function of NADPH oxidase 1 in pulmonary arterial smooth muscle cells after monocrotaline-induced pulmonary vascular remodeling

Antioxid Redox Signal. 2013 May 27

<http://dx.doi.org/10.1089/ars.2012.4904>

Vergani A, Clissi B, Sanvito F, Doglioni C, Fiorina P, Pardi R:

Laser capture microdissection as a new tool to assess graft-infiltrating lymphocytes gene profile in islet transplantation

Cell Transplant 18(8):827-32 (2009)

<http://www.ingentaconnect.com/content/cog/ct/2009/00000018/00000008/art00001>

Veron D, Bertuccio CA, Marlier A, Reidy K, Garcia AM, Jimenez J, Velazquez H, Kashgarian M, Moeckel GW, Tufro A:

Podocyte vascular endothelial growth factor (Vegf (164)) overexpression causes severe nodular glomerulosclerosis in a mouse model of type 1 diabetes

Diabetologia 54(5):1227-41 (2011)

<http://www.springerlink.com/content/e68403uw45767488/>

Vukelic S, Stojadinovic O, Pastar I, Rabach M, Krzyzanowska A, Lebrun E, Davis SC, Resnik S, Brem H, Tomic-Canic M:

Cortisol synthesis in epidermis is induced by IL-1 and tissue injury

J Biol Chem. 2011 Mar 25;286(12):10265-75

<http://www.jbc.org/content/286/12/10265.short>

Wahlgren CM, Zheng W, Shaalan W, Tang J, Bassiouny HS:

Human carotid plaque calcification and vulnerability. Relationship between degree of plaque calcification, fibrous cap inflammatory gene expression and symptomatology

Cerebrovasc Dis 27(2):193-200 (2009)

<http://content.karger.com/produktedb/produkte.asp?doi=000189204&typ=pdf>

Wahlin KJ, Hackler L Jr, Adler R, Zack DJ:

Alternative splicing of neuroligin and its protein distribution in the outer plexiform layer of the chicken retina

J Comp Neurol. 2010 Dec 15;518(24):4938-62

<http://dx.doi.org/10.1002/cne.22499>

Wakim LM, Woodward-Davis A, Bevan MJ:

Memory T cells persisting within the brain after local infection show functional adaptations to their tissue of residence

Proc Natl Acad Sci U S A. 2010 Oct 19;107(42):17872-9

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2964240/>

Wakimoto T, Egami Y, Nakashima Y, Wakimoto Y, Mori T, Awakawa T, Ito T, Kenmoku H, Asakawa Y, Piel J, Abe I:

Calyculin biogenesis from a pyrophosphate protoxin produced by a sponge symbiont

Nat Chem Biol. 2014 Jun 29. doi: 10.1038/nchembio.1573

<http://dx.doi.org/10.1038/nchembio.1573>

Waldschmitt N, Berger E, Rath E, Sartor RB, Weigmann B, Heikenwalder M, Gerhard M, Janssen KP, Haller D:

C/EBP homologous protein inhibits tissue repair in response to gut injury and is inversely regulated with chronic inflammation

Mucosal Immunol. 2014 May 21. doi: 10.1038/mi.2014.34.

<http://www.nature.com/mi/journal/vaop/ncurrent/full/mi201434a.html>

Wang L, Shao YY, Ballock RT:

Carboxypeptidase Z (CPZ) links thyroid hormone and Wnt signaling pathways in growth plate chondrocytes

J Bone Miner Res. 2009 Feb;24(2):265-73

<http://onlinelibrary.wiley.com/doi/10.1359/jbmr.081014/full>

Wang X, Zhang Q, Ren J, Jiang Z, Wang C, Zhuang W and Zhai T:

The preparation of sex-chromosome-specific painting probes and construction of sex chromosome DNA library in half-smooth tongue sole (*Cynoglossus semilaevis*)

Aquaculture 297(1-4): 78-84 (2009)

<http://dx.doi.org/10.1016/j.aquaculture.2009.09.020>

Wiggs JL, Yaspan BL, Hauser MA, Kang JH, Allingham RR, et al.

Common Variants at 9p21 and 8q22 Are Associated with Increased Susceptibility to Optic Nerve Degeneration in Glaucoma

PLoS Genet 8(4): e1002654. doi:10.1371/journal.pgen.1002654

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1002654>

Winkel M, Pjevac P, Kleiner M, Littmann S, Meyerdierks A, Amann R, Mußmann M:

Identification and activity of acetate-assimilating bacteria in diffuse fluids venting from two deep-sea hydrothermal systems

FEMS Microbiol Ecol. 2014 Sep 20. doi: 10.1111/1574-6941.12429.

<http://dx.doi.org/10.1111/1574-6941.12429>

Yamaguchi Y, Suzuki T, Mizoro Y, Kori H, Okada K, Chen Y, Fustin JM, Yamazaki F, Mizuguchi N, Zhang J, Dong X, Tsujimoto G, Okuno Y, Doi M, Okamura H:

Mice Genetically Deficient in Vasopressin V1a and V1b Receptors Are Resistant to Jet Lag

Science. 2013 Oct 4;342(6154):85-90.

<http://www.sciencemag.org/cgi/pmidlookup?view=long&pmid=24092737>

Yamamoto K, Taketomi Y, Isogai Y, Miki Y, Sato H, Masuda S, Nishito Y, Morioka K, Ishimoto Y, Suzuki N, Yokota Y, Hanasaki K, Ishikawa Y, Ishii T, Kobayashi T, Fukami K, Ikeda K, Nakanishi H, Taguchi R, Murakami M:

Hair Follicular Expression and Function of Group X Secreted Phospholipase A2 in Mouse Skin

J Biol Chem. 2011 Apr 1;286(13):11616-31

<http://www.jbc.org/content/286/13/11616.short>

Yanagihara K, Niki H, Baba T:

Direct PCR amplification of the 16S rRNA gene from single microbial cells isolated from an Antarctic iceberg using laser microdissection microscopy

Polar Science, Volume 5, Issue 3, September 2011, Pages 375–382

<http://www.sciencedirect.com/science/article/pii/S1873965211000375>

Zhong M, Feng Y, Liao H, Hu X, Wan S, Zhu B, Zhang M, Xiong H, Zhou Y, Zhang J:

Azithromycin Cationic Non-Lecithoid Nano/Microparticles Improve Bioavailability and Targeting Efficiency

Pharm Res. 2014 Sep 11.

<http://link.springer.com/article/10.1007/s11095-014-1382-7>

Zhou S, Wright JL, Liu J, Sin DD, and Churg A:

Aging does not Enhance Experimental Cigarette Smoke-Induced COPD in the Mouse

PLoS ONE 8(8): e71410. doi:10.1371/journal.pone.0071410

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0071410>

Living up to Life



Zhu Y, Colak T, Shenoy M, Liu L, Pai R, Li C, Mehta K, Pasricha PJ:

Nerve growth factor modulates TRPV1 expression and function and mediates pain in chronic pancreatitis

Gastroenterology. 2011 Jul;141(1):370-7. doi: 10.1053/j.gastro.2011.03.046.

[http://linkinghub.elsevier.com/retrieve/pii/S0016-5085\(11\)00417-3](http://linkinghub.elsevier.com/retrieve/pii/S0016-5085(11)00417-3)

Zigler JS Jr, Zhang C, Grebe R, Sehrawat G, Hackler L Jr, Adhya S, Hose S, McLeod DS, Bhutto I, Barbour W, Parthasarathy G, Zack DJ, Sergeev Y, Luttly GA, Handa JT, Sinha D:

Mutation in the β A3/A1-crystallin gene impairs phagosome degradation in the retinal pigmented epithelium of the rat

J Cell Sci. 2011 Feb 15;124(Pt 4):523-31. doi: 10.1242/jcs.078790.

<http://jcs.biologists.org/cgi/pmidlookup?view=long&pmid=21266465>

12. Live Cell Culture

Afshar K, Willard FS, Colombo K, Johnston CA, McCudden CR, Siderovski DP, Gönczy P:
RIC-8 is required for GPR-1/2-dependent Galpha function during asymmetric division of *C. elegans* embryos

Cell. 2004 Oct 15;119(2):219-30.

<http://linkinghub.elsevier.com/retrieve/pii/S0092867404008992>

Afshar, K., Willard, F.S., Colombo, K., Siderovski, D.P., and Gonczy, P.:
Cortical localization of the Galpha protein GPA-16 requires RIC-8 function during *C. elegans* asymmetric cell division

Development 132(20): 4449-4459 (2005)

<http://dev.biologists.org/content/132/20/4449.long>

Amé JC, Fouquerel E, Gauthier LR, Biard D, Boussin FD, Dantzer F, de Murcia G, Schreiber V:
Radiation-induced mitotic catastrophe in PARG-deficient cells

J Cell Sci. 2009 Jun 15;122(Pt 12):1990-2002.

<http://jcs.biologists.org/cgi/pmidlookup?view=long&pmid=19454480>

Funel N, Baron M, Pollina LE, Del Chiaro M, Salem FA, Boggi U, Bevilacqua G, Mosca F, Campani D:
Homozygosis Mutation in K-ras Oncogene in Primary Cell Culture from Pancreatic Ductal Adenocarcinoma. Characteristic of the Tumor or Adaptation in Vitro?

JOP. J Pancreas (Online) 2007; 8(5 Suppl):658-659.

<http://www.joplink.net/prev/200709/39.html>

Funel, N., Menicagli, M., Campani, D., Esposito, I., Pollina, L.E., Recarli, N., Di Cristofano, C., Cavazzana, A.O., Chifenti, B., Del Chiaro, M., Boggi, U., Mosca, T., and Bevilacqua, G.:

Laser Microdissection on Primary Cell Cultures of Pancreatic Adenocarcinoma

J Pancreas 5: 438-439 (2004)

<http://www.joplink.net/prev/200409/68.html>

Handschiek K, Beuerlein K, Jurida L, Bartkuhn M, Müller H, Soelch J, Weber A, Dittrich-Breiholz O, Schneider H, Scharfe M, Jarek M, Stellzig J, Schmitz ML, Kracht M:

Cyclin-Dependent Kinase 6 Is a Chromatin-Bound Cofactor for NF- κ B-Dependent Gene Expression

Mol Cell. 2013 Dec 31. pii: S1097-2765(13)00870-8. doi: 10.1016/j.molcel.2013.12.002.

<https://www.cell.com/molecular-cell/abstract/S1097-2765%2813%2900870-8>

Lammers G, Roth G, Heck M, Zengerle R, Tjabringa GS, Versteeg EM, Hafmans T, Wismans R, Reinhardt DP, Verwiele ET, Zeeuwen PL, Schalkwijk J, Brock R, Daamen WF, van Kuppevelt TH:

Construction of a Microstructured Collagen Membrane Mimicking the Papillary Dermis Architecture and Guiding Keratinocyte Morphology and Gene Expression

Macromol Biosci. 2012 Mar 13. doi: 10.1002/mabi.201100443. [Epub ahead of print]

<http://dx.doi.org/10.1002/mabi.201100443>

Metwaly H, Maruyama S, Yamazaki M, Tsuneki M, Abé T, Jen KY, Cheng J, Saku T

Parenchymal-stromal switching for extracellular matrix production on invasion of oral squamous cell carcinoma

Hum Pathol. 2012 May 9.

[http://linkinghub.elsevier.com/retrieve/pii/S0046-8177\(12\)00063-9](http://linkinghub.elsevier.com/retrieve/pii/S0046-8177(12)00063-9)

Mustafa A, Cenayko C, Mitry RR, Quaglia A:

Laser microdissection microscopy: application to cell culture

Methods Mol Biol. 2012;806:385-92.

<http://www.springerlink.com/content/k3136j3p20g11184/#section=982768&page=1&locus=0>

Nakatsu MN, Hughes CC:

An optimized three-dimensional in vitro model for the analysis of angiogenesis

Methods Enzymol. 2008;443:65-82.

<http://www.sciencedirect.com/science/article/pii/S0076687908020041>

Podgorny OV:

Live cell isolation by laser microdissection with gravity transfer

Journal of Biomedical Optics, May 2013, Volume 18 Issue 5

<http://biomedicaloptics.spiedigitallibrary.org/article.aspx?articleid=1686701>

Podgorny OV, Polina NF, Babenko VV, Karpova IY, Kostryukova ES, Govorun VM, Lazarev VN:

Isolation of single Chlamydia-infected cells using laser microdissection

J Microbiol Methods. 2014 Dec 26. pii: S0167-7012(14)00367-4. doi: 10.1016/j.mimet.2014.12.018.

<http://www.sciencedirect.com/science/article/pii/S0167701214003674>

Riche S, Zouak M, Argoul F, Arneodo A, Pecreaux J, Delattre M:

Evolutionary comparisons reveal a positional switch for spindle pole oscillations in Caenorhabditis embryos

J Cell Biol. 2013 May 20.

<http://jcb.rupress.org/cgi/pmidlookup?view=long&pmid=23690175>

Zhu P, Ning Y, Yao L, Chen M, Xu C:

The proliferation, apoptosis, invasion of endothelial-like epithelial ovarian cancer cells induced by hypoxia

J Exp Clin Cancer Res. 2010 Sep 10;29:124. doi: 10.1186/1756-9966-29-124.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC20831794/>

Find more information about LMD & LCC (live cell culture):

General information:

<http://www.leica-microsystems.com/science-lab/laser-microdissection/cell-cultures-and-laser-microdissection/>

Consumables:

<http://www.leica-microsystems.com/science-lab/laser-microdissection/application-specific-consumables-for-laser-microdissection-the-right-solution-for-every-application-updated-version/>

Climate chamber:

http://www.pecon.biz/?page_id=917

For cloning (save 2 months of work):

http://www.leica-microsystems.com/fileadmin/downloads/Leica%20LMD7000/Application%20Notes/Application_note_Live_Cell_Cutting.pdf

Living up to Life



For DNA damage analysis:

http://www.leica-microsystems.com/fileadmin/downloads/Leica%20LMD7000/Application%20Notes/Application_note_DNA_Damage_and_Repair.pdf