

DigiPREP HP

"A Hot Plate convenient & easy to operate"

A revolutionary design removes all "hot spots" from the heating surface. No moving beakers around looking for the "sweet spot"!!



- * Teflon® Coated Graphite Block resists aggressive, corrosive attack
 - Guaranteed for long life
- * New heater technology provides continuous, uniform surface temperature
- * Optional **DigiPROBE** provides convenient and accurate control of block or sample temperature (sold separately)

Ordering Information & Specifications

DigiPREP HP

Catalog Number	010-505-230 (115V/230V)	Stability	+/- 0.5°C
Temperature	Ambient - 180°C	Heating Block	Teflon Coated Graphite
Uniformity	+/- 1.0°C	Power	925 W
Over-Temp Protection	yes	Size	19"W x 15"D x 3"H
Time to Temperature	15 min. Ambient to 95°C	Certification	CE/UL/CSA
Heating Surface Area	214 sq. in.		

Options and Accessories

Description	Quantity	Catalog #
DigiPROBE 6"	1	010-505-115
DigiPROBE 10"	1	010-505-116

Choose your controller to operate your DigiPREP HP



KeyPad Controller

Catalog # 010-500-220


or

Touch Screen Controller

Catalog # 010-500-225



- * Programmable:
 - Timer with shut down option
 - Temperature set-point to 0.1 °C
 - Programmable alarm for end of segment
- * Displays actual:
 - Block temperature
 - Time remaining in sequence
- * Multilanguage Software
 - Useable in 7 different languages (English, Spanish and more)
- * Includes all KeyPad Controller features, plus:
 - * 10 storable methods software
 - * Each method offers 3 programmable levels of
 - Time to temperature
 - Time at temperature



www.scpscience.com

Sample
Prep

ICP-AES & MS

AA

XRF

Calibration
Standards

Certified
Reference
Materials

Also Available

DigiPREP MS

A high capacity
Digestion System



Incorporating all the latest technology in Graphite Digestion Systems.

Call us now for more information or to request a quotation !!

MK-DIGIPREP_HP-1.0-E

USA

Tel.: (800) 361-6820
Fax: (800) 253-5549

Canada / International

Tel.: (800) 361-6820 /+1 (514) 457-0701
Fax: (800) 253-5549 /+1 (514) 457-4499

Europe

Tel.: +33 (0) 1 69 18 71 17
Fax: +33 (0) 1 60 92 05 67

China

Tel.: +86 (10) 58032301
Fax: +86 (10) 58032302