

XLS+ Multichannels



Multichannel XLS+ Pipettes

Lighter weight

Less force

Greater control

Better balance

Lightweight Multichannel Pipettes

Performance You Can Feel

METTLER TOLEDO

Rainin XLS+ Multichannels

Lightweight, Superior Performance

The new Rainin XLS+™ multichannel pipettes by METTLER TOLEDO raise the bar on multichannel pipetting and performance. The new models are up to 35% lighter, which means they are easier to maneuver and easy on your hands, even after hours of pipetting.

XLS+ pipettes are Rainin's most technically and ergonomically advanced multichannels available. Equipped with Rainin's patented LiteTouch™ System (LTS™) technology, these multichannel pipettes are easy on your hands and deliver precise and consistent sample pickup across all channels. Built rugged and with the finest materials available, these multichannels will deliver years of consistent, reliable service. And like all Rainin XLS+ pipettes, the embedded RFID tag supports advanced calibration tracking.




Lightweight

At last... comfort and performance, even after hours of pipetting! Rainin XLS+ multichannels are lightweight, yet balanced and substantial, with a fit, feel and finish that is truly world class.



Greater control

Rainin XLS+ multichannels are among the easiest and the most responsive multichannel pipettes you'll ever use. On all models and volume ranges, operation is smooth and absolutely consistent from start to finish.



Lightest touch

Nothing beats Rainin's patented LiteTouch System (LTS) for ergonomics and ease of use – tips load quickly, seal perfectly and are easy to eject. And with new low-drag seals and lighter springs, your hands will feel the difference!



Channel consistency

With a small seal and positive stop, LTS provides a fast, perfect seal across all channels. No rocking or hand-tightening required... ever! Perfect seals result in consistent sample pickup on all channels – first time, every time.



Faster throughput

Speed plate work with Rainin's E4 XLS+ electronic multichannel pipettes. Special modes streamline how you transfer multiple aliquots, perform serial dilutions and pre-program series of volume transfers.



Pipet-Lite XLS+ and E4 XLS+ models

Rainin XLS+ Multichannel Pipettes

Manual and Electronic Models



Pipet-Lite XLS+ Multichannel

Cat. No.	MT-Order No.	Volume Range
8-Channel		
L8-10XLS+	17013802	0,5–10 µL
L8-20XLS+	17013803	2–20 µL
L8-50XLS+	17013804	5–50 µL
L8-200XLS+	17013805	20–200 µL
L8-300XLS+	17013806	20–300 µL
L8-1200XLS+	17014496	100–1200 µL
12-Channel		
L12-10XLS+	17013807	0,5–10 µL
L12-20XLS+	17013808	2–20 µL
L12-50XLS+	17013809	5–50 µL
L12-200XLS+	17013810	20–200 µL
L12-300XLS+	17013811	20–300 µL
L12-1200XLS+	17014497	100–1200 µL

E4 XLS+ Multichannel

Cat. No.	MT-Order No.	Volume Range
8-Channel		
E8-10XLS+	17013792	0,5–10 µL
E8-20XLS+	17013793	2–20 µL
E8-50XLS+	17013794	5–50 µL
E8-200XLS+	17013795	20–200 µL
E8-300XLS+	17013796	20–300 µL
E8-1200XLS+	17014498	100–1200 µL
12-Channel		
E12-10XLS+	17013797	0,5–10 µL
E12-20XLS+	17013798	2–20 µL
E12-50XLS+	17013799	5–50 µL
E12-200XLS+	17013800	20–200 µL
E12-300XLS+	17013801	20–300 µL
E12-1200XLS+	17014499	100–1200 µL

Rainin LTS pipettes are designed for use with LTS tips.

Rainin, Pipet-Lite, E4, XLS, XLS+, LTS, LifeTouch and Pipetting 360° are trademarks of Rainin Instrument, LLC.

www.mt.com/rainin

For more information



Quality certificate ISO9001
Environment certificate ISO14001

Subject to technical changes
© 04/2014 Mettler-Toledo AG
Printed in Switzerland 17700754
Marketing RAININ Europe
Global MarCom Switzerland



Rainin, Pipetting 360°, the 360° Logo are registered trademarks of Rainin Instrument, LLC. FrameStar is a registered trademark of 4titude Ltd. FrameStar plates are covered by one or more of the following U.S. patents or their foreign counterparts, owned by Eppendorf AG: US Patent Nos. 7,347,977 and 6,340,589.